variety of uses well known in the art and decribed further below. For instance, SEQ ID NO:X has uses including, but not limited to, in designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the related cDNA clone contained in a library deposited with the ATCC. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling immediate applications in chromosome mapping, linkage analysis, tissue identification and/or typing, and a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y have uses that include, but are not limited to, generating antibodies which bind specifically to the prostate cancer antigen polypeptides, or fragments thereof, and/or to the prostate cancer antigen polypeptides encoded by the cDNA clones identified in Table 1.

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing the related cDNA clone (deposited with the ATCC, as set forth in Table 1). The nucleotide sequence of each deposited clone can readily be determined by sequencing the deposited clone in accordance with known methods. Further, techniques known in the art can be used to verify the nucleotide sequences of SEQ ID NO:X.

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular clone can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

The present invention also relates to vectors or plasmids which include such DNA sequences, as well as the use of the DNA sequences. The material deposited with the ATCC on:

Table 2

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03, LP04, LP05, LP06, LP07, LP08, LP09, LP10, LP11,	May-20-97	209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

each is a mixture of cDNA clones derived from a variety of human tissue and cloned in either a plasmid vector or a phage vector, as shown in Table 5. These deposits are referred to as "the deposits" herein. The tissues from which the clones were derived are listed in Table 5, and the vector in which the cDNA is contained is also indicated in Table 5. The deposited material includes the cDNA clones which were partially sequenced and are related to the SEQ ID NO:X described in Table 1 (column 9). Thus, a clone which is isolatable from the ATCC Deposits by use of a sequence listed as SEQ ID NO:X may include the entire coding region of a human gene or in other cases such clone may include a substantial portion of the coding region of a human gene. Although the sequence listing lists only a portion of the DNA sequence in a clone included in the ATCC Deposits, it is well within the ability of one

ATCC Deposits by use of a sequence (or portion thereof) listed in Table 1 by procedures hereinafter further described, and others apparent to those skilled in the art.

Also provided in Table 5 is the name of the vector which contains the cDNA clone. Each vector is routinely used in the art. The following additional information is provided for convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res. 16:*7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res. 17:*9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies 5:*58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain XL-1 Blue, also available from Stratagene.

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus 15:*59 (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR®2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res. 16:*9677-9686 (1988) and Mead, D. *et al., Bio/Technology 9:* (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in a deposited cDNA clone. The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in the related cDNA clone in the deposit, using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X, and/or the related cDNA clone (See, e.g., columns 1 and 9 of Table 1). The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the the dDNA in the related cDNA clone contained in a deposited library, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of, the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the related cDNA clone contained in a deposited library.

Many polynucleotide sequences, such as EST sequences, are publicly available and accessible through sequence databases and may have been publicly available prior to conception of the present invention. Preferably, such related polynucleotides are specifically excluded from the scope of the present invention. To list every related sequence would unduly burden the disclosure of this application. Accordingly, for each "Contig Id" listed in the first column of Table 3, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described in the second column of Table 3 by the general formula of a-b, each of which are uniquely defined for the SEQ ID NO:X corresponding to that Contig Id in Table 1. Additionally, specific embodiments are directed to polynucleotide sequences excluding at least one, two, three, four, five, ten, or more of the specific polynucleotide sequences referenced by the Genbank Accession No. for each Contig Id which may be

included in column 3 of Table 3. In no way is this listing meant to encompass all of the sequences which may be excluded by the general formula, it is just a representative example.

Table 3.

Sequence/ Contig ID	General formula	Genbank Accession No.
574130	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 703 of SEQ ID NO:1, b is an integer of 15 to 717, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:1, and where b is greater than or equal to a + 14.	
637706	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1611 of SEQ ID NO:2, b is an integer of 15 to 1625, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:2, and where b is greater than or equal to a + 14.	
638162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2421 of SEQ ID NO:3, b is an integer of 15 to 2435, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:3, and where b is greater than or equal to a + 14.	R78923, R79022, H78714, H78726, H79487, H79500, H86682, H99479, N22197, N28292, N48317, N49043, N79526, W16679, AA017524, AA017582, AA215755, AA463914
684310	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 972 of SEQ ID NO:4, b is an integer of 15 to 986, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:4, and where b is greater than or equal to a + 14.	R00703, R79938, R80028, N75501, N99910, W25289
731016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 356 of SEQ ID NO:5, b is an integer of 15 to 370, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:5, and where b is greater than or equal to a + 14.	
827771	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 497 of SEQ ID NO:6, b is an integer of 15 to 511, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:6, and where b is greater than or equal to a + 14.	
828193	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 704 of SEQ ID NO:7, b is an integer of 15 to 718, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:7, and where b is greater than or equal to a + 14.	
828194	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 431 of SEQ ID NO:8, b is an integer of 15 to 445, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:8, and where b is greater than or equal to a + 14.	
828199	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 744 of SEQ ID NO:9, b is an integer of 15 to 758, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:9, and where b is greater than or equal to a + 14.	
828221	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3050 of SEQ ID NO:10, b is an integer of 15 to 3064, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:10, and where b is greater than or equal to a + 14.	T47410, T54389, T54694, T47411, T54281, T54610, T58617, T58667, T78082, T78249, T80561, R28515, R28663, R38862, R54617, R54880, H08112, H08113, H16261, H16460, H22343, H22344, H29551, H29643, H41933, H41980, R83220, R83221, R85675, R89016, R89017, R99602, R99707, H58947, H58994, H59578, H59579, H62419, H91312, H91409, N54589, N66610, N73945, N76670, W03705, W04654, W31578, W38370, W39449, W93512, W93513, AA024819, AA024925, AA033860, AA076628, AA159000, AA193455, AA257006, AA225275, AA483288, AA507139, AA522771, AA527181, AA534997, AA541666, AA614359, AA614596, AA622977, AA622978, AA569985, AA576092, AA659398, AA826776, AA836985, AA864814, AA904006, AA911931, AA916611, AA932076, AA991541, C06189
828235	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1482 of SEQ ID NO:11, b is an integer of 15 to 1496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:11, and where b is greater than or equal to a + 14.	AA045157, AA252563, AA573229, AA935280
828236	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1413 of SEQ ID NO:12, b is an integer of 15 to 1427, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:12, and where b is greater than or equal to a + 14.	
828237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3534 of SEQ ID NO:13, b is an integer of 15 to 3548, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:13, and where b is greater than or equal to a + 14.	
828239	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 452 of SEQ ID NO:14, b is an integer of 15 to 466, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:14, and where b is greater than or equal to a + 14.	
828242	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 850 of SEQ ID NO:15, b is an integer of 15 to 864, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:15, and where b is greater than or equal to a + 14.	
828247	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2791 of SEQ ID NO:16, b is an integer of 15 to 2805, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:16, and where b is greater than or equal to a + 14.	
828248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 696 of SEQ ID NO:17, b is an integer of 15 to 710, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:17, and where b is greater than or equal to a + 14.	T66275, R11733, H10020, H10293, AA054067, AA127524, AA192628
828250	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 978 of SEQ ID NO:18, b is an integer of 15 to 992, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:18, and where b is greater than or equal to a + 14.	T52330, T52406, H58954, H59892, H80117, H95961, AA035013, AA233062, AA811863, AA812014, AA827886

828256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1781 of SEQ ID NO:19, b is an integer of 15 to 1795, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:19, and where b is greater than or equal to a + 14.	R19470, R43810, R43810, R68471, R84396, H48527, H72808, H74042, H77919, N59326, W37177, W63751, AA054952, AA055414, AA075756, AA084216, AA167088, AA171933, AA283637, AA504517, AA526903, AA548976, AA720935, AA743227, AA876493, AA922502, AA935236, AA977747, AA985556, AA995834, AI085874, AI089849, N83890, AA643000
828267	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 695 of SEQ ID NO:20, b is an integer of 15 to 709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:20, and where b is greater than or equal to a + 14.	R64277, R78171, R81344, R82497, R82551, H30248, N21678, N35076, N43816, N49970, N72024, N72025, W32428, W45005, W47341, W47466, AA023021, AA022495, AA160240, AA161105, AA160827, AA262229, AA460961, AA461270, AA503727, AA516264, AA587486, AA618498, AA577174, AA769656, AA806381, AA804907, AA814296, AA826741, AA872272, AA873216, AA877503, AA887257, AA888574, AA903406, AA946650, AI005204, F18545, AI096504, AI096416, C01329
828269	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 635 of SEQ ID NO:21, b is an integer of 15 to 649, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:21, and where b is greater than or equal to a + 14.	
828272	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1593 of SEQ ID NO:22, b is an integer of 15 to 1607, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:22, and where b is greater than or equal to a + 14.	R19809, H18934, H19375, H26539, AA055911, AA494436, AA587324, AA714132, C17882, C18668
828273	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 564 of SEQ ID NO:23, b is an integer of 15 to 578, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:23, and where b is greater than or equal to a + 14.	H19271
828290	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2742 of SEQ ID NO:24, b is an integer of 15 to 2756, where both a and b correspond to the	T59898, T59989, T94867, T94912, T65240, T65292, T66052, T77599, R09165, R09268, R10580, R10581, T80306, T80507, R16318, R27636, R30800, R35595, R38849, R39241, R41395, R59117, R76584, R76585,

	positions of nucleotide residues shown in SEQ ID NO:24, and where b is greater than or equal to a + 14.	H09652, H09692, H11510, H11870, R83218, R91788, R91789, R96324, R96325, H57286, H72668, N74017, W02255, AA148639, AA148693, AA236061, AA236908, AA252747, AA259022, AA262883, AA278784, AA282771, AA284927, AA417594, AA456869, AA457026, AA482034, AA483364, AA483699, AA742268, AA831255
828326	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2666 of SEQ ID NO:25, b is an integer of 15 to 2680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:25, and where b is greater than or equal to a + 14.	T39632, T51535, T51684, T53316, T53317, T78655, R39299, R50091, R50092, R60242, R60477, H15498, H16190, H16348, H23875, H23876, H39694, H46597, H66845, H66889, H81508, H83033, N71968, N99700, W00835, W42577, W60798, W60929, AA040868, AA043137, AA100392, AA133460, AA133461, AA151301, AA190783, AA190331, AA232148, AA244332, AA244333, AA417836, AA468588, AA552068, AA622100, AA570065, AA568384, AA661530, AA689348, AA748424, AA767109, AA769292, AA809791, AA915876, AA931522, AA983494, AI081278, N85117, W22522
828397	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1845 of SEQ ID NO:26, b is an integer of 15 to 1859, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:26, and where b is greater than or equal to a + 14.	
828405	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 620 of SEQ ID NO:27, b is an integer of 15 to 634, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:27, and where b is greater than or equal to a + 14.	N27583
828461	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1618 of SEQ ID NO:28, b is an integer of 15 to 1632, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:28, and where b is greater than or equal to a + 14.	T89996, H96643, AA076642, AA079413, AA120823, AA120824, AA133102, AA128879, AA158349, AA158350, AA838312, C00042, AA642274
828482	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	R12256, T79977, T81576, T83389, T97268, T97379, R16708, R39343, R69161, R69275, H15410, H15466, H29577, H29661, H50315, N34544,

	2525 of SEQ ID NO:29, b is an integer of 15 to 2539, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:29, and where b is greater than or equal to a + 14.	N47100, N62861, N67285, W24823, AA232725, AA236518, AA657840, AA736793, W26725
828488	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 480 of SEQ ID NO:30, b is an integer of 15 to 494, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:30, and where b is greater than or equal to a + 14.	
828491	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1249 of SEQ ID NO:31, b is an integer of 15 to 1263, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:31, and where b is greater than or equal to a + 14.	
828492	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 323 of SEQ ID NO:32, b is an integer of 15 to 337, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:32, and where b is greater than or equal to a + 14.	
828494	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1728 of SEQ ID NO:33, b is an integer of 15 to 1742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:33, and where b is greater than or equal to a + 14.	T77590, R19349, H06686, N42827, N42891, N73270, W38326, AA180136, AA194183, AA235257, AA424380, AA902702, AA939089, AA977206, AA988001, AA996359
828496	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1152 of SEQ ID NO:34, b is an integer of 15 to 1166, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:34, and where b is greater than or equal to a + 14.	H16641, H81084, AA972362
828498	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1035 of SEQ ID NO:35, b is an integer of 15 to 1049, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:35, and where b is greater than or equal to a + 14.	T39930, T98680, R89124, R89756, R91725, R91820, R92013, R92158, R94233, R94329, H59495, H61480, H62771, H62831, H67085, H67621, H71835, H71836, H79855, H79856, N31924, N42760, N55543, N72715, N76929, N79841, W46350, W46166, H97319, AA730300, AA746151, AA887571, AA918492,

		AA989417, AI001025, D79228, W38455, C15769
828504	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 475 of SEQ ID NO:36, b is an integer of 15 to 489, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:36, and where b is greater than or equal to a + 14.	
828507	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 584 of SEQ ID NO:37, b is an integer of 15 to 598, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:37, and where b is greater than or equal to a + 14.	
828512	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 748 of SEQ ID NO:38, b is an integer of 15 to 762, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:38, and where b is greater than or equal to a + 14.	N27463
828516	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1944 of SEQ ID NO:39, b is an integer of 15 to 1958, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:39, and where b is greater than or equal to a + 14.	T56794, T56795, T84141, R02653, R20890, R24025, R33319, R33320, R34774, R67912, R69738, R77753, R77838, R81629, H15449, H15508, H27402, H58932, H58979, H99151, N20262, N24400, N25962, N29166, N34977, N35438, N50797, N55154, W02966, W92783, W92882, AA007585, AA036747, AA036997, AA074474, AA102125, AA100655, AA112751, AA113219, AA113805, AA188790, AA541250, AA541763, AA558310, AA559035, AA581570, AA587474, AA569332, AA687827, AA715063, AA918342, AA936443, AA937851, AA947124, AA954522, AA989224, AI017059, AI057158, AI088905, AI094996, AI096728, U46434, C01531
828519	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 463 of SEQ ID NO:40, b is an integer of 15 to 477, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:40, and where b is greater than or equal to a + 14.	W79671
828521	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	846 of SEQ ID NO:41, b is an integer of 15 to 860, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:41, and where b is greater than or equal to a + 14.	
828522	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1117 of SEQ ID NO:42, b is an integer of 15 to 1131, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:42, and where b is greater than or equal to a + 14.	T54309, T63973, T64041, T89636, T90270, R62731, R63686, H98873, N25098, N36012, N38881, N44246, N67168, AA047726, AA081019, AA120775, AA120774, AA128274, AA128571, AA551864, AA767989, AA902693
828525	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1320 of SEQ ID NO:43, b is an integer of 15 to 1334, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:43, and where b is greater than or equal to a + 14.	T48657, T48687, T48861, T49081, T49118, T53559, T58581, R23090, R26432, R26979, R27855, R32999, R34608, R64482, R64537, R66662, R67745, R69150, R70688, R77130, R81861, R82246, R82815, H03531, N39770, N41593, N42044, N57142, N94149, AA029208, AA149385, AA234086, N26326, N30247, N30819, N32903, N39539, D78905, D79060, N63792, AA029209
828529	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2337 of SEQ ID NO:44, b is an integer of 15 to 2351, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:44, and where b is greater than or equal to a + 14.	
828530	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1573 of SEQ ID NO:45, b is an integer of 15 to 1587, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:45, and where b is greater than or equal to a + 14.	T74290, T79269, R24408, R24409, R32342, R33507, R34284, R70908, H13795, H13794, N42196, AA013089, AA228469, AA505953, AA508121, AA602662, AA631903, AA865676, AA888323, AI032201, AA013090
828536	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 365 of SEQ ID NO:46, b is an integer of 15 to 379, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:46, and where b is greater than or equal to a + 14.	
828537	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1906 of SEQ ID NO:47, b is an integer of 15 to 1920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	

	NO:47, and where b is greater than or equal to a + 14.	
828539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 305 of SEQ ID NO:48, b is an integer of 15 to 319, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:48, and where b is greater than or equal to a + 14.	
828540	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 264 of SEQ ID NO:49, b is an integer of 15 to 278, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:49, and where b is greater than or equal to a + 14.	
828542	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 638 of SEQ ID NO:50, b is an integer of 15 to 652, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:50, and where b is greater than or equal to a + 14.	
828543	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 929 of SEQ ID NO:51, b is an integer of 15 to 943, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:51, and where b is greater than or equal to a + 14.	
828544	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 818 of SEQ ID NO:52, b is an integer of 15 to 832, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:52, and where b is greater than or equal to a + 14.	
828546	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1540 of SEQ ID NO:53, b is an integer of 15 to 1554, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:53, and where b is greater than or equal to a + 14.	H25827, H45313, W77774, AA587295, AA595924, AA603051, C00427
828550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 267 of SEQ ID NO:54, b is an integer of 15 to 281, where both a and b correspond to the positions of	

	nucleotide residues shown in SEQ ID NO:54, and where b is greater than or equal to a + 14.	
828551	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 793 of SEQ ID NO:55, b is an integer of 15 to 807, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:55, and where b is greater than or equal to a + 14.	AA224996, AA225045, AA229587, AA524970, AA528287, AA569633, AA577923
828553	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 642 of SEQ ID NO:56, b is an integer of 15 to 656, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:56, and where b is greater than or equal to a + 14.	
828557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 780 of SEQ ID NO:57, b is an integer of 15 to 794, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:57, and where b is greater than or equal to a + 14.	
828560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1141 of SEQ ID NO:58, b is an integer of 15 to 1155, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:58, and where b is greater than or equal to a + 14.	R77295, R77355, N50880, AA228477, AA229199, AA229332, AA229430, AA229342, AA508222, AA508881, AA508713, AA522664, AA525054, AA531563, AA564505, AA627496, AA569813, AA908306
828561	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 478 of SEQ ID NO:59, b is an integer of 15 to 492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:59, and where b is greater than or equal to a + 14.	
828565	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1603 of SEQ ID NO:60, b is an integer of 15 to 1617, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:60, and where b is greater than or equal to a + 14.	
828566	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1639 of SEQ ID NO:61, b is an integer of 15 to	T74741, R89314, H66527, H66526, H67472, H67473, H68173, H68172, H96621, H96622, N27775, N28518, N33857, N66931, AA149826, AA151993, AA152072, AA152078,

	1653, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:61, and where b is greater than or equal to a + 14.	AA188743
828567	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 426 of SEQ ID NO:62, b is an integer of 15 to 440, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:62, and where b is greater than or equal to a + 14.	
828568	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1048 of SEQ ID NO:63, b is an integer of 15 to 1062, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:63, and where b is greater than or equal to a + 14.	R01283, R62995, R63052, R97762, R97763, AA044146, AA044262, AA150771, AA429074, AA282254, AA282728, AA468569, AA586526, AA622172, AA631182, AA631273, AA809910, AA811682
828569	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 408 of SEQ ID NO:64, b is an integer of 15 to 422, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:64, and where b is greater than or equal to a + 14	
828570	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 695 of SEQ ID NO:65, b is an integer of 15 to 709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:65, and where b is greater than or equal to a + 14.	H77440
828571	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1288 of SEQ ID NO:66, b is an integer of 15 to 1302, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:66, and where b is greater than or equal to a + 14.	N27429, N34713, N51144, AA033703, AA033704, AA046488, AA046700, AA180131, AA514866, AA515411, AA527426, AA554163, AA745008, AA805885, AA862045, AA953025, AI075070
828574	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1032 of SEQ ID NO:67, b is an integer of 15 to 1046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:67, and where b is greater than or equal to a + 14.	T92929, T93045, T92007, T92093, T98007, R28667, N79460, AA614258, AA741201, AA847513, AI083735
828575	Preferably excluded from the present invention are one or more polynucleotides comprising a	AA837738

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 487 of SEQ ID NO:68, b is an integer of 15 to 501, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:68, and where b is greater than or equal to a + 14.	
828577	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 567 of SEQ ID NO:69, b is an integer of 15 to 581, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:69, and where b is greater than or equal to a + 14.	AA169882, AA169883
828578	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1062 of SEQ ID NO:70, b is an integer of 15 to 1076, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:70, and where b is greater than or equal to a + 14.	T39452, T46945, T47319, T53621, T53622, T61271, T61323, R21194, R22811, R24705, R25199, R50467, R50468, R53758, R53759, R63087, R63131, R63969, R64075, R70570, R77117, R77118, R80611, R80612, H00653, H00742, H02619, H02725, N32242, N57336, N69947, N80785, N98328, N98569, W15554, AA029021, AA029143, AA037587, AA131825, AA131992, AA229266, AA507524, AA533307, AA533431, AA534110, AA534166, AA534281, AA535170, AA586608, AA593596, AA838623, AA885780, AA936945, AA642546
828580	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 362 of SEQ ID NO:71, b is an integer of 15 to 376, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:71, and where b is greater than or equal to a + 14.	
828581	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 360 of SEQ ID NO:72, b is an integer of 15 to 374, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:72, and where b is greater than or equal to a + 14.	AA507628
828583	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 405 of SEQ ID NO:73, b is an integer of 15 to 419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:73, and where b is greater than or equal to a + 14.	
828585	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	AA234220

	formula of a-b, where a is any integer between 1 to 272 of SEQ ID NO:74, b is an integer of 15 to 286, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:74, and where b is greater than or equal to a + 14.	
828587	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 619 of SEQ ID NO:75, b is an integer of 15 to 633, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:75, and where b is greater than or equal to a + 14.	
828590	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 242 of SEQ ID NO:76, b is an integer of 15 to 256, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:76, and where b is greater than or equal to a + 14.	
828592	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 680 of SEQ ID NO:77, b is an integer of 15 to 694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:77, and where b is greater than or equal to a + 14.	R52221, R54548, R97331, H57211, H55375, H55650
828593	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2548 of SEQ ID NO:78, b is an integer of 15 to 2562, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:78, and where b is greater than or equal to a + 14.	T57629, T58982, R19824, R45052, R45052, R55638, R59495, H18527, H19193, H28411, H39750, H62246, H62335, H91342, N62586, N63264, N80359, W81015, W94481, W94746, AA011589, AA029848, AA028978, AA043902, AA114931, AA114930, AA191597, AA232906, AA233035, AA258137, AA287367, AA287505, AA506450, AA525766, AA526128, AA548114, AA592904, AA808705, AA837733, AA876630, AA908724, N90333, AA007166
828594	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1596 of SEQ ID NO:79, b is an integer of 15 to 1610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:79, and where b is greater than or equal to a + 14.	R06875, R06876, H89673, AA036961, AA150107, AA150515, AA983641
828596	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1034 of SEQ ID NO:80, b is an integer of 15 to 1048, where both a and b correspond to the	R09863, T84746, T98848, W01274, W48629, AA082189, AA426550, C04056

	positions of nucleotide residues shown in SEQ ID NO:80, and where b is greater than or equal to a + 14.	
828597	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1122 of SEQ ID NO:81, b is an integer of 15 to 1136, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:81, and where b is greater than or equal to a + 14.	R41797, R41797, H61049, N58312, N79783, W07281, W23730, W23738, W35330, W35337, AA235295, AA935231, AA995710, AI017376, AI088874, AI096890, W27549
828598	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 283 of SEQ ID NO:82, b is an integer of 15 to 297, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:82, and where b is greater than or equal to a + 14.	
828601	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2136 of SEQ ID NO:83, b is an integer of 15 to 2150, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:83, and where b is greater than or equal to a + 14.	
828605	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 587 of SEQ ID NO:84, b is an integer of 15 to 601, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:84, and where b is greater than or equal to a + 14.	
828608	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:85, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:85, and where b is greater than or equal to a + 14.	AA244003, AA244034, AA506324
828609	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1023 of SEQ ID NO:86, b is an integer of 15 to 1037, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:86, and where b is greater than or equal to a + 14.	N48056, N52932, N53254, N64840, N75691, AI050871
828610	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	AA177029, AA177023, AA176984, AA177153, AA216404, AA224959, AA225025, AA225109, AA225143,

	formula of a-b, where a is any integer between 1 to 583 of SEQ ID NO:87, b is an integer of 15 to 597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:87, and where b is greater than or equal to a + 14.	AA225206, AA225152, AA225228, AA225308, AA225322, AA225213, AA225409, AA225879, AA225880, AA225963, AA225974, AA226101, AA226227, AA226240, AA226384, AA226459, AA226556, AA226623, AA226632, AA226680, AA229222, AA229223, AA229482, AA229756, AA229964, AA244017, AA244091, AA244178, AA244052, AA244362, AA244452, AA397457, AA420631, AA420632, AA420633, AA420826, AA469131, AA469154, AA469201, AA469209, AA469226, AA469293, AA469373, AA470501, AA470548, AA492204, AA492255, AA492295, AA492311, AA492312, AA492327, AA492329, AA492334, AA492382, AA492389, AA492411, AA492438, AA492445, AA492451, AA494242, AA494243, AA494246, AA493268, AA493332, AA493445, AA502071, AA502154, AA502180, AA502191, AA502200, AA502978, AA502981, AA503115, AA503349, AA503429, AA503609, AA503666, AA503677, AA503682, AA503909, AA503926, AA504051, AA504066, AA506197, AA506319, AA506330, AA506475, AA506731, AA506804, AA506914, AA507128, AA507215, AA507217, AA507281, AA507287, AA507305, AA507373, AA507510, AA507545, AA507615, AA507633, AA507659, AA507664, AA507669, AA507679, AA507685, AA507759, AA507769, AA507778, AA507785, AA507789, AA507968, AA507983, AA507996, AA507995, AA508013, AA508078, AA508096, AA508112, AA508128, AA508144, AA508348, AA508360, AA508636, AA513240, AA514804, AA514915, AA516492, AA516500, AA522599, AA524675, AA524914, AA524998, AA525091, AA526491, AA526493, AA527728, AA527825, AA528273, AA530882, AA530906, AA530942, AA530954, AA531208, AA531341, AA531361, AA531381, AA531498, AA532578, AA532712, AA532960, AA533031, AA533053, AA533162, AA533961, AA534135, AA535497, AA535744, AA541576, AA541642, AA548220, AA548400, AA551463, AA551698, AA551727, AA551737, AA552827, AA552829, AA557784, AA557804, AA558634,

		AA564543, AA564966, AA565164, AA588853, AA588270, AA587824, AA588630, AA593049, AA593065, AA594830, AA594923, AA595627, AA603351, AA603362, AA603437, AA603827, AA603877, AA603879, AA630927, AA635332, AA635394, AA635542, AA635549, AA635909, AA636004, AA639312, AA639995, AA640184, AA640298, AA640342, AA569556, AA570614, AA572857, AA574208, AA574209, AA574212, AA574273, AA580026, AA578701, AA578799, AA578900, AA579004, AA579008, AA579351, AA568108, AA568415, AA654920, AA654956, AA657393, AA657432, AA657479, AA657506, AA657531, AA657541, AA657686, AA657800, AA657938, AA658414, AA658873, AA659224, AA659592, AA659778, AA661727, AA662090, AA662125, AA662301, AA687536, AA687632, AA715325, AA807843, AA809523, AA809593, AA640904, AA640929, AA642080, AA642520
828617	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 460 of SEQ ID NO:88, b is an integer of 15 to 474, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:88, and where b is greater than or equal to a + 14.	
828620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1523 of SEQ ID NO:89, b is an integer of 15 to 1537, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:89, and where b is greater than or equal to a + 14.	AA228288, AA492280, AA507777, AA508355, AA527737, AA527805, AA559165, AA559352, AA564484, AA602957, AA659719, AA642055
828621	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 290 of SEQ ID NO:90, b is an integer of 15 to 304, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:90, and where b is greater than or equal to a + 14.	
828622	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 355 of SEQ ID NO:91, b is an integer of 15 to 369, where both a and b correspond to the positions of	AA570443

	nucleotide residues shown in SEQ ID NO:91, and where b is greater than or equal to a + 14.	
828623	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 301 of SEQ ID NO:92, b is an integer of 15 to 315, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:92, and where b is greater than or equal to a + 14.	
828625	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 687 of SEQ ID NO:93, b is an integer of 15 to 701, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:93, and where b is greater than or equal to a + 14.	
828632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 445 of SEQ ID NO:94, b is an integer of 15 to 459, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:94, and where b is greater than or equal to a + 14.	
828635	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2575 of SEQ ID NO:95, b is an integer of 15 to 2589, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:95, and where b is greater than or equal to a + 14.	R13230, R19016, R35012, R40312, R44087, R46776, R49399, R44087, R40312, R49399, H22883, H24275, H71951, N73720, W03891, W95360, W95359, AA055316, AA055317, AA135153, AA135291, AA195210, AA195427, AA236624, AA237000, AA548249, AA553712, AA595319, AA770603, AA947028, D78699
828637	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 443 of SEQ ID NO:96, b is an integer of 15 to 457, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:96, and where b is greater than or equal to a + 14.	
828639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 502 of SEQ ID NO:97, b is an integer of 15 to 516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:97, and where b is greater than or equal to a + 14.	
828645	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 300 of SEQ ID NO:98, b is an integer of 15 to 314,	

	where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:98, and where b is greater than or equal to a + 14	
828648	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 665 of SEQ ID NO:99, b is an integer of 15 to 679, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:99, and where b is greater than or equal to a + 14.	
828649	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 585 of SEQ ID NO:100, b is an integer of 15 to 599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:100, and where b is greater than or equal to a + 14.	
828651	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1175 of SEQ ID NO:101, b is an integer of 15 to 1189, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:101, and where b is greater than or equal to a + 14.	
828652	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 237 of SEQ ID NO:102, b is an integer of 15 to 251, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:102, and where b is greater than or equal to a + 14.	
828655	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 444 of SEQ ID NO:103, b is an integer of 15 to 458, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:103, and where b is greater than or equal to a + 14.	
828657	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 425 of SEQ ID NO:104, b is an integer of 15 to 439, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:104, and where b is greater than or equal to a + 14.	
828660	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 219 of SEQ ID NO:105, b is an integer of 15 to	

	233, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:105, and where b is greater than or equal to a + 14.	
828663	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 690 of SEQ ID NO:106, b is an integer of 15 to 704, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:106, and where b is greater than or equal to a + 14.	
828666	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 431 of SEQ ID NO:107, b is an integer of 15 to 445, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:107, and where b is greater than or equal to a + 14.	
828668	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 578 of SEQ ID NO:108, b is an integer of 15 to 592, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:108, and where b is greater than or equal to a + 14.	
828669	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 367 of SEQ ID NO:109, b is an integer of 15 to 381, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:109, and where b is greater than or equal to a + 14.	
828670	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 337 of SEQ ID NO:110, b is an integer of 15 to 351, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:110, and where b is greater than or equal to a + 14.	W38772
828671	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1569 of SEQ ID NO:111, b is an integer of 15 to 1583, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:111, and where b is greater than or equal to a + 14.	
828672	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 417 of SEQ ID NO:112, b is an integer of 15 to	

	431, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:112, and where b is greater than or equal to a + 14.	
828675	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2828 of SEQ ID NO:113, b is an integer of 15 to 2842, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:113, and where b is greater than or equal to a + 14.	T56042, T56076, T39529, T39565, R20801, R20914, R99174, W76346, AA070283, AA100602, AA186719, AA192887, AA258594, AA258623, AA262429, AA458551, AA425795, AA426147, AA426000, AA428422, AA428672, AA429274, AA429569, AA429700, AA280808, AA280860, AA583152, AA604621, AA573460, AA737552, AA745643, AA809317, AA811436, AA831842, AA832058, AA837490, AA847879, AI089925, AA070162
828677	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 254 of SEQ ID NO:114, b is an integer of 15 to 268, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:114, and where b is greater than or equal to a + 14	
828678	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 786 of SEQ ID NO:115, b is an integer of 15 to 800, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:115, and where b is greater than or equal to a + 14.	
828679	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 632 of SEQ ID NO:116, b is an integer of 15 to 646, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:116, and where b is greater than or equal to a + 14.	
828680	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1520 of SEQ ID NO:117, b is an integer of 15 to 1534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:117, and where b is greater than or equal to a + 14.	N64514, N70990, W01522, AA025937, AA025996, AA210760, AA215724, AA761682, AA768989, AA911839
828681	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 325 of SEQ ID NO:118, b is an integer of 15 to 339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:118, and where b is greater than or equal to a + 14.	

828682	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 651 of SEQ ID NO:119, b is an integer of 15 to 665, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:119, and where b is greater than or equal to a + 14.	
828683	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 608 of SEQ ID NO:120, b is an integer of 15 to 622, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:120, and where b is greater than or equal to a + 14.	
828686	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 875 of SEQ ID NO:121, b is an integer of 15 to 889, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:121, and where b is greater than or equal to a + 14.	
828687	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 118 of SEQ ID NO:122, b is an integer of 15 to 132, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:122, and where b is greater than or equal to a + 14.	
828688	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1886 of SEQ ID NO:123, b is an integer of 15 to 1900, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:123, and where b is greater than or equal to a + 14.	T92794, T92816, N50876, W20089, N90429, AA086404, AA112766, AA130846, AA195042, AA194974, AA235868, AA554284, AA639411, AA573456, AA804901, AA828540
828689	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1236 of SEQ ID NO:124, b is an integer of 15 to 1250, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:124, and where b is greater than or equal to a − 14.	
828692	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1175 of SEQ ID NO:125, b is an integer of 15 to 1189, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	T72780, R07981, R09868, T96304, H51978

	NO:125, and where b is greater than or equal to a + 14.	
828693	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 414 of SEQ ID NO:126, b is an integer of 15 to 428, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:126, and where b is greater than or equal to a + 14.	
828694	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 631 of SEQ ID NO:127, b is an integer of 15 to 645, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:127, and where b is greater than or equal to a + 14.	R02262
828696	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 482 of SEQ ID NO:128, b is an integer of 15 to 496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:128, and where b is greater than or equal to a + 14.	
828697	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 410 of SEQ ID NO:129, b is an integer of 15 to 424, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:129, and where b is greater than or equal to a + 14	AA059063
828699	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1695 of SEQ ID NO:130, b is an integer of 15 to 1709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:130, and where b is greater than or equal to a + 14.	R75912, H40206, H40207, H41559, R87478, H52696, H52717, N40190, AA503759, AA504325, AA553825, AA553899, H64647, AA582193, AA580220, AA687790, AA809845, AA917674, AA935183, AI004172, AI027576, C14410, C14461, C14497, C14511
828702	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 852 of SEQ ID NO:131, b is an integer of 15 to 866, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:131, and where b is greater than or equal to a + 14.	N79392
828703	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1579 of SEQ ID NO:132, b is an integer of 15 to 1593, where both a and b correspond to the	T69829, R59224, H11661, AA587352, AA807572, AA806747, AA865576, AA912231, AI002338

	positions of nucleotide residues shown in SEQ ID NO:132, and where b is greater than or equal to a + 14.	
828704	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 394 of SEQ ID NO:133, b is an integer of 15 to 408, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:133, and where b is greater than or equal to a + 14.	
828706	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2727 of SEQ ID NO:134, b is an integer of 15 to 2741, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:134, and where b is greater than or equal to a + 14.	AA099313, AA099927, AA101522, AA101521, AA102781, AA102782, AA126249, AA134732, AA459009, AA459230, AA524248, AA524247, AA622869, AA744977, AA933725, A1000417, U65740
828708	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 672 of SEQ ID NO:135, b is an integer of 15 to 686, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:135, and where b is greater than or equal to a + 14.	AA736960
828711	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 228 of SEQ ID NO:136, b is an integer of 15 to 242, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:136, and where b is greater than or equal to a + 14.	
828712	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 531 of SEQ ID NO:137, b is an integer of 15 to 545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:137, and where b is greater than or equal to a + 14.	
828713	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 382 of SEQ ID NO:138, b is an integer of 15 to 396, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:138, and where b is greater than or equal to a + 14.	
828714	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2757 of SEQ ID NO:139, b is an integer of 15 to	

	2771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:139, and where b is greater than or equal to a + 14.	
828715	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 408 of SEQ ID NO:140, b is an integer of 15 to 422, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:140, and where b is greater than or equal to a + 14.	
828718	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1616 of SEQ ID NO:141, b is an integer of 15 to 1630, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:141, and where b is greater than or equal to a + 14.	R52059, R52058, H85868, W92475, AA046292, AA463500, AA463546, AA576113, AA862446
828723	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 250 of SEQ ID NO:142, b is an integer of 15 to 264, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:142, and where b is greater than or equal to a + 14.	
828726	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 622 of SEQ ID NO:143, b is an integer of 15 to 636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:143, and where b is greater than or equal to a + 14.	
828728	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 486 of SEQ ID NO:144, b is an integer of 15 to 500, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:144, and where b is greater than or equal to a + 14.	N39508, W05658, AA083301, AA159253, AA195825
828730	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1931 of SEQ ID NO:145, b is an integer of 15 to 1945, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:145, and where b is greater than or equal to a + 14.	
828732	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 1100 of SEQ ID NO:146, b is an integer of 15 to 1114, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:146, and where b is greater than or equal to a + 14.	
828733	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 532 of SEQ ID NO:147, b is an integer of 15 to 546, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:147, and where b is greater than or equal to a + 14.	
828735	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1749 of SEQ ID NO:148, b is an integer of 15 to 1763, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:148, and where b is greater than or equal to a + 14.	
828736	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 357 of SEQ ID NO:149, b is an integer of 15 to 371, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:149, and where b is greater than or equal to a + 14.	
828739	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 418 of SEQ ID NO:150, b is an integer of 15 to 432, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:150, and where b is greater than or equal to a + 14.	R36043
828740	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 387 of SEQ ID NO:151, b is an integer of 15 to 401, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:151, and where b is greater than or equal to a + 14.	
828742	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 837 of SEQ ID NO:152, b is an integer of 15 to 851, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:152, and where b is greater than or equal to a + 14.	
828748	Preferably excluded from the present invention are one or more polynucleotides comprising a	AA225966, AA226113, AA229173, AA229167, AA229535, AA243985,

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1664 of SEQ ID NO:153, b is an integer of 15 to 1678, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:153, and where b is greater than or equal to a + 14	AA244099, AA244206, AA259243, AA420690, AA467761, AA467944, AA468120, AA468151, AA468187, AA468326, AA468918, AA468995, AA469129, AA469199, AA470575, AA502955, AA503272, AA506649, AA507335, AA507799, AA514825, AA522473, AA522848, AA524651, AA524893, AA525058, AA531386, AA532387, AA532926, AA534072, AA534246, AA535303, AA535837, AA551447, AA551738, AA558900, AA588263, AA587715, AA593380, AA595047, AA595357, AA595465, AA595601, AA603572, AA604709, AA635888, AA640473, AA569666, AA569670, AA573539, AA573587, AA574390, AA578439, AA578628, AA579001, AA579026, AA579117, AA579310, AA565962, AA566046, AA654974, AA657781, AA657831, AA658156, AA658207, AA658243, AA658463, AA658877, AA659198, AA659306, AA687563, AA687852, AA742871, AA876666, AA887095, AA888488, AA934855, AA935419, AA937807, AA937854, AA978237
828749	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1144 of SEQ ID NO:154, b is an integer of 15 to 1158, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:154, and where b is greater than or equal to a + 14.	T65384, R46577, R52660, R46577, H11492, N73810, N99718, AA121044, AA126520, AA126579, AA126687
828752	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1955 of SEQ ID NO:155, b is an integer of 15 to 1969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:155, and where b is greater than or equal to a + 14.	AA492170
828753	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 386 of SEQ ID NO:156, b is an integer of 15 to 400, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:156, and where b is greater than or equal to a + 14.	
828754	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	N42714, N32500

	708 of SEQ ID NO:157, b is an integer of 15 to 722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:157, and where b is greater than or equal to a + 14.	
828757	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1186 of SEQ ID NO:158, b is an integer of 15 to 1200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:158, and where b is greater than or equal to a + 14.	T90246, T90691, R14702, R34647, R42424, R49176, R42424, R49176, H06287, H06339, H14778, N69116, C03936, C15913
828761	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 331 of SEQ ID NO:159, b is an integer of 15 to 345, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:159, and where b is greater than or equal to a + 14.	
828762	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 462 of SEQ ID NO:160, b is an integer of 15 to 476, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:160, and where b is greater than or equal to a + 14.	
828764	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 506 of SEQ ID NO:161, b is an integer of 15 to 520, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:161, and where b is greater than or equal to a + 14.	
828765	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 325 of SEQ ID NO:162, b is an integer of 15 to 339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:162, and where b is greater than or equal to a + 14.	
828766	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 343 of SEQ ID NO:163, b is an integer of 15 to 357, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:163, and where b is greater than or equal to a + 14.	
828767	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	1065 of SEQ ID NO:164, b is an integer of 15 to 1079, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:164, and where b is greater than or equal to a + 14.	
828768	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1311 of SEQ ID NO:165, b is an integer of 15 to 1325, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:165, and where b is greater than or equal to a + 14.	
828770	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 380 of SEQ ID NO:166, b is an integer of 15 to 394, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:166, and where b is greater than or equal to a + 14.	
828771	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 503 of SEQ ID NO:167, b is an integer of 15 to 517, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:167, and where b is greater than or equal to a + 14.	
828772	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 327 of SEQ ID NO:168, b is an integer of 15 to 341, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:168, and where b is greater than or equal to a + 14.	
828773	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 336 of SEQ ID NO:169, b is an integer of 15 to 350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:169, and where b is greater than or equal to a + 14.	
828775	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 427 of SEQ ID NO:170, b is an integer of 15 to 441, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:170, and where b is greater than or equal to a + 14.	
828776	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	AA127485

	formula of a-b, where a is any integer between 1 to 389 of SEQ ID NO:171, b is an integer of 15 to 403, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:171, and where b is greater than or equal to a + 14.	
828777	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 970 of SEQ ID NO:172, b is an integer of 15 to 984, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:172, and where b is greater than or equal to a + 14.	T86451, R87531, R87627, R91402, R92659, H98729, N24299, W19089, W20421, AA454940, AA605076, AA639539, AA662751, AA714010, AA743934, AA746310, AA888099, AA953728, AA976688, AI027564
828778	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1180 of SEQ ID NO:173, b is an integer of 15 to 1194, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:173, and where b is greater than or equal to a + 14.	
828780	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 687 of SEQ ID NO:174, b is an integer of 15 to 701, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:174, and where b is greater than or equal to a + 14.	
828781	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1167 of SEQ ID NO:175, b is an integer of 15 to 1181, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:175, and where b is greater than or equal to a + 14.	R17769, R39304, R42342, R42342, R61526, H05114, H08622, N63035, AA039717, AA039716, AA039852, AA235700, AA255466, AA461108, AA918115, AA938595, W00511, C00278
828782	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 475 of SEQ ID NO:176, b is an integer of 15 to 489, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:176, and where b is greater than or equal to a + 14.	
828783	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 239 of SEQ ID NO:177, b is an integer of 15 to 253, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:177, and where b is greater than or equal to a + 14.	
828784	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 379 of SEQ ID NO:178, b is an integer of 15 to 393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:178, and where b is greater than or equal to a + 14.	
828785	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 451 of SEQ ID NO:179, b is an integer of 15 to 465, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:179, and where b is greater than or equal to a + 14.	H28735, AA541256, AA935694
828786	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 518 of SEQ ID NO:180, b is an integer of 15 to 532, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:180, and where b is greater than or equal to a + 14.	T50920
828788	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 800 of SEQ ID NO:181, b is an integer of 15 to 814, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:181, and where b is greater than or equal to a + 14.	AA765439
828790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 303 of SEQ ID NO:182, b is an integer of 15 to 317, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:182, and where b is greater than or equal to a + 14.	
828791	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 229 of SEQ ID NO:183, b is an integer of 15 to 243, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:183, and where b is greater than or equal to a + 14.	
828792	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1134 of SEQ ID NO:184, b is an integer of 15 to 1148, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:184, and where b is greater than or equal to a + 14.	
828794	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1957 of SEQ ID NO:185, b is an integer of 15 to 1971, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:185, and where b is greater than or equal to a + 14.	
828797	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 352 of SEQ ID NO:186, b is an integer of 15 to 366, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:186, and where b is greater than or equal to a + 14.	
828798	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 336 of SEQ ID NO:187, b is an integer of 15 to 350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:187, and where b is greater than or equal to a + 14.	
828799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 361 of SEQ ID NO:188, b is an integer of 15 to 375, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:188, and where b is greater than or equal to a + 14.	R92181
828801	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 351 of SEQ ID NO:189, b is an integer of 15 to 365, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:189, and where b is greater than or equal to a + 14.	
828802	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 803 of SEQ ID NO:190, b is an integer of 15 to 817, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:190, and where b is greater than or equal to a + 14.	
828803	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 576 of SEQ ID NO:191, b is an integer of 15 to 590, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:191, and where b is greater than or equal to a + 14.	
828804	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 294 of SEQ ID NO:192, b is an integer of 15 to 308, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:192, and where b is greater than or equal to a + 14	
828805	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 329 of SEQ ID NO:193, b is an integer of 15 to 343, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:193, and where b is greater than or equal to a + 14.	
828807	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 676 of SEQ ID NO:194, b is an integer of 15 to 690, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:194, and where b is greater than or equal to a + 14.	AA507550, AA613671, AA991871, AI073898
828809	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 223 of SEQ ID NO:195, b is an integer of 15 to 237, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:195, and where b is greater than or equal to a + 14.	
828810	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 253 of SEQ ID NO:196, b is an integer of 15 to 267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:196, and where b is greater than or equal to a + 14.	
828811	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 429 of SEQ ID NO:197, b is an integer of 15 to 443, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:197, and where b is greater than or equal to a + 14.	
828817	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 194 of SEQ ID NO:198, b is an integer of 15 to 208, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:198, and where b is greater than or equal to a + 14.	
828818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 244 of SEQ ID NO:199, b is an integer of 15 to 258, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:199, and where b is greater than or equal to a + 14.	
828819	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 879 of SEQ ID NO:200, b is an integer of 15 to 893, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:200, and where b is greater than or equal to a + 14.	R28397, R35050, R82429, AA523252, AA541515, AA888589, AA931260, AA969512, N90287
828820	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 489 of SEQ ID NO:201, b is an integer of 15 to 503, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:201, and where b is greater than or equal to a + 14	
828821	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 424 of SEQ ID NO:202, b is an integer of 15 to 438, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:202, and where b is greater than or equal to a + 14.	
828823	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 862 of SEQ ID NO:203, b is an integer of 15 to 876, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:203, and where b is greater than or equal to a + 14.	
828824	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1490 of SEQ ID NO:204, b is an integer of 15 to 1504, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:204, and where b is greater than or equal to a + 14.	T63961, R37805, R41200, R41200, H06703, H14569, N35284, W84891, W84386, AA020009, AA115923, AA191098, AA720881, AA825322, AA007194
828825	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 511 of SEQ ID NO:205, b is an integer of 15 to 525, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:205, and where b is greater than or equal to a + 14.	T90840, R97506, R97507, H56561, H90159, AA548594
828826	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	R54121, H53524, H83780, N33845, AA150188, AA150364, AA193510, AA236206, AA236207, AA256878,

	formula of a-b, where a is any integer between 1 to 2480 of SEQ ID NO:206, b is an integer of 15 to 2494, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:206, and where b is greater than or equal to a + 14.	AA255472, AA292484, AA292485, AA514616, AA808712, AA812205
828829	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 866 of SEQ ID NO:207, b is an integer of 15 to 880, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:207, and where b is greater than or equal to a + 14.	
828830	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 626 of SEQ ID NO:208, b is an integer of 15 to 640, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:208, and where b is greater than or equal to a + 14.	W47311
828833	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 289 of SEQ ID NO:209, b is an integer of 15 to 303, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:209, and where b is greater than or equal to a + 14.	
828835	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1154 of SEQ ID NO:210, b is an integer of 15 to 1168, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:210, and where b is greater than or equal to a + 14.	
828838	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3119 of SEQ ID NO:211, b is an integer of 15 to 3133, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:211, and where b is greater than or equal to a + 14.	
828840	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 666 of SEQ ID NO:212, b is an integer of 15 to 680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:212, and where b is greater than or equal to a + 14.	T67663, N51807, N94795
828845	Preferably excluded from the present invention are	AA278542

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 549 of SEQ ID NO:213, b is an integer of 15 to 563, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:213, and where b is greater than or equal to a + 14.	
828846	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2622 of SEQ ID NO:214, b is an integer of 15 to 2636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:214, and where b is greater than or equal to a + 14.	
828847	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1808 of SEQ ID NO:215, b is an integer of 15 to 1822, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:215, and where b is greater than or equal to a + 14.	
828849	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3113 of SEQ ID NO:216, b is an integer of 15 to 3127, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:216, and where b is greater than or equal to a + 14.	
828850	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1515 of SEQ ID NO:217, b is an integer of 15 to 1529, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:217, and where b is greater than or equal to a + 14.	T89442, T89529, R00855, R01510, R17037, R44677, R44677, W71999, W76568, AA028176, AA594435, AA630811, AA640365, AA570503, AA827402, AI001038
828852	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1086 of SEQ ID NO:218, b is an integer of 15 to 1100, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:218, and where b is greater than or equal to a + 14.	N25191, N51394, AA085653
828853	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1778 of SEQ ID NO:219, b is an integer of 15 to	T69893, R23246, R23322, R23610, R26164, R76851, R78355, R78356, W37071, AA281297, AA281298, AA287617, AA286726, AA830753, AA907191, AA937081

	1792, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:219, and where b is greater than or equal to a + 14.	
828857	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1296 of SEQ ID NO:220, b is an integer of 15 to 1310, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:220, and where b is greater than or equal to a + 14.	H87149, N29514, N32038, W49771, W69834, W69944, W69906, W70171, AA035645, AA262486, AA280793, AA280787, AA468735, AA470769, AA814845, AA877855, AA903806
828861	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1355 of SEQ ID NO:221, b is an integer of 15 to 1369, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:221, and where b is greater than or equal to a + 14.	
828866	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 778 of SEQ ID NO:222, b is an integer of 15 to 792, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:222, and where b is greater than or equal to a + 14.	R17863, H06471, AA157721
828872	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 907 of SEQ ID NO:223, b is an integer of 15 to 921, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:223, and where b is greater than or equal to a + 14.	R87888, R87900, R87908, N49168, AA931266
828874	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1965 of SEQ ID NO:224, b is an integer of 15 to 1979, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:224, and where b is greater than or equal to a + 14.	H87038, R70347, H39025, R91475, H57830, H59954, H62220, H62316, H65258, H65259, H95743, N54406, W25201, W32973, W69360, W69399, W84707, W90181, AA045489, AA058908, AA059484, AA126289, AA126390, AA127568, AA171412, AA171832, AA548030, AA593288, AA595330, AA622098, AA573531, AA574415, AA865443
828875	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 527 of SEQ ID NO:225, b is an integer of 15 to 541, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:225, and where b is greater than or equal to a + 14.	
828877	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 263 of SEQ ID NO:226, b is an integer of 15 to 277, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:226, and where b is greater than or equal to a + 14.	
828878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2055 of SEQ ID NO:227, b is an integer of 15 to 2069, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:227, and where b is greater than or equal to a + 14.	T66330, R26894, R27126, R69123, R69242, R82299, R82300, W07548, W40127, W61081, W63740, AA088736, AA088851, AA416637, AA425692, AA587736, AA574419, AA659481, AA746137, AA827964, AA873416, AA876962, AA886118, AA913307, W63541, AA091722
828879	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 457 of SEQ ID NO:228, b is an integer of 15 to 471, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:228, and where b is greater than or equal to a + 14.	
828881	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1626 of SEQ ID NO:229, b is an integer of 15 to 1640, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:229, and where b is greater than or equal to a + 14.	
828885	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1956 of SEQ ID NO:230, b is an integer of 15 to 1970, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:230, and where b is greater than or equal to a + 14.	T66265, R00322, R05577, R14288, R40578, N35835, W67698, W68707, AA226782, AA227401, AA917573, A1096970, C01407
828886	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 296 of SEQ ID NO:231, b is an integer of 15 to 310, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:231, and where b is greater than or equal to a + 14.	
828887	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2819 of SEQ ID NO:232, b is an integer of 15 to 2833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	

	NO:232, and where b is greater than or equal to a + 14.	
828889	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 678 of SEQ ID NO:233, b is an integer of 15 to 692, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:233, and where b is greater than or equal to a + 14	A1084904, N87764
828891	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1339 of SEQ ID NO:234, b is an integer of 15 to 1353, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:234, and where b is greater than or equal to a + 14.	
828899	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 332 of SEQ ID NO:235, b is an integer of 15 to 346, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:235, and where b is greater than or equal to a + 14.	
828907	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2257 of SEQ ID NO:236, b is an integer of 15 to 2271, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:236, and where b is greater than or equal to a + 14.	
828911	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3036 of SEQ ID NO:237, b is an integer of 15 to 3050, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:237, and where b is greater than or equal to a + 14.	
828914	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2788 of SEQ ID NO:238, b is an integer of 15 to 2802, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:238, and where b is greater than or equal to a + 14.	
828917	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T48789, T48790, T52689, T52690, T54143, T57627, T58981, T60334, T63023, T63169, T64611, T68165,

	formula of a-b. where a is any integer between 1 to 1523 of SEQ ID NO:239, b is an integer of 15 to 1537, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:239, and where b is greater than or equal to a + 14	T73770, T92858, R09683, R05784, R05870, R23705, R24243, R25436, R26263, R26661, R31482, R33617, R52663, R54888, R55790, R63634, R64491, R65588, R66756, R74348, R74447, R77767, R77861, H24648, H24647, H25483, H25708, H25719, H30170, H39683, H42201, H50627, H61272, H74187, H73366, H84457, H96852, H97161, N21258, N24067, N25124, N25891, N32256, N35943, N39665, N59887, N74237, N75946, N77028, N91815, N94382, W01241, W04970, W16791, W31249, W37991, W42625, W42503, W42504, W45097, W46997, W47010, W47011, W47035, W58226, W60191, W74239, AA011342, AA011422, AA053421, AA053142, AA069730, AA069687, AA071401, AA079362, AA085841, AA088476, AA088867, AA099339, AA098900, AA099401, AA099509, AA099626, AA100481, AA111899, AA112344, AA128689, AA128504, AA130068, AA130069, AA133988, AA130205, AA134388, AA130699, AA131164, AA131119, AA135908, AA143614, AA148147, AA151655, AA151855, AA149710, AA150148, AA152217, AA150454, AA156656, AA156942, AA158064, AA158065, AA160927, AA167640, AA167760, AA173558, AA173723, AA188571, AA188806, AA188862, AA190996, AA191121, AA252461, AA286842, AA513431, AA523544, AA533369, AA534903, AA541751, AA548088, AA552311, AA563748, AA563790, AA564990, AA565005, AA588690, AA594295, AA600956, AA604061, AA604282, AA604810, AA614124, AA631612, AA632221, AA569331, AA573854, AA577627, AA579851, AA661566, AA689517, AA740358, AA740572, AA747358, AA768322, AA827032, AA831321, AA831490, AA862010, AA862071, AA872486, AA876655, AA878041, AA902900, AA907481, AA932203, AA976947, AA995848, A1005047, A1051152, A1053717, A1053913, A1053985, A1054236, F18795, D82560, W28635, W68223, C02865, C05961, C06214, C14019, AA641827, AA642221
828921	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1320 of SEQ ID NO:240, b is an integer of 15 to 1334, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:240, and where b is greater than or equal to a + 14.	
828922	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2424 of SEQ ID NO:241, b is an integer of 15 to 2438, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:241, and where b is greater than or equal to a + 14.	R14071, R40196, R40196, W78082, AA002041, AA001835, AA167058, AA564814, AA604562, AA831678, AA902298, AA922990, N88270
828924	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 125 of SEQ ID NO:242, b is an integer of 15 to 139, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:242, and where b is greater than or equal to a + 14.	
828925	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 465 of SEQ ID NO:243, b is an integer of 15 to 479, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:243, and where b is greater than or equal to a + 14.	
828926	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 570 of SEQ ID NO:244, b is an integer of 15 to 584, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:244, and where b is greater than or equal to a + 14.	AA021328, AA165340
828928	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 318 of SEQ ID NO:245, b is an integer of 15 to 332, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:245, and where b is greater than or equal to a + 14.	
828930	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1603 of SEQ ID NO:246, b is an integer of 15 to 1617, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:246, and where b is greater than or equal to a +	R13197, R22953, R23059, R34735, H16860, H17441, H30722, H96486, H98091, N25031, N26040, W37582, W74506, W73933, W79218, W79053, AA017108, AA027970, AA027971, AA058997, AA223857, AA468648, AA506695, AA513402, AA627542, AA627543,

	14.	AA687974. AA748356. AA749265. AA766155. AA769265. AA810698. AA810803. AA811177. AA813864. AA815128. AA837374. AA907206. AA907432. AA911140. AA911319. AA989380. AI088862. N85247
828935	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1435 of SEQ ID NO:247, b is an integer of 15 to 1449, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:247, and where b is greater than or equal to a + 14.	
828937	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1470 of SEQ ID NO:248, b is an integer of 15 to 1484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:248, and where b is greater than or equal to a + 14.	T78834, T78835, T99250, T99297, R12511, T26404, R37406, R41280, R41370, R41371, R52358, R52359, R41280, R41370, R41371, R81208, R81320, R82778, H44863, H54693, H54584, H71670, H72234, H79199, H80064, H80065, H90038, H90715, H96868, H96874, H98754, N20017, N21625, N23354, N28826, N28864, N31950, N33092, N35337, N35930, N36772, N44708, N59759, N63774, N64419, N70550, N73583, N75550, N78219, N78798, N92686, N93067, W06846, W07226, W32114, W32172, W35376, W38996, W39688, W45043, W55883, W55882, W58545, W58627, W68228, W78990, W80596, W87464, N91505, AA026436, AA062585, AA112289, AA127552, AA127553, AA171942, AA172148, AA224492, AA279390, AA505278, AA505337, AA527368, AA531405, AA532853, AA534544, AA535699, AA582848, AA587609, AA568827, AA635925, AA576357, AA576891, AA579716, AA565856, AA687556, AA736748, AA877644, AA885760, AA917890, AA918826, AA938647, AA953594, AA971036, AA973846, AA976240, AA976836, AA948139, A1086410, W01797, N86155, N86407, AA026382, AA092135, AA093922, AA094184
828940	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2408 of SEQ ID NO:249, b is an integer of 15 to 2422, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:249, and where b is greater than or equal to a +	T61139, H60808, H66215, H86154, H86598, N66951, AA045564. AA053520. AA054053, AA054010, AA055556. AA055592. AA055887. AA085899, AA088546, AA100472, AA102305, AA100774, AA115726, AA115790, AA130430, AA130456, AA134504. AA130756. AA132265.

	14.	AA134988, AA135921, AA143560, AA143592, AA146693, AA146644, AA146790, AA152341, AA149726, AA149780, AA152003, AA157705, AA157715, AA157718, AA157719, AA157730, AA180379, AA226737, AA227302, AA527374, C05254
828942	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 560 of SEQ ID NO:250, b is an integer of 15 to 574, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:250, and where b is greater than or equal to a + 14.	H51878
828943	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1030 of SEQ ID NO:251, b is an integer of 15 to 1044, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:251, and where b is greater than or equal to a + 14.	
828946	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1015 of SEQ ID NO:252, b is an integer of 15 to 1029, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:252, and where b is greater than or equal to a + 14.	H49140, H50139, N91808, W17361, W23877, W25195, W31242, AA116089, AA116090, AA150544, AA150853, AA417973, AA418133, AA279993, AA280052, AA583751, AA587199, AA618421, AA814427, AA830028, AA916097, AA961686, AA974254, AA987758, AI083878, AI085516, N94820, N95456
828947	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 461 of SEQ ID NO:253, b is an integer of 15 to 475, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:253, and where b is greater than or equal to a + 14.	
828956	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1710 of SEQ ID NO:254, b is an integer of 15 to 1724, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:254, and where b is greater than or equal to a + 14.	T80047, T80393, H22804, N33236, W55892, AA043830, AA062632, AA069280, AA078770, AA082403, AA101062, AA459984, AA460077, AA501353, AA535081, AA588749, AA577376, AA814781, AA836428, AA876439, AA916459, AA938494
828958	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 292 of SEQ ID NO:255, b is an integer of 15 to 306, where both a and b correspond to the positions	

	of nucleotide residues shown in SEQ ID NO:255, and where b is greater than or equal to a + 14.	
828965	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 876 of SEQ ID NO:256, b is an integer of 15 to 890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:256, and where b is greater than or equal to a + 14.	T60299, R07493, R02543, R02660, N23126, N26234, N28744, N80029, N92370, W06992, W24565, W56160, AA058766, AA082121, AA102497, AA133193, AA157043, AA181057, AA459909, AA419349, AA428256, AA522732, AA531204, AA588687, AA622529, AA631698, AA687351, AA736613, AA736615, AA743076, AA805965, AA825789, AA873396, AA934548, AA984002
828969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1145 of SEQ ID NO:257, b is an integer of 15 to 1159, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:257, and where b is greater than or equal to a + 14.	R34277, R35477, R40127, R40127, R56401, R63536, R63587, R68336, R68415, R68416, R68428, R68429, R72408, R72447, R75996, R76825, H00671, H00761, H00909, H00910, H06173, H06437, H67367, H67416, H95558, N21675, N22870, N27226, N30906, N34567, N56770, N62120, N72850, N91825, W03069, W31262, W70204, W75946, AA009777, AA009498, AA081398, AA081947, AA082173, AA082577, AA101142, AA102573, AA102587, AA159158, AA279295, AA279321, AA587132, AA576939, AA720862, AA748173, AA808533, AA878214, AA962702, AA987447, AA987635, AA989319, AA995406, AI031632, N84444, AI097592, C02910, C14651, AA081397, C15440
828971	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 741 of SEQ ID NO:258, b is an integer of 15 to 755, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:258, and where b is greater than or equal to a + 14.	
828973	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 700 of SEQ ID NO:259, b is an integer of 15 to 714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:259, and where b is greater than or equal to a + 14.	
828980	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 511 of SEQ ID NO:260, b is an integer of 15 to 525, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:260, and where b is greater than or equal to a + 14.	AA171806, AA223318

828984	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2986 of SEQ ID NO:261, b is an integer of 15 to 3000, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:261, and where b is greater than or equal to a + 14.	T80804, T81207, R66564, R79533, H10212, H10266, N47700, N47701, N47714, N47715, W92453, W92454, AA047175, AA057046, AA084865, AA084994, AA085435, AA088196, AA088369, AA102606, AA102637, AA102681, AA129398, AA129437, AA133824, AA133835, AA134870, AA155636, AA155692, AA173150, AA173277, AA181676, AA172185, AA187844, AA188417, AA188720, AA203343, AA223606, AA223765, AA232539, AA253486, AA258817, AA258912, AA418911, AA426576, AA428207, AA282012, AA282185, AA506517, AA581113, AA640599, AA864428, AA872063, AA928645, AA947052, AA983384, W28603, AA640958
828985	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 952 of SEQ ID NO:262, b is an integer of 15 to 966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:262, and where b is greater than or equal to a + 14.	
828988	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2724 of SEQ ID NO:263, b is an integer of 15 to 2738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:263, and where b is greater than or equal to a + 14.	T73414, R12106, T66627, T66628, T78284, R16041, R16042, R36860, R37936, R61426, R63310, H40110, H40174, N25567, N30486, N34167, N44865, N52758, N57579, N68031, W04668, W31769, W32476, W32662, AA029481, AA029545, AA215402, AA278628, AA278627, AA282001, AA483843, AA576431, AA659932, AA749063, AA768638, AA768824, AA809759, AA830249, N83750, A1097104
828993	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1506 of SEQ ID NO:264, b is an integer of 15 to 1520, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:264, and where b is greater than or equal to a + 14.	
828995	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1554 of SEQ ID NO:265, b is an integer of 15 to 1568, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:265, and where b is greater than or equal to a + 14.	

829000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 531 of SEQ ID NO:266, b is an integer of 15 to 545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:266, and where b is greater than or equal to a + 14.	T84984, H62305, N94075
829005	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 748 of SEQ ID NO:267, b is an integer of 15 to 762, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:267, and where b is greater than or equal to a + 14.	T81847, R31803, R63658, H80178, AA086064, AA730231, AA805602, N84214, AA091994
829009	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1419 of SEQ ID NO:268, b is an integer of 15 to 1433, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:268, and where b is greater than or equal to a + 14.	
829010	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2264 of SEQ ID NO:269, b is an integer of 15 to 2278, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:269, and where b is greater than or equal to a + 14.	
829012	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2519 of SEQ ID NO:270, b is an integer of 15 to 2533, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:270, and where b is greater than or equal to a + 14.	T46984, T46985, T60315, T60340, T91262, T82866, T85699, R18936, R22449, R22501, R44051, R44051, R62350, R62351, R62967, R63021, R67538, R67539, H00265, H00266, H05754, H05861, H17661, H17778, H37895, R84704, R85663, R85705, R92774, H71754, H86241, H86596, N77995, N94481, W23930, W33005, W42716, W42804, W42856, W42911, W48687, W48688, W51894, W60144, AA013165, AA013166, AA016027, AA016116, AA019160, AA019173, AA019737, AA019781, AA019874, AA019940, AA020855, AA021014, AA039946, AA039812, AA044966, AA059316, AA059332, AA062810, AA069688, AA074166, AA074690, AA074819, AA079227, AA086267, AA085941, AA101899, AA111855, AA112207, AA112317, AA113083, AA113110, AA112379, AA128454,

		AA129184, AA134373, AA134374, AA147440, AA147441, AA147468, AA147469, AA152007, AA182029, AA188388, AA193685, AA514744, AA525480, AA553895, AA559119, AA580724, AA595036, AA600916, AA601895, AA602350, AA631450, AA633022, AA640333, AA580604, AA715813, AA806865, AA808711, AA811858, AA833843, AA862552, AA873179, AA878958, AA887089, AA918330, AA922879, AA937320, AA977779, AA987809, AA991856, AA999930, AI081179, W28427, N86448, AA640960, AA641152
829013	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1604 of SEQ ID NO:271, b is an integer of 15 to 1618, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:271, and where b is greater than or equal to a + 14.	R12986, R32825, R32839, R32927, R32942, R40183, R52946, R53730, R40183, R66041, H98989, N52010, N54624, N66635, AA046243, AA149949, AA253362, AA253485, AA258773, AA257971, AA262281, AA422167, AA262911, AA513150, AA687117, AA687257, AA747442, AA748820, AA749108, AA767245, AA806305, AA811958, AA903407, AA937560, AA938330, AA976840, AA094074
829019	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 456 of SEQ ID NO:272, b is an integer of 15 to 470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:272, and where b is greater than or equal to a + 14.	
829020	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 969 of SEQ ID NO:273, b is an integer of 15 to 983, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:273, and where b is greater than or equal to a + 14.	AA136693, AA136791, AA233217, AA419607
829021	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1992 of SEQ ID NO:274, b is an integer of 15 to 2006, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:274, and where b is greater than or equal to a + 14.	T94357, T94712, R12024, R12980, R37092, R40178, R40178, H06066, H13404, N70651, W06945, N90742, AA071520, AA082342, AA086292, AA111847, AA508760, AA513083, AA513134, AA975983, AA987297, N86943
829026	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1362 of SEQ ID NO:275, b is an integer of 15 to	R46780, R56425, H14131, H14048, H19990, H44884, W73060, W76648, AA258220, AA732283, AA732519, AA748619, AA768036, AA830813

	1376, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:275, and where b is greater than or equal to a + 14.	
829030	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2580 of SEQ ID NO:276, b is an integer of 15 to 2594, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:276, and where b is greater than or equal to a + 14.	
829035	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 665 of SEQ ID NO:277, b is an integer of 15 to 679, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:277, and where b is greater than or equal to a + 14.	
829041	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1464 of SEQ ID NO:278, b is an integer of 15 to 1478, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:278, and where b is greater than or equal to a + 14.	T64828, R13411, R40922, H17358, AA829407, AA991316
829045	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2307 of SEQ ID NO:279, b is an integer of 15 to 2321, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:279, and where b is greater than or equal to a + 14.	R94934, R95018, R96941, R96998, N62469, N79188, AA056180, AA079122, AA079223, AA190398, AA190542, AA279989, AA280050, AA563719, AA563967, AA621823, AA639374, AA743441, AA809943, AA903777, AA991450, AA091152
829048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1679 of SEQ ID NO:280, b is an integer of 15 to 1693, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:280, and where b is greater than or equal to a + 14.	
829051	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 244 of SEQ ID NO:281, b is an integer of 15 to 258, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:281, and where b is greater than or equal to a + 14.	
829052	Preferably excluded from the present invention are	T54099, T54192, R42585, R42585,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1750 of SEQ ID NO:282, b is an integer of 15 to 1764, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:282, and where b is greater than or equal to a + 14.	H30486, R83722, N24879, N34365, N36398, W80812, W80905, AA040726, AA040725, AA069816, AA099148, AA099246, AA130358, AA131274, AA143111, AA150578, AA553644, H89452, AA570403, AA985591, AI076032, AA092873
829057	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 785 of SEQ ID NO:283, b is an integer of 15 to 799, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:283, and where b is greater than or equal to a + 14.	R17092
829058	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1475 of SEQ ID NO:284, b is an integer of 15 to 1489, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:284, and where b is greater than or equal to a + 14.	
829059	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 688 of SEQ ID NO:285, b is an integer of 15 to 702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:285, and where b is greater than or equal to a + 14.	T99023, R54176, H73053, H72832, H73054, H80706, AA988806
829061	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1161 of SEQ ID NO:286, b is an integer of 15 to 1175, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:286, and where b is greater than or equal to a + 14.	
829062	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2859 of SEQ ID NO:287, b is an integer of 15 to 2873, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:287, and where b is greater than or equal to a + 14.	
829063	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2090 of SEQ ID NO:288, b is an integer of 15 to 2104, where both a and b correspond to the	T56853, R13426, R40938, R40938, R56447, H64343, W94129, W94024, W95653, W95654, AA001812, AA158586, AA158585, AA179917, AA463947, AA464082, AA421875, AA430503, AA430622,

	positions of nucleotide residues shown in SEQ ID NO:288, and where b is greater than or equal to a + 14.	AA228990, AA506167, AA528459, AA551350, AA564494, AA601544, AA604335, AA622270, AA747745, AA760947, AA827325, AA888125, AA910238
829064	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1237 of SEQ ID NO:289, b is an integer of 15 to 1251, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:289, and where b is greater than or equal to a + 14.	
829066	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1577 of SEQ ID NO:290, b is an integer of 15 to 1591, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:290, and where b is greater than or equal to a + 14.	
829068	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2372 of SEQ ID NO:291, b is an integer of 15 to 2386, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:291, and where b is greater than or equal to a + 14.	
829069	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 969 of SEQ ID NO:292, b is an integer of 15 to 983, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:292, and where b is greater than or equal to a + 14.	AA056484, AA056650, AA742863
829074	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2641 of SEQ ID NO:293, b is an integer of 15 to 2655, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:293, and where b is greater than or equal to a + 14.	R21643, R21965, R23012, R31285, R31896, R32700, R32701, R34083, R62210, R64591, R68873, R73888, R73975, R74184, R74270, R76839, R77200, R77720, R78052, H03147, H03956, H15807, H16106, H39711, H39732, H42156, R98951, N41769, W87673, AA007438, AA007439, AA013075, AA099593, AA156625, AA195656, AA195769, AA236849, AA237048, AA226078, AA526030, AA570236, AA570252, AA766062, AA767497, AA769581, AA827847, AA831416, AA911414, AA938690
829077	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	R11694, AA031610, AA056352, AA099809, AA190527

	formula of a-b, where a is any integer between 1 to 1724 of SEQ ID NO:294, b is an integer of 15 to 1738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:294, and where b is greater than or equal to a + 14.	
829078	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:295, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:295, and where b is greater than or equal to a + 14.	
829079	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 670 of SEQ ID NO:296, b is an integer of 15 to 684, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:296, and where b is greater than or equal to a + 14.	AA613454
829085	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1824 of SEQ ID NO:297, b is an integer of 15 to 1838, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:297, and where b is greater than or equal to a + 14.	
829093	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1621 of SEQ ID NO:298, b is an integer of 15 to 1635, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:298, and where b is greater than or equal to a + 14.	T86751, N67573, AA084170, AA482701, AA513177, AA715379
829099	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 854 of SEQ ID NO:299, b is an integer of 15 to 868, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:299, and where b is greater than or equal to a + 14.	AA235899, AA524874, AA588559, AA568363, C18296
829101	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 533 of SEQ ID NO:300, b is an integer of 15 to 547, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:300, and where b is greater than or equal to a + 14.	N28457

829102	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 851 of SEQ ID NO:301, b is an integer of 15 to 865, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:301, and where b is greater than or equal to a + 14.	N24654, N35441, N72250, W00539, W44692, AA101155, AA491668, AI054009, AI054199, W38644
829103	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 801 of SEQ ID NO:302, b is an integer of 15 to 815, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:302, and where b is greater than or equal to a + 14.	R34801, N36324, D81161, D81435, C15688, C15742
829104	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1905 of SEQ ID NO:303, b is an integer of 15 to 1919, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:303, and where b is greater than or equal to a + 14.	R08917, R09023, T95465, R07005, R19551, R37796, R43901, R43901, R65802, R65897, R77267, R77316, R82856, R82857, H15156, H15216, R93133, H77582, H77583, N45210, N50021, N55569, N58316, N59861, N59869, N76954, N77681, N93112, W38788, W52631, AA011659, AA011707, AA043405, AA133302, AA133248, AA134238, AA134239, AA150954, AA151044, AA459974, AA460066, AA503364, AA522740, AA522866, AA523791, AA602932, AA602716, AA876807, AA877039, AA879223, AA923007, AA935208, AI082642, AI094830
829109	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 143 of SEQ ID NO:304, b is an integer of 15 to 157, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:304, and where b is greater than or equal to a + 14.	
829111	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 329 of SEQ ID NO:305, b is an integer of 15 to 343, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:305, and where b is greater than or equal to a + 14.	
829115	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 682 of SEQ ID NO:306, b is an integer of 15 to 696, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:306, and where b is greater than or equal to a + 14.	AA064674, AA078775
829116	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 382 of SEQ ID NO:307, b is an integer of 15 to 396, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:307, and where b is greater than or equal to a + 14.	
829119	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 535 of SEQ ID NO:308, b is an integer of 15 to 549, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:308, and where b is greater than or equal to a + 14.	T51849, T51895, R31503, H89196, W94076, AA233517, AA557320, AA582238, AA604556, AA659141
829120	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1764 of SEQ ID NO:309, b is an integer of 15 to 1778, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:309, and where b is greater than or equal to a + 14.	
829121	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 757 of SEQ ID NO:310, b is an integer of 15 to 771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:310, and where b is greater than or equal to a + 14.	T79424, T86294, T98674, R00295, R41707, R42706, R45491, R46655, R41707, R42706, R45491, R46655, R56768, R71860, R71861, H17970, N55536, N80100, W46264, W46265, W46263, W72406, W73710, W76436, AA133997, AA470389, AA514398, AA524707, AA536170, F15823, AA731228, AA766110, AA825368, AA828215, AA833768, AA837103, AA918015, AA988068, AA999844, W46262, C04804, AA062584, AA082539
829123	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1405 of SEQ ID NO:311, b is an integer of 15 to 1419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:311, and where b is greater than or equal to a + 14.	T53735, T53833, T73419, T79418, T79419, AA035245, AA530898, AA588281, AA631068, C01039
829126	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 512 of SEQ ID NO:312, b is an integer of 15 to 526, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:312, and where b is greater than or equal to a + 14.	
829135	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 2421 of SEQ ID NO:313, b is an integer of 15 to 2435, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:313, and where b is greater than or equal to a + 14.	
829136	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2529 of SEQ ID NO:314, b is an integer of 15 to 2543, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:314, and where b is greater than or equal to a + 14.	N24451, N54675, AA135096, AA164383, AA180531, AA180520, AA179618, AA180509, C17250
829138	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 814 of SEQ ID NO:315, b is an integer of 15 to 828, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:315, and where b is greater than or equal to a + 14.	T57569, T86491, R00162, R00163, R91950, R92281, R93566, R93567, R98556, R98557, H82687, N23234, N23249, N27394, N40804, N52001, N54610, N62258, N69979, N79347, N98581, N98559, W24241, W30694, W39016, W49542, W49773, W93332, W95036, N90230, AA015762, AA022871, AA022872, AA151308, AA151309, AA203551, AA461104, AA424178, AA424202, AA467853, AA467908, AA513455, AA564159, AA576516, AA579461, AA740779, AA865373, AA938596, AA972781, AA641536, AA092083
829142	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1594 of SEQ ID NO:316, b is an integer of 15 to 1608, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:316, and where b is greater than or equal to a + 14.	
829148	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1043 of SEQ ID NO:317, b is an integer of 15 to 1057, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:317, and where b is greater than or equal to a + 14.	T70817, H97087, N28699, N59032, W31740, W63702
829149	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1322 of SEQ ID NO:318, b is an integer of 15 to 1336, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:318, and where b is greater than or equal to a +	T57875, AA062633, AA180493, AA255651, AA815168, AA827196, AA988896, AI032193

	14.	
829156	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 482 of SEQ ID NO:319, b is an integer of 15 to 496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:319, and where b is greater than or equal to a + 14.	
829162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1742 of SEQ ID NO:320, b is an integer of 15 to 1756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:320, and where b is greater than or equal to a + 14.	W28213, C20991
829170	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 574 of SEQ ID NO:321, b is an integer of 15 to 588, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:321, and where b is greater than or equal to a + 14.	T54688
829177	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 724 of SEQ ID NO:322, b is an integer of 15 to 738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:322, and where b is greater than or equal to a + 14.	
829179	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 862 of SEQ ID NO:323, b is an integer of 15 to 876, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:323, and where b is greater than or equal to a + 14.	
829184	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1308 of SEQ ID NO:324, b is an integer of 15 to 1322, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:324, and where b is greater than or equal to a + 14.	
829185	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 328 of SEQ ID NO:325, b is an integer of 15 to 342, where both a and b correspond to the positions	

	of nucleotide residues shown in SEQ ID NO:325, and where b is greater than or equal to a + 14.	
829188	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3676 of SEQ ID NO:326, b is an integer of 15 to 3690, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:326, and where b is greater than or equal to a + 14.	T58653, T58703, T75221, T77245, T77461, R09770, R10874, R10923, T78618, R05603, R12362, R13912, R23445, R26046, R37744, R39442, R43682, R44004, R43682, R44004, H27016, H50941, H51605, H52497, N23353, N28825, N35021, N45029, N52865, N93751, N94155, W67224, W67334, W78117, W79824, W94552, W92625, AA036842, AA040393, AA040497, AA074284, AA075940, AA135258, AA157449, AA159938, AA188822, AA188883, AA223533, AA280881, AA280961, AA515694, AA573708, AA720966, AA730134, AA761564, AA805432, AA826208, AA831736, AA833940, AA834312, AA888244, AA911536, AA918643, AA922815, AA932119, AA933022
829190	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 705 of SEQ ID NO:327, b is an integer of 15 to 719, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:327, and where b is greater than or equal to a + 14.	
829193	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 975 of SEQ ID NO:328, b is an integer of 15 to 989, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:328, and where b is greater than or equal to a + 14.	AA043829
829196	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 420 of SEQ ID NO:329, b is an integer of 15 to 434, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:329, and where b is greater than or equal to a + 14.	AA156138
829197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 682 of SEQ ID NO:330, b is an integer of 15 to 696, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:330, and where b is greater than or equal to a + 14.	R13055
829202	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 527 of SEQ ID NO:331, b is an integer of 15 to 541, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:331, and where b is greater than or equal to a + 14.	
829203	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 291 of SEQ ID NO:332, b is an integer of 15 to 305, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:332, and where b is greater than or equal to a + 14.	
829209	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 431 of SEQ ID NO:333, b is an integer of 15 to 445, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:333, and where b is greater than or equal to a + 14.	H96926
829210	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 303 of SEQ ID NO:334, b is an integer of 15 to 317, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:334, and where b is greater than or equal to a + 14.	
829214	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1510 of SEQ ID NO:335, b is an integer of 15 to 1524, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:335, and where b is greater than or equal to a + 14.	T65464, T65607, T65616, R68318, R81279, H19079, H21595, W38816, AA173621, AA195611, AA461025, AA429991, AA281779, AA523034
829215	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 292 of SEQ ID NO:336, b is an integer of 15 to 306, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:336, and where b is greater than or equal to a + 14.	
829219	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 277 of SEQ ID NO:337, b is an integer of 15 to 291, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:337, and where b is greater than or equal to a + 14.	
829220	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T91056, R08770, R10337, T85922, R08771, N30353, N33349, N34024, N36835, N43012, N46055, N46938,

	formula of a-b, where a is any integer between 1 to 1250 of SEQ ID NO:338, b is an integer of 15 to 1264, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:338, and where b is greater than or equal to a + 14.	N47028, N48163, N53309, N55453, N57768, N59733, N62846, N70614, N76825, N77753, W04936, W46253, W57556, W80670, W88648, AA081410, AA233146, AA251750, AA485043, AA554001, AA628055, AA632073, AA632104, AA576915, AA814024, AA829780, AA887202, AA902514, AA927412, AI056152, AI085313, AI084094
829222	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 745 of SEQ ID NO:339, b is an integer of 15 to 759, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:339, and where b is greater than or equal to a + 14.	T53949, T55484, T55410, N57462, N93015, W21365, W88723, AA025365, AA081355, AA081356, AA418410, AA418507, AA422027, AA593855, AA593915, AA639807, AA814928, AA833745, AA872346, AA887280, AA904054, AA090282
829223	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2625 of SEQ ID NO:340, b is an integer of 15 to 2639, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:340, and where b is greater than or equal to a + 14.	T39922, N73780, N74186, N99401, W49823, AA026960, AA028073, AA418303, AA418345, AA425606, AA425545, AA426176, AA279347, AA492172, AA587366, AA621961, AA621973, AA834751, AA641513
829225	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1810 of SEQ ID NO:341, b is an integer of 15 to 1824, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:341, and where b is greater than or equal to a + 14.	T64318, T65668, AA016241, AA173963, AA618544
829226	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4517 of SEQ ID NO:342, b is an integer of 15 to 4531, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:342, and where b is greater than or equal to a + 14.	R17300, R31023, R61393, R61438, R61703, R61704, R72584, R72589, R74189, R74276, R78679, H20944, H22649, H39794, R84924, H79108, H79109, H81746, H81747, N32103, N38733, N45414, N47287, N47868, N48370, N48604, N50820, N51222, W19758, W38435, W44825, W74326, AA031730, AA045438, AA046531, AA047110, AA047266, AA148821, AA150421, AA169649, AA169829, AA169806, AA169813, AA171644, AA171651, AA227734, AA228119, AA255720, AA258153, AA424351, AA424866, AA426160, AA281120, AA281932, AA594385, AA594783, AA627918, AA570350, AA744689, AA748507, AA805709, AA806075, AA805170, AA865268, AA872935, AA876562, AA911965, AA916659, AA917349, AA918770,

		AA918850. AA946925. D81172. D81397. D78876. C01437. N86700. N88264. C05670. C18759
829227	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 570 of SEQ ID NO:343, b is an integer of 15 to 584, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:343, and where b is greater than or equal to a + 14.	T47087, T47086, R44450, R44450, H13259, H95459, AA035630, AA179511, AA418751, AA527136, AA961714, AA992449
829231	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 764 of SEQ ID NO:344, b is an integer of 15 to 778, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:344, and where b is greater than or equal to a + 14.	
829232	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3726 of SEQ ID NO:345, b is an integer of 15 to 3740, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:345, and where b is greater than or equal to a + 14.	N26050, N40415, N41638, AA001329, AA001916, AA158802, AA158803, AA213393, AA213394, AA213538, AA424282, AA459213, AA482209, AA482297, AA580754, AA729270, AA737966, AA742269, AA804199, AA937087, N33467, N43860, C02233
829233	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 432 of SEQ ID NO:346, b is an integer of 15 to 446, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:346, and where b is greater than or equal to a + 14.	
829239	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 768 of SEQ ID NO:347, b is an integer of 15 to 782, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:347, and where b is greater than or equal to a + 14.	
829240	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 425 of SEQ ID NO:348, b is an integer of 15 to 439, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:348, and where b is greater than or equal to a + 14.	
829242	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2342 of SEQ ID NO:349, b is an integer of 15 to	T91514, T91542, T94168, T78752, R14281, R31952, R32000, R37970, R37971, R39326, R40572, R40572, R55803, R55886, R66639, R81490, R81731, H53614, H53652, H87392,

	2356, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:349, and where b is greater than or equal to a + 14.	H97030, N26679, N35814, N39832, N64783, N76195, N92867, N95188, W21546, W25593, W61031, W78096, W79455, AA022610, AA022611, AA034251, AA063637, AA102635, AA102677, AA171440, AA190925, AA191317, AA223281, AA223381, AA226876, AA227079, AA460842, AA461146, AA428884, AA429051, AA429588, AA430105, AA526857, AA534144, AA542854, AA542868, AA554978, AA582495, AA605088, AA614111, AA614129, AA635924, AA580535, AA732502, AA740954, AA812350, AA827279, AA857515, AA928973, AA985646, AA995666, AI015556, U47719, N85053, C02475, C14936, C20619
829246	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1205 of SEQ ID NO:350, b is an integer of 15 to 1219, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:350, and where b is greater than or equal to a + 14.	
829250	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 394 of SEQ ID NO:351, b is an integer of 15 to 408, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:351, and where b is greater than or equal to a + 14.	
829253	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1269 of SEQ ID NO:352, b is an integer of 15 to 1283, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:352, and where b is greater than or equal to a + 14.	
829256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3215 of SEQ ID NO:353, b is an integer of 15 to 3229, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:353, and where b is greater than or equal to a + 14.	R17284, R17354, R17854, R24590, R33671, R33788, R35944, R36246, R36247, R36926, R43105, R44395, R49460, R49460, R44395, R43105, H24440, H24469, H82721, H83591, N50755, N55574, N64383, N92180, N90817, AA019697, AA026244, AA026441, AA037458, AA037544, AA127492, AA127587, AA190907, AA243225, AA243269, AA279209, AA503849, AA507466, AA639522, AA731780, AA736864, AA766007, AA090592

829263	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 492 of SEQ ID NO:354, b is an integer of 15 to 506, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:354, and where b is greater than or equal to a + 14.	N41747
829266	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 728 of SEQ ID NO:355, b is an integer of 15 to 742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:355, and where b is greater than or equal to a + 14.	
829271	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1681 of SEQ ID NO:356, b is an integer of 15 to 1695, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:356, and where b is greater than or equal to a + 14.	T39261, T49204, T72303, T71643, R07380, T66682, T82066, T83481, R01790, R16223, R20708, R81714, H06087, H09039, H46863, R96294, H50808, H84189, H84190, H84400, H91054, H91348, H96283, N32070, N39797, N45073, N45382, W04773, W21170, W52394, W51822, AA017710, AA017711, AA019476, AA021323, AA021324, AA044865, AA045153, AA054523, AA081533, AA083253, AA084388, AA083588, AA101641, AA101642, AA101720, AA135652, AA136639, AA136846, AA151892, AA179772, AA180489, AA187824, AA188556, AA224078, AA232050, AA232154, AA425968, AA531528, AA581305, AA742833, D83801, D83850, W22420
829273	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 914 of SEQ ID NO:357, b is an integer of 15 to 928, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:357, and where b is greater than or equal to a + 14.	
829274	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1360 of SEQ ID NO:358, b is an integer of 15 to 1374, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:358, and where b is greater than or equal to a + 14	
829276	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	4138 of SEQ ID NO:359, b is an integer of 15 to 4152, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:359, and where b is greater than or equal to a + 14.	
829279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1142 of SEQ ID NO:360, b is an integer of 15 to 1156, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:360, and where b is greater than or equal to a + 14.	
829280	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 362 of SEQ ID NO:361, b is an integer of 15 to 376, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:361, and where b is greater than or equal to a + 14.	
829283	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 505 of SEQ ID NO:362, b is an integer of 15 to 519, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:362, and where b is greater than or equal to a + 14.	
829284	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1371 of SEQ ID NO:363, b is an integer of 15 to 1385, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:363, and where b is greater than or equal to a + 14.	R35022, N53092, W56437, AA425107, AA429328, AA639462
829285	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 963 of SEQ ID NO:364, b is an integer of 15 to 977, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:364, and where b is greater than or equal to a + 14.	T98355, N35799, N68373, AA233837, AA234338, AA541363, C05871, C06442
829287	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 950 of SEQ ID NO:365, b is an integer of 15 to 964, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:365, and where b is greater than or equal to a + 14.	T75573, T75574, T89291, T92020, T92115, R09394, R09395, T81925, T81926, T84370, H15008, H15009, H22443, H22477, H42624, H70914, H70998, H91740, H70914, N21387, N21568, N29475, N31342, N35714, N39243, N46687, N58940, N62219, N62544, N71355, N73001, N79212, N79311, N80035, N92595, N95523, N99823, W02965, W06998,

		W17066, W17239, W37312, W37553, W38873, W38985, W42735, W42825, W44743, W45210, W60642, W60643, W61216, W72457, W73365, W73442, W73919, W74445, W78073, W94432, W92526, W95225, N89652, N89752, AA034453, AA046851, AA046813, AA053964, AA055047, AA055127, AA074513, AA081359, AA084042, AA098833, AA112180, AA136464, AA165072, AA164675, AA190836, AA255622, AA256734, AA428625, AA484049, AA513283, AA535853, F16222, AA587936, AA614830, AA767121, AA814435, AA832516, AA829611, AA829918, AA872922, AA910970, AA987945, AA988657, AA948052, AI094757, D79222, D79845, W79251, C00060
829295	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1283 of SEQ ID NO:366, b is an integer of 15 to 1297, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:366, and where b is greater than or equal to a + 14.	N79069, N94383, AA046494, AA046766, AA101963, AA099652, AA135109, AA135264, AA148582, AA148581, AA150460, AA156662, AA534768, AA557811, AA687147, AA730106, AA810732, AA911850
829296	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 771 of SEQ ID NO:367, b is an integer of 15 to 785, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:367, and where b is greater than or equal to a + 14.	
829297	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 906 of SEQ ID NO:368, b is an integer of 15 to 920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:368, and where b is greater than or equal to a + 14.	H63163, H69239, AA291944, AA827871, AA995955
829298	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 820 of SEQ ID NO:369, b is an integer of 15 to 834, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:369, and where b is greater than or equal to a + 14.	T85571, T85572, T98605, R06410, R06411, R72558, W25247, W58681, AA126722, AA137218, AA136191, AA531469, AA565025, AA948354, AA978354, AA988766, AI057145, N95214
829302	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T65369, R16190, R51781, H70499, AA203397

	formula of a-b, where a is any integer between 1 to 933 of SEQ ID NO:370, b is an integer of 15 to 947, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:370, and where b is greater than or equal to a + 14.	
829304	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2326 of SEQ ID NO:371, b is an integer of 15 to 2340, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:371, and where b is greater than or equal to a + 14.	
829320	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1561 of SEQ ID NO:372, b is an integer of 15 to 1575, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:372, and where b is greater than or equal to a + 14.	T83172, T83188, T98062, H14392, AA196911, AA514594
829322	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1864 of SEQ ID NO:373, b is an integer of 15 to 1878, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:373, and where b is greater than or equal to a + 14.	
829355	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 832 of SEQ ID NO:374, b is an integer of 15 to 846, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:374, and where b is greater than or equal to a + 14.	
829364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 643 of SEQ ID NO:375, b is an integer of 15 to 657, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:375, and where b is greater than or equal to a + 14.	R10800, H79360, AA130522
829919	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 681 of SEQ ID NO:376, b is an integer of 15 to 695, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:376, and where b is greater than or equal to a + 14.	
829941	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3596 of SEQ ID NO:377, b is an integer of 15 to 3610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:377, and where b is greater than or equal to a + 14.	
829945	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 209 of SEQ ID NO:378, b is an integer of 15 to 223, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:378, and where b is greater than or equal to a + 14.	
829946	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 795 of SEQ ID NO:379, b is an integer of 15 to 809, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:379, and where b is greater than or equal to a + 14.	AA288019, AA502347, AA904261
829947	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2536 of SEQ ID NO:380, b is an integer of 15 to 2550, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:380, and where b is greater than or equal to a + 14.	T66737, T66738, T74003, T77189, T80326, R13808, R14624, R15371, R16290, R19838, R21469, R24972, R37667, R38092, R39443, R39761, R40215, R40379, R42113, R45233, R42113, R42856, R40215, R40379, R45233, R45937, R56287, R59950, R59951, R60203, R60436, H09760, H09845, H10702, H10703, H19185, H29333, H29426, N94574, W30864, W45066, W45179, W47249, W47622, W47621, W73903, W74765, W95498, W95585, AA039360, AA039359, AA043667, AA057482, AA083653, AA088919, AA131592, AA135473, AA135544, AA147364, AA147416, AA161437, AA164913, AA165378, AA164333, AA181099, AA430483, AA281878, AA291947, AA493956, AA582300, AA740445, AA743497, AA875945, AA878761, AA923149, AA931525, AA931950, AA935699, AA947521, AA962775, AA977566, AA984017, AA988746, Al095060, D82399, W25818, W51914, C15840
829952	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1254 of SEQ ID NO:381, b is an integer of 15 to 1268, where both a and b correspond to the	R17678, R26888, R27120, R35870, R35871, R51276, R66882, R67967, H27381, H28345, H38579, R93605, R97908, R97907, H53653, H61431, H61432, H62657, H63776, H63826, H65287, H65810, H89508, H89654,

	positions of nucleotide residues shown in SEQ ID NO:381, and where b is greater than or equal to a + 14.	N74909, W23437, AA026270, AA026558, AA177150, AA515407, AA527495, AA535324, AA594129, AA568558, AA864390, AA999878, AI014459, AI017407, AI017824
829954	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 840 of SEQ ID NO:382, b is an integer of 15 to 854, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:382, and where b is greater than or equal to a + 14.	
829955	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1077 of SEQ ID NO:383, b is an integer of 15 to 1091, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:383, and where b is greater than or equal to a + 14.	T47229, T47230, R02311, R43154, R51528, R43154, H42209, R88215, N49583, N93033, W21271, W31966, AA029149, AA513795, AA548358, AA612791, AA633375, AA830042, AA917951, N83314, N86243, C02678
829957	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1015 of SEQ ID NO:384, b is an integer of 15 to 1029, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:384, and where b is greater than or equal to a + 14.	T39589, T40683, H47643, R92700, R99102, R99644, H53816, H58333, H58722, H61989, H61990, H63765, H63809, H73313, H73501, N38910, N46484, N66604, N69475, N75847, W01771, W07430, W74706, W74743, W87451, W87550, N90967, AA010671, AA011259, AA026367, AA026459, AA063538, AA133609, AA157688, AA157767, AA252640, AA262927, AA417991, AA418050, AA425054, AA429232, AA505081, AA602637, AA569939, AA688193, AA714567, AA715109, AA721733, AA761769, AA824602, AA829416, AA910995, AA932302, AA934664, AA960927, AA973923, AI002231, AI094664
829958	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 569 of SEQ ID NO:385, b is an integer of 15 to 583, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:385, and where b is greater than or equal to a + 14.	W31195, W38586, N90200, AA045674, AA045675, AA064826, AA064769, AA082177, AA129757, AA133252, AA187005, AA188378, AA226394, AA491262, AA523135, AA527421, AA527902, AA533279, AA554691, AA632078, AA721457, AA743821, AA760765, AA766192, AA769476, AA805805, AA815094, AA826696, AA873340, AA876652, AA902562, AA935370, AA091473
829960	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2396 of SEQ ID NO:386, b is an integer of 15 to 2410, where both a and b correspond to the	T87492, T89410, T89773, T80188, T83347, T83577, T85604, T86095, H44324, R86738, R86745, R87175, R87176, R93579, R97628, H59234, H67776, H69384, H89665, H90369, H91278, H93827, N59685, N73235,

	positions of nucleotide residues shown in SEQ ID NO:386, and where b is greater than or equal to a + 14.	N77230, N99493, W01516, W07398, W07499, AA011532, AA127663, AA127842, AA127871, AA131770, AA131783, AA203697, AA223149, AA657524, AA770678, AA828971, AA937743
829966	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 675 of SEQ ID NO:387, b is an integer of 15 to 689, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:387, and where b is greater than or equal to a + 14.	T94747, T91932, R10556, T95267, T95268, H90557, N59601, W02671, W03166, AA523419
829967	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 784 of SEQ ID NO:388, b is an integer of 15 to 798, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:388, and where b is greater than or equal to a + 14.	T66815, T66816, T90190, R07384, T81628, T81788, T82103, T83000, R23462, R25324, R26060, R31477, R31478, R66771, R80777, R80976, H13673, H13721, R98517, H92094, H94096, H94097, N30791, N31967, N32621, N41566, N47840, N57286, N75841, W07482, W16880, W46399, W46507, W72152, W77912, AA040326, AA040305, AA147001, AA147002, AA176399, AA178863, AA188782, AA188633, AA502400, AA503270, AA508898, AA515395, AA557399, AA610193, AA714481, AA740261, AA748847, AA760659, AA766512, AA824416, AA877577, AA910372, AA938717, A1018625, A1056489, N92492, A1084101, AA642564
829970	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1677 of SEQ ID NO:389, b is an integer of 15 to 1691, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:389, and where b is greater than or equal to a + 14.	W57592, AA253247
829981	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 440 of SEQ ID NO:390, b is an integer of 15 to 454, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:390, and where b is greater than or equal to a + 14.	N44941
829985	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 793 of SEQ ID NO:391, b is an integer of 15 to 807, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:391,	T58690, H10115, AA101544, AA171779, AA173847

	and where b is greater than or equal to a + 14.	
829986	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 913 of SEQ ID NO:392, b is an integer of 15 to 927, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:392, and where b is greater than or equal to a + 14.	R72689, H39575, AA516440, AA662417
829988	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1009 of SEQ ID NO:393, b is an integer of 15 to 1023, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:393, and where b is greater than or equal to a + 14.	
829990	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 808 of SEQ ID NO:394, b is an integer of 15 to 822, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:394, and where b is greater than or equal to a + 14.	
829991	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1688 of SEQ ID NO:395, b is an integer of 15 to 1702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:395, and where b is greater than or equal to a + 14	N22386, AA461107, AA493109, AA932044, AA976154, AA995814
829992	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 844 of SEQ ID NO:396, b is an integer of 15 to 858, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:396, and where b is greater than or equal to a + 14.	W44338, W44452, AA600841, AA577032, AA936480, AA973451
829993	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1096 of SEQ ID NO:397, b is an integer of 15 to 1110, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:397, and where b is greater than or equal to a + 14.	
829998	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 850 of SEQ ID NO:398, b is an integer of 15 to	R12950, R56786, H09888, H91803

	X64, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:398, and where b is greater than or equal to a + 14.	
829999	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 257 of SEQ ID NO:399, b is an integer of 15 to 271, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:399, and where b is greater than or equal to a + 14.	
830000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 911 of SEQ ID NO:400, b is an integer of 15 to 925, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:400, and where b is greater than or equal to a + 14.	
830001	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1071 of SEQ ID NO:401, b is an integer of 15 to 1085, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:401, and where b is greater than or equal to a + 14.	
830005	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 334 of SEQ ID NO:402, b is an integer of 15 to 348, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:402, and where b is greater than or equal to a + 14.	
830009	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:403, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:403, and where b is greater than or equal to a + 14.	
830010	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2473 of SEQ ID NO:404, b is an integer of 15 to 2487, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:404, and where b is greater than or equal to a + 14.	
830127	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T80487, R61657

	formula of a-b, where a is any integer between 1 to 1242 of SEQ ID NO:405, b is an integer of 15 to 1256, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:405, and where b is greater than or equal to a + 14.	
830128	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 757 of SEQ ID NO:406, b is an integer of 15 to 771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:406, and where b is greater than or equal to a + 14.	
830129	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2629 of SEQ ID NO:407, b is an integer of 15 to 2643, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:407, and where b is greater than or equal to a + 14.	T53792, T53907, T53943, T62085, T62142, R20454, R78770, R78927, R79027, R79077, H98608, N48338, N49063, W01400, W52282, W57571, AA035258, AA035470, AA101541, AA114162, AA121802, AA129334, AA129628, AA130575, AA130988, AA131026, AA156750, AA156922, AA157263, AA157360, AA223729, AA223816, AA489148, AA490861, AA516421, AA526784, AA533164, AA535426, AA552972, AA583471, AA605156, AA575994, AA747160, AA804291, AA887994, AA937881, AA948245, AA974518, AA974784, AI002302, AI051153, N84559, N86782, AA642578, AA093419
830137	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1632 of SEQ ID NO:408, b is an integer of 15 to 1646, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:408, and where b is greater than or equal to a + 14.	
830140	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 862 of SEQ ID NO:409, b is an integer of 15 to 876, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:409, and where b is greater than or equal to a + 14.	
830157	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1836 of SEQ ID NO:410, b is an integer of 15 to 1850, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:410, and where b is greater than or equal to a +	

	14.	
830195	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 647 of SEQ ID NO:411, b is an integer of 15 to 661, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:411, and where b is greater than or equal to a + 14.	
830196	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1249 of SEQ ID NO:412, b is an integer of 15 to 1263, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:412, and where b is greater than or equal to a + 14.	T47007, T47008, T59996, T63678, T72979, T73043, R20327, R34736, H18043, H69946, H98876, W79567, AA069850, AA070319, AA074422, AA076309, AA081601, AA101958, AA113902, AA126400, AA134002, AA134658, AA134640, AA135254, AA146731, AA155584, AA157966, AA159110, AA159386, AA159466, AA160637, AA179462, AA182917, AA182648, AA190534, AA220918, AA223557, AA227300, AA232517, AA233585, AA932527, N83710, N85080, W28216, W28475, W28650, AA090479
830409	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1323 of SEQ ID NO:413, b is an integer of 15 to 1337, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:413, and where b is greater than or equal to a + 14.	
830417	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 778 of SEQ ID NO:414, b is an integer of 15 to 792, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:414, and where b is greater than or equal to a + 14.	T70867, R12290, T78032, T80453, T80532, R12432, R12507, R18857, R23505, R51536, R52975, R53640, H12996, H22829, H63914, H64034, H71775, H85810, H97709, N42249, W39175, AA018531, AA018491, AA018481, AA052919, AA079678, AA083267, AA102444, AA127022, AA147778, AA226551, AA994837, N84172, W95500, C02827, C04397, AA090040
830531	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1328 of SEQ ID NO:415, b is an integer of 15 to 1342, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:415, and where b is greater than or equal to a + 14.	
830677	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	1099 of SEQ ID NO:416, b is an integer of 15 to 1113, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:416, and where b is greater than or equal to a + 14.	
831355	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1160 of SEQ ID NO:417, b is an integer of 15 to 1174, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:417, and where b is greater than or equal to a + 14.	
831420	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 659 of SEQ ID NO:418, b is an integer of 15 to 673, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:418, and where b is greater than or equal to a + 14.	
831702	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2164 of SEQ ID NO:419, b is an integer of 15 to 2178, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:419, and where b is greater than or equal to a + 14.	
831717	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1870 of SEQ ID NO:420, b is an integer of 15 to 1884, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:420, and where b is greater than or equal to a + 14.	
832488	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 608 of SEQ ID NO:421, b is an integer of 15 to 622, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:421, and where b is greater than or equal to a + 14.	
833207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1271 of SEQ ID NO:422, b is an integer of 15 to 1285, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:422, and where b is greater than or equal to a + 14.	

835940	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 514 of SEQ ID NO:423, b is an integer of 15 to 528, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:423, and where b is greater than or equal to a + 14	
836953	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3104 of SEQ ID NO:424, b is an integer of 15 to 3118, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:424, and where b is greater than or equal to a + 14.	
837105	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1396 of SEQ ID NO:425, b is an integer of 15 to 1410, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:425, and where b is greater than or equal to a + 14.	
837300	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1408 of SEQ ID NO:426, b is an integer of 15 to 1422, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:426, and where b is greater than or equal to a + 14.	R22778, H06717, H18453, H26987, H26988, N33207, N44745, W57874, W58145, AA040435, AA278615, AA507344, AA558666, AA578863, AA872443, AA877052, AA877120, AA879047, AA887537, AA910397, AA931214, AI025125, AA040434
837373	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 816 of SEQ ID NO:427, b is an integer of 15 to 830, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:427, and where b is greater than or equal to a + 14.	R21137, H67522, AA081145, AA082099, AA082371, AA130000, AA130415, AA130417, AA132638, AA136918, AA147401, AA157404, AA186519, AA186340, AA186565, AA190900, AA191038, AA190612, AA224065, AA469308, AA514706, AA640391, AA659609, AA814425, AA932379, AA961224, AA974800, AA977316, AI002396, N83374, N83520, N83658, N83770, N85953, N85954, N86486, N86566, N86680, N87938, N88164, N89316, C14148, C14189, AA095113, AA206109
837687	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1608 of SEQ ID NO:428, b is an integer of 15 to 1622, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:428, and where b is greater than or equal to a +	

	14.	
837991	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 534 of SEQ ID NO:429, b is an integer of 15 to 548, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:429, and where b is greater than or equal to a + 14	
838442	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 555 of SEQ ID NO:430, b is an integer of 15 to 569, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:430, and where b is greater than or equal to a + 14.	
840541	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 535 of SEQ ID NO:431, b is an integer of 15 to 549, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:431, and where b is greater than or equal to a + 14.	AA205009, AA471299
840543	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1207 of SEQ ID NO:432, b is an integer of 15 to 1221, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:432, and where b is greater than or equal to a + 14.	
840550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1101 of SEQ ID NO:433, b is an integer of 15 to 1115, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:433, and where b is greater than or equal to a + 14.	T53643, T53644, R67842, R67843, R79329, H12321, H40510, R83261, R88722, R90978, R97638, H51690, H52190, H78699, H89714, N58070, N69832, N98971, AA251228, AA251227, AA282101, AA513006, AA528240, AA558167, AA593383, AA574200, AA577197, AA765822, AA847143, AA863087, AA931049, AA694054
840563	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1590 of SEQ ID NO:434, b is an integer of 15 to 1604, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:434, and where b is greater than or equal to a + 14.	R38732, R71612, R71613, N24083, N31377, N47304, N48623, W87303, W90742, W90798, AA011634, AA011635, AA253397, AA253501, AA257091, AA257121, AA427877, AA503469, AA565303, AA587449, AA613721, AA740312, C01498, AA434535, AA443422, AA454584, AA677081, AI022365, AI052631, AA693545
840565	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 287 of SEQ ID NO:435, b is an integer of 15 to 301, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:435, and where b is greater than or equal to a + 14.	
840569	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 304 of SEQ ID NO:436, b is an integer of 15 to 318, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:436, and where b is greater than or equal to a + 14.	
840570	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1868 of SEQ ID NO:437, b is an integer of 15 to 1882, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:437, and where b is greater than or equal to a + 14.	AI075277, AA675912, AA675911
840571	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2042 of SEQ ID NO:438, b is an integer of 15 to 2056, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:438, and where b is greater than or equal to a + 14.	T47828, T47852, T64841, T65430, T65510, T72584, R17181, R19667, R34515, R41731, R44453, R49058, R50770, R51812, R41731, R49058, R44453, H11004, H15433, H15488, H28705, H28834, AA515873, AA687085, AA863313, AA903803, AA452278, AA452447, AA781246, AA972396, AA993822, AI002821, T10761, D25941, Z41977, Z40833, Z44675, F01498, F03695, F07749, F11901, F12192, F09548, F09821
840573	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 707 of SEQ ID NO:439, b is an integer of 15 to 721, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:439, and where b is greater than or equal to a + 14.	AA149788
840574	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1027 of SEQ ID NO:440, b is an integer of 15 to 1041, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:440, and where b is greater than or equal to a + 14.	T65588, R40688, R42248, R53793, R53794, R42248, R20733, R40688, R66541, R68438, R68439, R77228, R77229, R77595, H18969, H20988, H21032, H49673, H50064, N72287, N80600, W07440, W40167, AA034401, AA035044, AA035506, AA035555, AA182662, AA182740, AA483608, AA588302, AA602357, AA604612, AA639138, D81410, D81461, D81692, AI097583, C15094, AA404494, AA705982, AI080676, AI095724, F09676
840575	Preferably excluded from the present invention are one or more polynucleotides comprising a	W68038, W93774

	nucleotide sequenee described by the general formula of a-b, where a is any integer between 1 to 1981 of SEQ ID NO:441, b is an integer of 15 to 1995, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:441, and where b is greater than or equal to a + 14.	
840579	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1709 of SEQ ID NO:442, b is an integer of 15 to 1723, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:442, and where b is greater than or equal to a + 14.	R25715, R72972, N42280, N99672, AA046377, AA112337, AA137170, AA156083, AA156289, AA234550, AA236661, AA251743, AA256954, AA256645, AA704119, A1073518, AA773818
840580	Preferably exeluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1885 of SEQ ID NO:443, b is an integer of 15 to 1899, where both a and b eorrespond to the positions of nucleotide residues shown in SEQ ID NO:443, and where b is greater than or equal to a + 14.	
840581	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 416 of SEQ ID NO:444, b is an integer of 15 to 430, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:444, and where b is greater than or equal to a + 14.	
840605	Preferably exeluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2139 of SEQ ID NO:445, b is an integer of 15 to 2153, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:445, and where b is greater than or equal to a + 14.	T58718, R60700, R60701, H30380, H30430, N42386, AA126493, AA126620, AA128024, AA128067, AA236455, AA234073, AA470382, AA503709, AA635761, AA573225, AA573330, AA659473, AA807615, AA824445, AA825364, AA888670, AA931858, AA935053, AA968889, AA971410, AA973830, AA974807, AA977019, AA991272, AA975535, C02768, AA094041, AA478779, AA478898, AA487854, AA777751, AA845416, AA969094, A1027197, A1027391, A1093994, A1094088, T24618, T25054, Z41574
840607	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequenee deseribed by the general formula of a-b, where a is any integer between 1 to 478 of SEQ ID NO:446, b is an integer of 15 to 492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:446, and where b is greater than or equal to a + 14.	
840609	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1525 of SEQ ID NO:447, b is an integer of 15 to 1539, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:447, and where b is greater than or equal to a + 14.	
840610	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3969 of SEQ ID NO:448, b is an integer of 15 to 3983, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:448, and where b is greater than or equal to a + 14.	
840611	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1163 of SEQ ID NO:449, b is an integer of 15 to 1177, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:449, and where b is greater than or equal to a + 14.	
840612	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2414 of SEQ ID NO:450, b is an integer of 15 to 2428, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:450, and where b is greater than or equal to a + 14.	
840615	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2471 of SEQ ID NO:451, b is an integer of 15 to 2485, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:451, and where b is greater than or equal to a + 14.	T65122, T65191, R32009, R32056, R69507, R70398, H06201, R94284, R94634, H51636, H92705, H99325, N24056, N26430, N35932, N39594, N46740, N70376, W88440, AA017294, AA115093, AA115094, AA171679, AA173604, AA173857, AA233061, AA243856, AA279997, AA419480, AA419595, AA536095, AA583207, AA588657, AA604241, AA639870, AA713580, AA714906, AA730848, AA741161, AA832122, AA879136, AA903032, AA938350, AA948280, AA976706, W05017, AA171795, AA401642, AA405839, AA411823, AA628174, AA725876, AA725882, AA833521, AA954549, AA992844, A1014611, A1018081, A1024440, A1025063, A1049677, A1085041, A1090013, A1091784, F11915, F09562, AA699825
840622	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 949 of SEQ ID NO:452, b is an integer of 15 to 963, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:452, and where b is greater than or equal to a + 14.	
840623	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 590 of SEQ ID NO:453, b is an integer of 15 to 604, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:453, and where b is greater than or equal to a + 14.	AA248685
840624	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1903 of SEQ ID NO:454, b is an integer of 15 to 1917, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:454, and where b is greater than or equal to a + 14.	N38891, N54665, N45221, F13612, F13702
840631	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1524 of SEQ ID NO:455, b is an integer of 15 to 1538, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:455, and where b is greater than or equal to a + 14.	
840632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2175 of SEQ ID NO:456, b is an integer of 15 to 2189, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:456, and where b is greater than or equal to a + 14.	H15848, H16160, H27966, H27967, H42798, H87969, N64073, N64076, N64078, AA045740, AA280032, AA280099, AA283727, AA290929, AA814009, AA975514, AI094746, AA449900, AA716758, AA724921, AA860380, AA909482
840633	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1385 of SEQ ID NO:457, b is an integer of 15 to 1399, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:457, and where b is greater than or equal to a + 14.	
840634	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 695 of SEQ ID NO:458, b is an integer of 15 to 709, where both a and b correspond to the positions	AA063114

	of nucleotide residues shown in SEQ ID NO:458, and where b is greater than or equal to a + 14.	
840635	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1269 of SEQ ID NO:459, b is an integer of 15 to 1283, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:459, and where b is greater than or equal to a + 14.	
840636	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 421 of SEQ ID NO:460, b is an integer of 15 to 435, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:460, and where b is greater than or equal to a + 14.	
840637	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 640 of SEQ ID NO:461, b is an integer of 15 to 654, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:461, and where b is greater than or equal to a + 14.	AA001547, AA012848, AA012933, AA017085, AA017194, AA018490, AA810954
840639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2231 of SEQ ID NO:462, b is an integer of 15 to 2245, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:462, and where b is greater than or equal to a + 14.	
840640	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1266 of SEQ ID NO:463, b is an integer of 15 to 1280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:463, and where b is greater than or equal to a + 14.	
840650	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2417 of SEQ ID NO:464, b is an integer of 15 to 2431, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:464, and where b is greater than or equal to a + 14.	
840652	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 575 of SEQ ID NO:465, b is an integer of 15 to 589, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:465, and where b is greater than or equal to a + 14.	
840653	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1093 of SEQ ID NO:466, b is an integer of 15 to 1107, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:466, and where b is greater than or equal to a + 14.	
840655	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2183 of SEQ ID NO:467, b is an integer of 15 to 2197, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:467, and where b is greater than or equal to a + 14.	
840659	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3597 of SEQ ID NO:468, b is an integer of 15 to 3611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:468, and where b is greater than or equal to a + 14.	
840660	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 506 of SEQ ID NO:469, b is an integer of 15 to 520, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:469, and where b is greater than or equal to a + 14.	AA253121, AA253250
840661	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 865 of SEQ ID NO:470, b is an integer of 15 to 879, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:470, and where b is greater than or equal to a + 14.	R40087, AA483309, AA720883, AA747744, AA811974, AA853049
840662	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2543 of SEQ ID NO:471, b is an integer of 15 to 2557, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:471, and where b is greater than or equal to a + 14.	R13355, R21688, R23614, R26167, R40871, R46580, R46580, R40871, R67867, R67868, H01101, H01102, H01867, H01868, H02834, H03726, H93708, H95440, H95441, N53845, N66438, N68125, N69039, N73342, AA045604, AA045603, AA101337, AA100423, AA101346, AA101345, AA156296, AA157481, AA158453,

		AA158452. AA181954. AA187577. AA428908. AA281008. AA281174. AA551925. AA557463. AA588077. AA742447. AA768547. AA814696. AA991197. AI017348. C05887. C06049. AA093441. AA496804. AA599560. AA665699. AA707837. AA775203. AA843259. AA844411. AA889762. AI091389
840663	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 453 of SEQ ID NO:472, b is an integer of 15 to 467, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:472, and where b is greater than or equal to a + 14.	
840670	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1826 of SEQ ID NO:473, b is an integer of 15 to 1840, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:473, and where b is greater than or equal to a + 14.	T71092. T67636. R08286. H13339. H16147. H25692. H38182. R84798. R98981. N79217. W19493. W25579. AA034100. AA056965. AA262921. AA720972. AA768301. AA825825. AA972578. AA094484. AA394311. AA487380. AA778203. AI004258. AI005389. Z39071. Z42947. F02333. F06078. AA682274
840671	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1244 of SEQ ID NO:474, b is an integer of 15 to 1258, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:474, and where b is greater than or equal to a + 14.	R46252. R46252. N49076. W04352. W86176. W86177. W92672. W92692. W93417. AA029831. AA085198. AA464962. AA633124. AA737628. AA737662. AA780382. AA811098. AA836105. AA857959. AA994284. AI076231. C01217. AA780068. AI004350
840672	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4217 of SEQ ID NO:475, b is an integer of 15 to 4231, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:475, and where b is greater than or equal to a + 14.	
840673	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 677 of SEQ ID NO:476, b is an integer of 15 to 691, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:476, and where b is greater than or equal to a + 14.	
840674	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	R51915, R54456, R54458. H18062, H18757. W03838. W77892, AA629317. F09686

	1404 of SEQ ID NO:477, b is an integer of 15 to 1418, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:477, and where b is greater than or equal to a + 14.	
840677	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1223 of SEQ ID NO:478, b is an integer of 15 to 1237, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:478, and where b is greater than or equal to a + 14.	
840678	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1084 of SEQ ID NO:479, b is an integer of 15 to 1098, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:479, and where b is greater than or equal to a + 14.	T63520, R75617, R75713, R78802, R79103, H25459, H27826, H85479, H85486, H92403, H92620, AA001384, AA001383, AA057832, AA235008, AA253050, AA424651, AA430054, AA430263, AA287947, AA288014, AA481556, AA491320, AA505123, AA548974, AA715297, AA736510, AA747303, AA748308, AA829746, AA909843, AA916866, AA642031, AA211184, AA398153, AA399494, AA477559, AA477676, AA782481, A1079168, A1040143, A1080176, A1082310, D12148
840680	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 670 of SEQ ID NO:480, b is an integer of 15 to 684, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:480, and where b is greater than or equal to a + 14.	
840691	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2981 of SEQ ID NO:481, b is an integer of 15 to 2995, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:481, and where b is greater than or equal to a + 14.	T83393, T84298, T84482, R72668, H05782, H06072, H17206, AA199607, AA236200, AA234037, AA256784, AA256492, AA256503, AA256504, AA255526, AA256710, AA424131, AA515794, AA580599, AA748677, AA872189, AA937350, AA995072, C00417, AA451719, AA992171, AI091615, F01634, F05381
840700	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1234 of SEQ ID NO:482, b is an integer of 15 to 1248, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:482, and where b is greater than or equal to a + 14.	N74558, W02490, AA250756, AA721388, AA937643, AA077596, AA633788, AA779964, AA812535, AA912417, AA978273, AA993172, AA993810, D20826
840701	Preferably excluded from the present invention are one or more polynucleotides comprising a	R72545, H77545, H77546, H91001, W46287, W67764, W67765,

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1848 of SEQ ID NO:483, b is an integer of 15 to 1862, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:483, and where b is greater than or equal to a + 14.	W72232, W76469, W95399, W95448, AA171990, AA172306, AA193490, AA193486, AA215714, AA481093, AA687382, AA721070, AA731304, AA765386, AA807488, AA830428, AA836173, AA872676, AA903225, AA947751, AA948309, AA679104, AA708104, AA844037, AA773240, AA906091, AI092620
840702	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1650 of SEQ ID NO:484, b is an integer of 15 to 1664, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:484, and where b is greater than or equal to a + 14.	T90642, T83169, R34427, R38259, R46634, R48960, R46634, H08738, H42054, H42099, N55339, N58337, N77345, N77705, W80824, W80945, AA022974, AA045928, AA047535, AA047635, AA129564, AA173541, AA173942, AA189109, AA232209, AA232711, AA256680, AA256679, AA661511, AA877392, AA876721, AA876373, AA977525, W26186, AA045814, AA455935, AA629608, AA456404, AA706605, AA716649, AA716749, AA777167, AA884059, AA910769, AA913276, AI091820, Z30152, Z38891, F05971, F10707
840705	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 955 of SEQ ID NO:485, b is an integer of 15 to 969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:485, and where b is greater than or equal to a + 14.	
840715	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2558 of SEQ ID NO:486, b is an integer of 15 to 2572, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:486, and where b is greater than or equal to a + 14.	
840717	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1437 of SEQ ID NO:487, b is an integer of 15 to 1451, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:487, and where b is greater than or equal to a + 14.	T79990, R16372, R25837, R32657, R42317, R46835, R53484, R53485, R46835, R42317, R60577, R60630, R71392, R72562, H06281, H06328, H10997, H26530, W71994, W76508, W87458, W87554, AA029771, AA029772, AA039881, AA039966, AA046839, AA047010, AA057673, AA069571, AA069563, AA524160, AA865941, AI017434, AA649997, AA705373, AA776517, AI057398, AI078071, T17221, Z40755, Z45024
840718	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1186 of SEQ ID NO:488, b is an integer of 15 to 1200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:488, and where b is greater than or equal to a + 14.	
840719	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 271 of SEQ ID NO:489, b is an integer of 15 to 285, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:489, and where b is greater than or equal to a + 14.	
840724	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 668 of SEQ ID NO:490, b is an integer of 15 to 682, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:490, and where b is greater than or equal to a + 14.	
840725	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1845 of SEQ ID NO:491, b is an integer of 15 to 1859, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:491, and where b is greater than or equal to a + 14.	T52811, T52812, R55369, R55607, H29580, H29664, N34553, N59374, N72870, N76477, N78788, N93946, W03090, W03506, W07215, W40445, W99359, W99389, AA031839, AA054995, AA120818, AA232731, AA236542, AA424556, AA424653, AA514847, AA528821, AA564104, AA808072, AA446773, AA449408, AA478629, AA644625, Z38400, Z42136
840727	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2695 of SEQ ID NO:492, b is an integer of 15 to 2709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:492, and where b is greater than or equal to a + 14.	
840731	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1437 of SEQ ID NO:493, b is an integer of 15 to 1451, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:493, and where b is greater than or equal to a + 14.	R11513, R11731, R12441, R17288, R56469, R60452, H14889, H21054, R85192, H78221, H78227, H78420, H78427, N44642, N50726, N63598, N74649, N79564, W24822, AA121181, AA179753, AA180330, AA210820, AA227204, AA255636, AA687763, AA761335, AA948300, AA203176, AA216635, AA404332, AA434598, AA703138
840733	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	1254 of SEQ ID NO:494, b is an integer of 15 to 1268, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:494, and where b is greater than or equal to a + 14.	
840734	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 370 of SEQ ID NO:495, b is an integer of 15 to 384, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:495, and where b is greater than or equal to a + 14.	
840736	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 961 of SEQ ID NO:496, b is an integer of 15 to 975, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:496, and where b is greater than or equal to a + 14.	W42658, W45183, W78758, W80493, W84630, W84681, W87610, W87901, W94898, W91935, AA484859, AA484987, AA505968, AA640115, AA573309, AA657855, AA659105, AA659440, AA715002, AA732364, AA740180, AA742752, AA746960, AA804898, AA825656, AA825665, AA987818, N83465, C14070, AA643844, AA652253, F20803, AA432012, AA678021, AA733050, AA782910, AA846523, AI076183, AI085413, D19829
840737	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2061 of SEQ ID NO:497, b is an integer of 15 to 2075, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:497, and where b is greater than or equal to a + 14.	T67132, T67133, T87248, H56042, H56119, N25201, N69014, AA128513, AA129959, AA425701, AA428551, AA911113, AA976370, AA987472, AI004931, AI081047, D80388, D80909, D80910, D81505, C14479, C14492, C14494, C14493, C14495, C14514, C14527, C15539, AA283123, AA779369, AA773654, AI051187, AI091167, AI093159, T24488, AA694308, AA700909
840739	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1890 of SEQ ID NO:498, b is an integer of 15 to 1904, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:498, and where b is greater than or equal to a + 14.	
840746	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2857 of SEQ ID NO:499, b is an integer of 15 to 2871, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:499, and where b is greater than or equal to a + 14.	R12296, R12807, R16375, R16741, R18738, R38102, R42319, R43498, R44177, R51993, R51994, R43498, R43060, R44177, R42319, H40121, H40275, N22396, N69345, W37333, W38750, AA054559, AA054619, AA131766, AA131779, AA150020, AA150085, AA255834, AA548724, AA807007, AA825362, AA828253, N83830, N85321,

		N86360, AA205805, AA436905, AA709097, AA725018, Z22234, T03480, AI016816, AI093402, F08823, F10788
840748	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1610 of SEQ ID NO:500, b is an integer of 15 to 1624, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:500, and where b is greater than or equal to a + 14.	
840750	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 834 of SEQ ID NO:501, b is an integer of 15 to 848, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:501, and where b is greater than or equal to a + 14.	
840751	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3178 of SEQ ID NO:502, b is an integer of 15 to 3192, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:502, and where b is greater than or equal to a + 14.	T39881, T40844, T40852, T40854, T40860, T40866, T50407, T50538, T55741, T94376, T94464, H27286, H81895, H94293, N78697, N99150, W19295, W21325, W24158, W25537, W45247, W72714, W93341, W95026, AA027063, AA065228, AA064926, AA070691, AA099952, AA127948, AA127982, AA142908, AA150910, AA460946, AA461252, AA230313, AA494344, AA534955, AA535709, AA557910, AA564147, AA564626, AA583542, AA523611, AA594463, AA595987, AA603874, AA613440, AA613660, AA635415, AA578985, AA568423, AA916523, AA922346, AA935323, AA650041, AA652730, AA654746, AA454065, AA486952, AA487075, AA487215, AA706108, AA722670, AA846544, AA853055, AA853056, AA853392, AA861048, AA991772, AI042420, AI074102, AI078712, AI041798, AI095622
840757	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 669 of SEQ ID NO:503, b is an integer of 15 to 683, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:503, and where b is greater than or equal to a + 14.	T50000, T50064, T50195, T58356, T58401, T58454, T59152, T94178, R06456, R06510, R72766, R72767, H02583, H02966, H04264, H39892, H41455, H44794, H46477, H46959, H51519, N45305, N54519, N54756, N63507, N64319, N76221, N94805, AA053467, AA056133, AA075160, AA078755, AA078756, AA079464, AA079463, AA079663, AA079767, AA088705, AA100045, AA100739, AA112276, AA112446, AA112416,

		AA113258, AA113355, AA113436, AA115702, AA115703, AA127146, AA132371, AA132616, AA147349, AA147400, AA151458, AA151459, AA156143, AA156398, AA157076, AA157164, AA157303, AA158148, AA158599, AA159018, AA159163, AA159790, AA159943, AA160779, AA160885, AA160895, AA160910, AA179280, AA181232, AA181237, AA181305, AA181255, AA181209, AA181326, AA182784, AA187267, AA187185, AA187224, AA187761, AA186497, AA186503, AA187019, AA187058, AA187039, AA187079, AA188443, AA192753, AA192829, AA192840, AA193199, AA193200, AA194570, AA421647, AA427634, AA469030, AA480763, AA482684, AA493670, AA501840, AA506094, AA507481, AA513173, AA514900, AA515423, AA524000, AA526363, AA526377, AA528558, AA528622, AA528762, AA533899, AA552652, AA555119, AA564174, AA564196, AA582614, AA583793, AA584240, AA588860, AA603073, AA604397, AA577162, AA662810, AA689248, AA689277, AA714332, AA714522, AA720655, AA729281, AA865192, AA888414, AA912488, AA934668, AA936157, AA947503, AA953047, AA961820, AA968484, AA976297, AA983436, AA988025, AA988424, AA991968, AA975722, AI074486, F19276, F19560, N84316, N85047, AA641348, AA641489, AA095374, AA095772, AA167520, AA652050, AA654250, F21094, F21095, AA434414, AA434512, AA470088, AA471285, AA486483, AA669755, AA431412, AA431815, AA434279, F22216, AA776904, AA835523, AA844771, AA845270, AA846028, AA846115, AA788715, AA861511, AA989575, AI027165, AI090099, D19841
840759	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2182 of SEQ ID NO:504, b is an integer of 15 to 2196, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:504, and where b is greater than or equal to a + 14.	R88018, N46360, N48866
840760	Preferably excluded from the present invention are	T73701, T73726, R09199, R09304,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 935 of SEQ ID NO:505, b is an integer of 15 to 949, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:505, and where b is greater than or equal to a + 14.	R18652, R48578, R48679, R73134, H72715, H97957, N56993, N73552, W74357, W76552, AA278851, AA508168, AA508735, AA512928, AA528091, AA766418, AA862669, AI003767, AI081289, AA417379, AA421192, AA609588, AA706851, AA285337, AA993015, AI001776, AI082525
840770	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 351 of SEQ ID NO:506, b is an integer of 15 to 365, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:506, and where b is greater than or equal to a + 14.	
840781	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2045 of SEQ ID NO:507, b is an integer of 15 to 2059, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:507, and where b is greater than or equal to a + 14.	T50486, T50620, T92253, T92297, T75117, R13719, R20099, R20756, R24896, R32452, R38544, R39672, R66654, R67375, R71953, R80144, R80145, H09238, H09239, H49089, H49178, H79086, H79087, H81170, H82251, H82354, H94594, H98533, H98540, H98561, N23328, N32489, N33553, N34608, N34615, N35704, N36791, N37062, N45951, N46374, N52614, N55340, N77346, N91916, W24093, W32300, W44887, W52202, W69110, W69235, W93030, W92919, AA010331, AA010332, AA070031, AA070335, AA075063, AA075062, AA085451, AA102617, AA113366, AA113445, AA133629, AA133675, AA131776, AA131809, AA136710, AA136808, AA151948, AA156555, AA157722, AA173681, AA181930, AA187541, AA187547, AA188217, AA186364, AA186932, AA459989, AA463983, AA464118, AA424144, AA424186, AA430453, AA216418, AA524319, AA535579, AA553797, AA582340, AA581875, AA586801, AA617881, AA579678, AA737057, AA736930, AA761601, AA807605, AA805212, AA809972, AA902407, AA902991, AA908502, AA916123, AA932301, AA947441, AA991523, N89110, N89294, C03132, AA093540, AA094654, AA149916, AA648245, AA447373, AA449202, AA598721, AA599096, AA670234, AA722507, AA779120, AA843601, AA844334, AA868803, AA906425, AA927243, AI021936, AI023003, AI022112, AI057609, AI073779, AI088646,

		A1093414, T17246, T16420, F01940, F02536, F03439, F05682, F06177, F06249, F04246, F07152, F07995
840789	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1323 of SEQ ID NO:508, b is an integer of 15 to 1337, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:508, and where b is greater than or equal to a + 14.	H23265, AA250917, AA789157, AI033562, Z38280, F08582
840790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 717 of SEQ ID NO:509, b is an integer of 15 to 731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:509, and where b is greater than or equal to a + 14.	H87973, H88155, N66473, AA143034, AA151105, AA528233, AA584398, AA864579
840791	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 930 of SEQ ID NO:510, b is an integer of 15 to 944, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:510, and where b is greater than or equal to a + 14.	H21100, H40810, R89801, AA563736, AA595316, AI056419
840798	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 503 of SEQ ID NO:511, b is an integer of 15 to 517, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:511, and where b is greater than or equal to a + 14.	AA206675, T18945
840802	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3637 of SEQ ID NO:512, b is an integer of 15 to 3651, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:512, and where b is greater than or equal to a + 14.	
840803	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1922 of SEQ ID NO:513, b is an integer of 15 to 1936, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:513, and where b is greater than or equal to a + 14.	T98263, R01276, R01777, H87694, N46514, AA064627, AA064791, AA076077, AA076159, AA083580, AA176354, AA186922, AA188542, AA192936, AA193132, AA234329, AA262890, AA284101, AA284046, AA827592, AA635005, AI015442, AI015761
840809	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1163 of SEQ ID NO:514, b is an integer of 15 to 1177, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:514, and where b is greater than or equal to a + 14.	
840811	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 918 of SEQ ID NO:515, b is an integer of 15 to 932, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:515, and where b is greater than or equal to a + 14.	T60555
840813	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1145 of SEQ ID NO:516, b is an integer of 15 to 1159, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:516, and where b is greater than or equal to a + 14.	
840814	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2437 of SEQ ID NO:517, b is an integer of 15 to 2451, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:517, and where b is greater than or equal to a + 14.	T63362, T63686, T88888, T88889, T84250, T84251, R37080, R66483, H27722, H27723, R94403, H53971, H53972, H87801, H87857, N46002, N56932, W38961, W52373, AA032177, AA032176, AA034375, AA034374, AA042798, AA044611, AA044801, AA044666, AA056392, AA056506, AA085500, AA102623, AA100630, AA100629, AA122020, AA122019, AA127357, AA128179, AA126320, AA142870, AA150744, AA150871, AA169401, AA186750, AA188493, AA188849, AA189134, AA587050, AA740555, AA743649, AA805220, AA836673, AA837076, AA878369, AA906612, AA978334, AA977667, AA996072, AA640853, AA442873, C75140, AA628152, AA707458, AA725734, AA844284, AA868206, AA868822, AA884344, AA904845, A1082506, Z40412, F07337
840817	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 975 of SEQ ID NO:518, b is an integer of 15 to 989, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:518, and where b is greater than or equal to a + 14.	R24111, H13796, H39542, W87508, AA045018, AA055435, AA115239, AA137113, AA182593, AA459912, AA598757, AA772338, AI033925, AI041486, D31101
840825	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3301 of SEQ ID NO:519, b is an integer of 15 to 3315, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:519, and where b is greater than or equal to a + 14.	
840826	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2347 of SEQ ID NO:520, b is an integer of 15 to 2361, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:520, and where b is greater than or equal to a + 14.	R12213, T79259, R52573, H90609, N34140, AA007443, AA126085, AA203195, AA251452, AA613266, D81536, Z24821
840827	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2507 of SEQ ID NO:521, b is an integer of 15 to 2521, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:521, and where b is greater than or equal to a + 14.	
840828	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1289 of SEQ ID NO:522, b is an integer of 15 to 1303, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:522, and where b is greater than or equal to a + 14.	T86672, T86764, T87773, T87774, R35654, R35761, H57667, H58507, N80737, W07534, W81050, W80799, W95751, W95521, AA040152, AA040816, AA070448, AA213733, AA461551, AA460625, AA471038, AA592998, AA662015, AA747769, AA827708, AA830241, AA393711, AA400724, F21899, AI023732, AI033332, AI089332
840829	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1086 of SEQ ID NO:523, b is an integer of 15 to 1100, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:523, and where b is greater than or equal to a + 14.	T55234, T53974, AA121362, AA121372, F17737, AA614605, AA662456, AA832106, AA939005, AA454502, AA629986, AA928745, AA993303, AI017897, AI052396
840831	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1949 of SEQ ID NO:524, b is an integer of 15 to 1963, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:524, and where b is greater than or equal to a + 14.	
840836	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	R76181, N28426, AA249749, AA249759

	780 of SEQ ID NO:525, b is an integer of 15 to 794, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:525, and where b is greater than or equal to a + 14.	
840837	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2585 of SEQ ID NO:526, b is an integer of 15 to 2599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:526, and where b is greater than or equal to a + 14.	T77944, R17636, H06632, W48792, W49617, AA121669, AA121741, AA876369, D80125, D79630, D79663, AA479160, AA773279, Z44214
840838	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1291 of SEQ ID NO:527, b is an integer of 15 to 1305, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:527, and where b is greater than or equal to a + 14.	T64743, R14614, H22783, H41174, H80646, H80683, N55490, N69823, N70603, N76977, AA036760, AA054012, AA057377, AA837761, AA987287, W04922, AA393640, AA435678, AA447554, AA448537, AA447593, AA448073, AA448092, AI080255, AI095479
840841	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1617 of SEQ ID NO:528, b is an integer of 15 to 1631, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:528, and where b is greater than or equal to a + 14.	R11201, R11254, R36000, R36374, R70779, R70831, R73839, R73838, R77816, R78184, H00444, H00487, H12294, H12343, H22227, H25152, H41334, H41582, H67783, H83813, N20077, N23800, N66638, N94763, W42581, W42593, AA029286, AA053585, AA053749, AA056556, AA058414, AA102286, AA112945, AA158256, AA160853, AA463315, AA464245, AA464353, AA426154, AA428022, AA554874, AA555227, AA594755, AA569425, AA572786, AA687312, AA721147, AA826769, AA907442, AA989227, AA436199, AA436324, AA723705, M91501, AA971764, AI057365, AI088555, AI090085, AI095652, AA772791
840842	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1930 of SEQ ID NO:529, b is an integer of 15 to 1944, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:529, and where b is greater than or equal to a + 14.	
840843	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1411 of SEQ ID NO:530, b is an integer of 15 to 1425, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:530, and where b is greater than or equal to a +	R07636, R07683, R56490, H15484, H57022, H99251, N21556, N22947, N29473, N33077, N40267, N41499, N44647, N54167, N62284, N67127, N77575, N79824, W72340, W73971, AA035483, AA035015, AA099228, AA136670, AA136786, AA514951, AA558780, AA581821,

	14.	AA767243, AA806856, AA832308, AA922693, D79892, N56078, C14941, AA654492, AA477457, AA477583, AA495757, AA495817, AA628697, AA628687, AA781710, A1004029, A1033065, A1076145, A1076166, A1080265, A1093765
840845	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1452 of SEQ ID NO:531, b is an integer of 15 to 1466, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:531, and where b is greater than or equal to a + 14	H85970, H86679, N54585, N76666, W79488, W94055, AA012907, AA012992, AA018226, AA040388, AA040483, AA235697, AA424720, AA424881, AA468337, AA468480, AA470354, AA505886, AA533304, AA535176, AA558028, AA565018, AA568581, AA636065, AA569449, AA570195, AA580697, AA580574, AA769142, AA805257, AA857633, AA865266, AA974247, AA976018, AA983662, A1000909, A1074491, W94054, AA216680, AA283814, AA283815, AA293716, AA399618, AA411154, AA411153, AA430409, AA446547, AA446672, AA447405, AA447406, AA665639, Z19776, AA722802, AA776558, AA897739, AA773270, A1037944, A1056229, A1092063, Z39830, F02213, F04779, T65241, F12078, F09717
840847	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1644 of SEQ ID NO:532, b is an integer of 15 to 1658, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:532, and where b is greater than or equal to a + 14.	T93496, T96330, R33735, R56168, N29545, N47832, N52709, AA057861, AA057051, AA256421, AA423938, AA502373, AA594835, AA837984, AA937125, AA988563, AA642808, C16798, AA653712, D11569, D11567, D11568, D11572, AA759006
840851	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2843 of SEQ ID NO:533, b is an integer of 15 to 2857, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:533, and where b is greater than or equal to a + 14.	
840853	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1321 of SEQ ID NO:534, b is an integer of 15 to 1335, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:534, and where b is greater than or equal to a + 14.	T77874, T91147, T78073, T79015, H46575, H77369, N23303, N71319, N71370, W30700, W68080, W69637, AA029698, AA085548, AA100651, AA100446, AA150243, AA150317, AA179448, AA181464, AA187866, AA192778, AA257060, AA257151, AA483459, AA633204, AA579660, AA744468, AA745238, AA806004, AA806728, AA831848, AA832183, AA916113, AA916084,

		AA919159, AA918478, AI000093, AA094194, AA478126, AA488653, AA486512, AA598836, AA723044, AA844019, AA852336, AA904410, AA969896, AI002026, AA694486
840854	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2804 of SEQ ID NO:535, b is an integer of 15 to 2818, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:535, and where b is greater than or equal to a + 14.	
840858	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1383 of SEQ ID NO:536, b is an integer of 15 to 1397, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:536, and where b is greater than or equal to a + 14.	
840859	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1219 of SEQ ID NO:537, b is an integer of 15 to 1233, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:537, and where b is greater than or equal to a + 14.	T93690, AA046782, AA047471, H70453, W22335
840863	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1002 of SEQ ID NO:538, b is an integer of 15 to 1016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:538, and where b is greater than or equal to a + 14.	
840868	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1665 of SEQ ID NO:539, b is an integer of 15 to 1679, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:539, and where b is greater than or equal to a + 14.	AA026007, AA053000, AA053532, AA078821, AA078789, AA126106, AA531460, AA553445, AA622619, AA877899, W63615, C03141, AA486740, C75022, AA682955, D25821
840869	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1066 of SEQ ID NO:540, b is an integer of 15 to 1080, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	

	NO:540, and where b is greater than or equal to a + 14.	
840870	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2245 of SEQ ID NO:541, b is an integer of 15 to 2259, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:541, and where b is greater than or equal to a + 14.	
840875	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1333 of SEQ ID NO:542, b is an integer of 15 to 1347, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:542, and where b is greater than or equal to a + 14.	N47871, N51132, N79772, W07271, W40335, AA659745, AA454850, AA455191, AA457737, AA480848
840876	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1887 of SEQ ID NO:543, b is an integer of 15 to 1901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:543, and where b is greater than or equal to a + 14.	H40365, N30582, N57227, AA099212, AA143504, AA429979, AA489199, AA490948, AA503094, AA515940, AA515972, AA526974, AA565952, AA832525, AA847119, AA975937, C16546, AA205184, AA446121, AA446243, AA446429, AI093502, T25068
840881	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 828 of SEQ ID NO:544, b is an integer of 15 to 842, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:544, and where b is greater than or equal to a + 14.	N31249, N33927, N49638, AA169623, AA885642, AA885643, AA995981, D80629, AA654491
840883	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 764 of SEQ ID NO:545, b is an integer of 15 to 778, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:545, and where b is greater than or equal to a + 14.	
840886	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2128 of SEQ ID NO:546, b is an integer of 15 to 2142, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:546, and where b is greater than or equal to a + 14.	
840887	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 1879 of SEQ ID NO:547, b is an integer of 15 to 1893, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:547, and where b is greater than or equal to a + 14.	
840891	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 616 of SEQ ID NO:548, b is an integer of 15 to 630, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:548, and where b is greater than or equal to a + 14.	AA011494, AA036641, AA040117, AA464582, AA229586, AA514441, AA557363, AA605134, AA632063, AA569111, AA731914, AA764872, AA834230, AA865217, AA865800, AA931605, AA975800, AA476216, AA477563, AA664440, AA906128, AA909907, AA994640, AI024748, AA701389
840892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 572 of SEQ ID NO:549, b is an integer of 15 to 586, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:549, and where b is greater than or equal to a + 14.	T78188, H72434, H81179, N27050, N31296, N56740, N98857, W92285, AA010281, AA017504, AA018836, AA053984
840894	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1572 of SEQ ID NO:550, b is an integer of 15 to 1586, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:550, and where b is greater than or equal to a + 14.	R13791, R18500, R19446, R19717, R26638, R34992, R37650, R41499, R44273, R44694, R49667, R41499, R44273, R44694, R49667, H10866, H21080, H21081, H24215, H24216, H56529, H82728, H83602, H97231, H98771, N23492, N25150, N28896, N52055, N55071, N58330, N77279, N77697, N80782, N80789, W68363, W68498, AA035669, AA063521, AA099156, AA099254, AA100828, AA115528, AA115527, AA122370, AA121425, AA134022, AA131828, AA131994, AA151142, AA151141, AA150051, AA150036, AA197292, AA234967, AA234148, AA252624, AA419370, AA425774, AA426238, AA429953, AA244068, AA244221, AA291229, AA508903, AA521037, AA521047, AA558219, AA639444, AA730255, AA738405, AA764865, AA769630, AA808135, AA866207, AA875854, AA886233, AA911989, AA912330, AA918110, AA933817, AA960949, AA961737, AA970707, AA983973, AI084859, N87221, AA642352, C15736, AA095273, AA206988, AA649545, AA410978, AA443533, AA446839, AA599172, AA599632, AA625694, AA668705, AA678761, AA679282, AA843723, AI041402, AI041859, AI090256, Z40745, F03594, F03920, F07349, F07665, F07689,

		D12052, AA702844
840896	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2129 of SEQ ID NO:551, b is an integer of 15 to 2143, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:551, and where b is greater than or equal to a + 14.	T70566, T70837, R34229, R77683, H72423, N70430, W78960, W80454, AA157568, AA425171, AI081752, AA450124, AA450190, AA479929, AA626156, AI023982, AI079467, D20574
840897	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1620 of SEQ ID NO:552, b is an integer of 15 to 1634, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:552, and where b is greater than or equal to a + 14.	R08644, AA085919, AA085920, AA112589, AA291296, AA531553, AA534454, AA610556, AA632339, AA826535, AA873598, AA973899, AI000209, W22275, AA642711, AA285014, AA290836, AA291785, AA487868, AA487869, AA598896, AA732931, D20744
840898	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 264 of SEQ ID NO:553, b is an integer of 15 to 278, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:553, and where b is greater than or equal to a + 14.	
840904	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2644 of SEQ ID NO:554, b is an integer of 15 to 2658, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:554, and where b is greater than or equal to a + 14.	
840905	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1714 of SEQ ID NO:555, b is an integer of 15 to 1728, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:555, and where b is greater than or equal to a + 14.	
840908	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3341 of SEQ ID NO:556, b is an integer of 15 to 3355, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:556, and where b is greater than or equal to a + 14.	
840909	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	N26769, N30855, N91934, W17097, W76127, AA010929, AA011317, AA026824, AA026957,

	formula of a-h, where a is any integer between 1 to 1065 of SEQ ID NO:557, b is an integer of 15 to 1079, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:557, and where b is greater than or equal to a + 14.	AA065084, AA064997, AA113980, AA113972, AA187311, AA187412, AA491244, AA503832, AA527886, AA603076, AA767201, AA768552, AA806008, AA857130, AA862053, W69334, N90880, AA285256, AA853981, AA971357, AI015443, AI037999, AI089498, F04542
840910	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 710 of SEQ ID NO:558, b is an integer of 15 to 724, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:558, and where b is greater than or equal to a + 14.	
840912	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3111 of SEQ ID NO:559, b is an integer of 15 to 3125, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:559, and where b is greater than or equal to a + 14.	T89929, T97560, T97607, T98767, T98768, R75684, R76638, H29662, R91419, H63674, H84562, N22625, N23668, N59616, N67124, N75308, N78169, W04760, W15411, W15522, W31605, W39524, AA007425, AA007426, AA044991, AA044990, AA161382, AA161383, AA190884, AA190852, AA195140, AA195346, AA195347, AA278498, AA515881, AA523692, AA557400, AA579985, AA732611, AA813932, AI053747, D80095, D80559, D80940, D82547, D82557, D82494, C01801, R29401, AA404683, AA404214, AA634226, AA456641, AA812584, AA884056, AI004948, AI033808, AI038706, AI073466, D20935, Z40790, Z45057, F02232, F05993, AA700153, AA700480
840916	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2631 of SEQ ID NO:560, b is an integer of 15 to 2645, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:560, and where b is greater than or equal to a + 14.	
840917	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1703 of SEQ ID NO:561, b is an integer of 15 to 1717, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:561, and where b is greater than or equal to a + 14.	H30515, H58512, AA428216, AA429793, AA888482, AA402294, AA478415, AA665865, AI079558
840918	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T63366, T63794, T63819, T72173, T72951, T74098, T74471, R40321, R54813, R40321, H28292, H87420,

	formula of a-b, where a is any integer between 1 to 2403 of SEQ ID NO:562, b is an integer of 15 to 2417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:562, and where b is greater than or equal to a + 14.	H96805, H99895, H99896, N21575, N26498, N35550, N35899, N43971, N46316, N50289, N62230, N67269, N67736, N79322, W03582, W20379, W35114, W93987, W93993, W93961, AA002131, AA002085, AA010861, AA010895, AA032150, AA039874, AA046207, AA046213, AA075922, AA076246, AA076245, AA082698, AA100666, AA100665, AA102690, AA101322, AA115198, AA115199, AA127068, AA125791, AA130142, AA130164, AA160133, AA160152, AA181132, AA223399, AA223717, AA223794, AA225618, AA225617, AA225893, AA226087, AA281188, AA467866, AA532633, AA548553, AA548715, AA565709, AA595388, AA604287, AA610139, AA574387, AA574403, AA576771, AA827594, AA857936, AA862174, AA886789, AA894576, AA933053, AA961640, AA962084, AA971648, AI017658, AI089036, U48642, AI084032, W29098, AA041518, AA206338, AA206730, AA204730, AA218606, AA285284, AA293327, D11555, AA450117, AA626655, AA666366, AA679791, AA844183, AA883770, AA904568, AA904956, AA913275, AA913772, Z39779, F06739, F07232
840922	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1530 of SEQ ID NO:563, b is an integer of 15 to 1544, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:563, and where b is greater than or equal to a + 14.	
840923	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2285 of SEQ ID NO:564, b is an integer of 15 to 2299, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:564, and where b is greater than or equal to a + 14.	
840927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 350 of SEQ ID NO:565, b is an integer of 15 to 364, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:565.	

	and where b is greater than or equal to a + 14.	
840928	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2467 of SEQ ID NO:566, b is an integer of 15 to 2481, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:566, and where b is greater than or equal to a + 14.	R52991, R52992, AA075795, AA236859, AA237058, AA258294, AA490530, AA582199, AA594981, AA768625, AA918784, AA400122, AA400211, AA599540, AA620310, AA757241, AA853706, Z44647
840929	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1350 of SEQ ID NO:567, b is an integer of 15 to 1364, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:567, and where b is greater than or equal to a + 14.	T65391, T65468, T82268, T83555, R23120, R23121, H05767, H15242, H15243, N27484, N75846, W07429, W55965, W55966, W69486, W69610, AA024480, AA024481, AA035363, AA035364, AA036732, AA045784, AA045785, AA054537, AA054576, AA058867, AA081962, AA082833, AA122107, AA122108, AA160026, AA506569, AA582633, AA593717, AA593757, AA596048, AA741487, AA830268, AA834091, AA917654, AA922770, AA948018, C00527, AA648362, AA448872, AA447937, AA708846, AA769947, AA775569, AA835167, AI090227, F02032, F11824, F09473
840930	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1592 of SEQ ID NO:568, b is an integer of 15 to 1606, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:568, and where b is greater than or equal to a + 14.	T66390, R13067, R20192, R40498, R44978, R54122, R40498, R44978, R55825, R55910, R56182, H05938, H10239, H13040, H22780, H22987, H26826, H28018, R84898, R85844, N48284, N49013, W59970, AA029938, AA030050, AA037606, AA040869, AA043138, AA147575, AA152015, AA152022, AA152089, AA152096, AA150150, AA152219, AA156446, AA429964, AA470402, AA528114, AA594982, AA595134, AA886444, AA972352, F18878, C04576, AA090702, C16326, AA649510, AA211287, AA211332, AA443358, AA446384, AA666350, AA993887, AI032649, AI096674, Z24984, Z25108, Z25360, Z33590, T25134, Z37011, F12229, F00286, F09858
840931	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1371 of SEQ ID NO:569, b is an integer of 15 to 1385, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:569, and where b is greater than or equal to a + 14.	AA164298, AA164299, AA215696, AA553729, AA600053

840941	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1130 of SEQ ID NO:570, b is an integer of 15 to 1144, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:570, and where b is greater than or equal to a + 14.	T71972, T72113, N66952, AA037833, AA037834, AA503937, AA514259, AA568671, C04493, AA400259, AA703387, AA897154, AA905309, AA991791, AI091736, AI097161, AA699338, AA699546
840944	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2740 of SEQ ID NO:571, b is an integer of 15 to 2754, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:571, and where b is greater than or equal to a + 14.	R53077, R53166, N66228, N66588, N98299, N98791, W52420, W58722, AA054166, AA102647, AA101300, AA224382, AA224448, AA504618, AA504713, AA505965, AA577583, AA766244, AA837194, AA936390, AA938580, AA969268, AI056953, Z25291, Z28894, T25120
840945	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2643 of SEQ ID NO:572, b is an integer of 15 to 2657, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:572, and where b is greater than or equal to a + 14.	
840948	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2338 of SEQ ID NO:573, b is an integer of 15 to 2352, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:573, and where b is greater than or equal to a + 14.	
840949	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 314 of SEQ ID NO:574, b is an integer of 15 to 328, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:574, and where b is greater than or equal to a + 14.	
840953	Prefcrably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1664 of SEQ ID NO:575, b is an integer of 15 to 1678, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:575, and where b is greater than or equal to a + 14.	
840954	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	T70122, R01105, R01854, R26511, R50976, W39281, W88823, AA190914, AA220964, AA223912, AA224067, AA292591, AA516293,

	2494 of SEQ ID NO:576, b is an integer of 15 to 2508, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:576, and where b is greater than or equal to a + 14.	AA888082, AA093864, AA644303, AA668429, AA680062, AA705885, Z25045, Z25169, Z28742, Z40110, F06996, F00269
840958	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1517 of SEQ ID NO:577, b is an integer of 15 to 1531, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:577, and where b is greater than or equal to a + 14.	T92026, T92127, T96602, T99639, R07023, R70248, R74432, H24617, H25443, H25488, H25814, H39512, H49218, H49404, H85371, H98480, N21621, N28860, N32291, N44577, N93796, W19136, W46407, N89924, AA252381, AA252643, AA230168, AA251928, AA252509, AA280831, AA281028, AA570114, AA570316, AA688054, AA731686, AA731363, AA737178, AA743784, AA761782, AA805326, AA806145, AA806698, AA807626, AA810694, AA811702, AA857654, AA903433, AA947731, AA976482, AA977020, D80646, AA448459, AA722871, AA834947, AA844661, AA868828, AA912953, AA971589, AI032540, AI093489, Z33450
840960	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1230 of SEQ ID NO:578, b is an integer of 15 to 1244, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:578, and where b is greater than or equal to a + 14.	R80950, R81055, H17096, H17714, H21600, H28031, H39514, N25283, N48074, N93030, N93491, AA005164, AA005250, AA037756, AA039247, AA062857, AA062864, AA159264, AA461323, AA482290, AA523938, AA548271, AA602298, AA612800, AA580232, AA878960, AA954638, AA983694, AA948176, AA452852, AA452868, AA628205, AA629208, AA707757, AA884020, AI086383, AI092362, AA952907, F03951, F04326, F07686
840968	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2511 of SEQ ID NO:579, b is an integer of 15 to 2525, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:579, and where b is greater than or equal to a + 14.	
840969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3992 of SEQ ID NO:580, b is an integer of 15 to 4006, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:580, and where b is greater than or equal to a + 14.	
840972	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 551 of SEQ ID NO:581, b is an integer of 15 to 565, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:581, and where b is greater than or equal to a + 14.	
840973	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2514 of SEQ ID NO:582, b is an integer of 15 to 2528, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:582, and where b is greater than or equal to a + 14.	T92934, T93051, T95827, T95922, R01416, R01417, R14186, R40475, R40475, R62217, H02303, H02413, N91928, N92794, W19380, W24105, W24106, W92317, W92353, AA009695, AA009414, AA016232, AA022718, AA022810, AA031668, AA031669, AA135522, AA135584, AA233766, AA233817, AA468889, AA502015, AA514448, AA524548, AA613782, AA740659, AA831839, AA856642, AA865523, AA933090, AA937529, AA937525, AA995177, D45313, D80956, C04688, AA642850, C15075, C15074, AA652169, AA404513, AA485401, AA485562, AA626502, AA703641, AI014270, AI027694, AI052552, A1080105, A1094104, Z24781, Z28475, D20204, AA699913
840975	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 493 of SEQ ID NO:583, b is an integer of 15 to 507, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:583, and where b is greater than or equal to a + 14.	AA187971, AA491557
840978	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1917 of SEQ ID NO:584, b is an integer of 15 to 1931, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:584, and where b is greater than or equal to a + 14.	
840980	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:585, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:585, and where b is greater than or equal to a + 14.	T91979, T85031, R51511, H08105, H14962, H84344, H95886, N67113, AA001485, AA033681, AA045053, AA045054, AA460816, AA548181, AA602217, AA627119, AA919072, N85463, AA090718, AA090747, AA205839, AA215860, AA889349, A1005058, A1051749
840982	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	753 of SEQ ID NO:586. b is an integer of 15 to 767, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:586, and where b is greater than or equal to a + 14.	
840985	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 833 of SEQ ID NO:587, b is an integer of 15 to 847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:587, and where b is greater than or equal to a + 14.	AA469388, AA469387, AA579307, AA838301
840989	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2144 of SEQ ID NO:588, b is an integer of 15 to 2158, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:588, and where b is greater than or equal to a + 14.	T56570, T56419, T74072, H02553, H02636, H05217, H28221, H28270, H53671, N24892, N26327, N36312, N39771, N43761, W19923, N91268, AA132017, AA132120, AA195204, AA195313, AA196452, AA196696, AA227654, AA232501, AA232165, AA429770, AA281620, AA281676, AA468179, AA515887, AA533678, AA551958, AA639446, AA577363, AA579740, AA721360, AA729621, AA769527, AA814423, AA826344, AA903583, D81898, D81970, C04597, AA216528, AA216535, AA442781, AA452285, AA452436, AA709278, AA718938, AA771705, AA771724, AA868151, AA993850, AI033921, Z32830, AA952909, F11180, F11002, F11632
840991	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2285 of SEQ ID NO:589, b is an integer of 15 to 2299, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:589, and where b is greater than or equal to a + 14.	T81125, N29118, N36444, N46478, AA169588, AA169707, AA190390, AA197190, AA465591, AA569663, AA572882, AA927990, AI031844, W26259, W26429, W27367, W27994, W28877, AA453067, Z39013, Z42882
840996	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2166 of SEQ ID NO:590, b is an integer of 15 to 2180, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:590, and where b is greater than or equal to a + 14.	R11816, T80577, R18182, R55973, R59293, R61044, H08547, H08548, H16428, AA001999, AA001722, AA181466, AA181638, AA530935, AA811299, AA774853, AA853584, T48535
840997	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1179 of SEQ ID NO:591, b is an integer of 15 to 1193, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	H81891, N27695, AA242758, AA242898, AA262282, AA463638, AA443047, AA677853

	NO:591, and where b is greater than or equal to a + 14.	
840998	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1988 of SEQ ID NO:592, b is an integer of 15 to 2002, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:592, and where b is greater than or equal to a + 14.	H39956, R95173, N21653, N59206, AA126765, W25859, AA126814, AA411155, AA479348, AA663608, AA723137, AA904646, AA936314
840999	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1000 of SEQ ID NO:593, b is an integer of 15 to 1014, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:593, and where b is greater than or equal to a + 14.	T59001, R38613, AA558946, D80113, AA628765, AA931368, A1087859, A1087860, A1088020, A1088042, A1088041, Z41502, T59074, F10347
841000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 319 of SEQ ID NO:594, b is an integer of 15 to 333, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:594, and where b is greater than or equal to a + 14.	T63281
841002	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1106 of SEQ ID NO:595, b is an integer of 15 to 1120, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:595, and where b is greater than or equal to a + 14.	N75236, N79007, W33128, AA044565, AA192107, AA194732, AA430142, AA602405, AA732494, AA730246, AA767992, AA836339, A1083657, AA206755, AA205076, AA649037, AA446467, AA722661, AA993269, AA994380, A1005394, A1032012
841003	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 518 of SEQ ID NO:596, b is an integer of 15 to 532, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:596, and where b is greater than or equal to a + 14.	N50091, W78173, W79236, AA758361, AA992853
841008	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1480 of SEQ ID NO:597, b is an integer of 15 to 1494, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:597, and where b is greater than or equal to a + 14.	T71281, T71345, T77436, R08136, R08137, R20906, R21385, R22903, R39269, R43069, R46481, R51904, R52702, R43069, R46481, R43120, R79482, H13227, H18911, H19203, H65049, H65050, H94075, H96326, H96721, N21076, N21154, N21166, N23977, N34347, N42814, N73453, N93204, W02856, W20197, W38726, W38956, W56890, N90551, AA007554, AA037417, AA040911, AA116130, AA116131,

		AA169544. AA169728. AA169445. AA173030. AA210740. AA211832. AA211833. AA420515. AA420563. AA420747. AA420808. AA459156. AA469336. AA480571. AA548615. AA554507. AA554716. AA559111. AA594680. AA602634. AA568997. AA857653, AA938636. AA962481. AA969819. AA988963. C01221. N87866. N88166. C06426. C16205. C16225. C16262. C16328. C16346. C16567. AA093646. AA094628. AA215845. AA248299. AA450084. AA450101. AA450141. AA450164. AA452926. AA453098. AA677261. AA704706. AA776452. AA782448. AA905622. A1024304. A1027088. T10244. T24104. F10814
841013	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2174 of SEQ ID NO:598, b is an integer of 15 to 2188, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:598, and where b is greater than or equal to a + 14.	
841014	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1259 of SEQ ID NO:599, b is an integer of 15 to 1273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:599, and where b is greater than or equal to a + 14.	R13850, R36993, R40384, R49290. R49290, R70449, H20581, H22501, H41342, W52797, W63724, AA026917, AA149462, AA223955, AA232557, AA416604. AA282009, AA284187, AA534348, N83640, W28199, AA641025. AA652459. AA707275, D19833
841015	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1225 of SEQ ID NO:600, b is an integer of 15 to 1239, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:600, and where b is greater than or equal to a + 14.	T60712, T39204. T40475, T89115, R23975, R42835, R50864, R42835, R80780, R80929, R80980, R81030, R81287, H45854, R85410, H85126, H85165, H86110, H92458, H92459, H96689. N45682, N48966, N64273, N67340, W38863, W60856, W73806, W79809, W79590, AA031812, AA031892, AA039603, AA056740, AA058411, AA069773, AA069809, AA127774, AA133361, AA150512, AA186437, AA188784, AA215296, AA236042, AA250827, AA250884, AA258206. AA459963, AA480598. AA484831. AA524510, AA554692. AA627856. AA633499, AA633500. AA573552. AA577009. AA661865, AA838393. AA838126, AA872284, AA888617, AA954248, AA972651, AA974294. AA978242. A1000986. N84928. W28888.

		AA093374. AA095419. AA649576. AA447092. AA628724. AA635022. AA635099. AA708921. AA782622. AA845435. AA852359. AA283454. AA860493. AA905955. AI015482. AI033996. AI057611. AI041421. AI097090. T15984. F04083. F04704. AA693482
841018	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1272 of SEQ ID NO:601, b is an integer of 15 to 1286, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:601, and where b is greater than or equal to a + 14.	
841019	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 390 of SEQ ID NO:602, b is an integer of 15 to 404, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:602, and where b is greater than or equal to a + 14.	AA248515
841024	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1154 of SEQ ID NO:603, b is an integer of 15 to 1168, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:603, and where b is greater than or equal to a + 14.	
841025	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 444 of SEQ ID NO:604, b is an integer of 15 to 458, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:604, and where b is greater than or equal to a + 14.	AA188466
841026	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 897 of SEQ ID NO:605, b is an integer of 15 to 911, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:605, and where b is greater than or equal to a + 14.	N72911. AA148215. AA166925. AA228038. AA228148. AA483775. AA504475. AA740596. AA742681. AA808693. AA811844. AI054163. D12456. D12055. AA446237. AA599068. AI075720
841027	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 724 of SEQ ID NO:606, b is an integer of 15 to 738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:606.	H41598. H62017. H69575. H69596. H84745. H95065. N36218. N54430. N80053. W52484. AA010201. AA235462. AA513394. AA559062. H84833. AA574343. AA835915. AA872643. AA877236

	and where b is greater than or equal to a + 14.	
841029	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1334 of SEQ ID NO:607, b is an integer of 15 to 1348, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:607, and where b is greater than or equal to a + 14.	T50950, T40351, T41210, T64654, T99782, T99883, R12658, R20557, R48599, R48701, R20557, H10512, R82975, R83815, H51313, H51908, H54291, H54369, H57072, H57073, H70169, H81838, H89935, H91980, N26532, N26640, N35643, N39712, N39735, N44132, N45472, N46821, N66762, N68174, N73964, N80633, N93213, N93218, N94936, W19558, W19581, W20315, W33192, W37258, W38673, W38998, W38807, W39086, W44806, W49655, W49729, W52842, W56034, W56019, W72523, W96449, W96546, N90712, AA022694, AA022787, AA033992, AA033993, AA055233, AA128163, AA125976, AA151620, AA228010, AA234230, AA235616, AA460804, AA428125, AA428126, AA244254, AA244044, AA282782, AA459422, AA465647, AA514260, AA524819, AA526652, AA527010, AA557557, AA593780, AA594299, AA604168, AA612788, AA622842, AA639066, AA729180, AA730491, AA737387, AA814201, AA847016, AA872392, AA873523, AA885963, AA902850, AA946931, AA968795, AA974320, AA977816, AI094935, AA642338, AA093758, AA094834, AA650022, AA248350, AA402422, AA446745, AA449102, AA449538, AA482267, AA431490, AA431697, AA432060, AA706083, AA706225, AA723554, AA724604, AA732823, AA772101, AA772330, AA781604, AA782387, AA843140, AA843480, AA843756, AA846144, AA846155, AA845500, AA854399, AA855096, AA860829, AA888776, AA889009, AI023231, AI028453, AI031906, AI031928, AI038365, AI051907, AI050990, AI056013, AI066647, AI073764, AI074709, AI076720, AI077283, AI040402, AI087021, AI088075, AI087912, AI092000, AI091592, AI092431, AI092579, AI095442, D20747, F05340, AA694556
841030	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 708 of SEQ ID NO:608, b is an integer of 15 to	T85016

	722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:608, and where b is greater than or equal to a + 14.	
841031	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 316 of SEQ ID NO:609, b is an integer of 15 to 330, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:609, and where b is greater than or equal to a + 14.	
841034	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1852 of SEQ ID NO:610, b is an integer of 15 to 1866, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:610, and where b is greater than or equal to a + 14.	
841036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2162 of SEQ ID NO:611, b is an integer of 15 to 2176, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:611, and where b is greater than or equal to a + 14.	
841039	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3605 of SEQ ID NO:612, b is an integer of 15 to 3619, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:612, and where b is greater than or equal to a + 14.	
841040	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1413 of SEQ ID NO:613, b is an integer of 15 to 1427, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:613, and where b is greater than or equal to a + 14.	
841048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1419 of SEQ ID NO:614, b is an integer of 15 to 1433, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:614, and where b is greater than or equal to a + 14.	N69349, W37995, W37996, AA099842, AA129834, AA134879, AA136131, AA136101, AA213847, AA278288, AA278834, AA639630, AA743611, AA745858, AA765478, AA829501, AA830648, AA837909, AA877341, AA887480, AA910616, C01321, AA134878, AA410913, AA441809, AA441871, AA447551, AA679476, F13794

841049	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 492 of SEQ ID NO:615, b is an integer of 15 to 506, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:615, and where b is greater than or equal to a + 14.	AA206670
841050	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2160 of SEQ ID NO:616, b is an integer of 15 to 2174, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:616, and where b is greater than or equal to a + 14.	R13856, R36998, H88745, H88749, H88750, H88744, H88745, H88750, N20597, N27562, N28993, N40383, W23671, W42418, W42515, AA017276, AA054535, AA054527, AA081056, AA083641, AA165258, AA165257, AA195316, AA195497, AA504774, AA731655, AA743407, AA827654, AI074376, AA096064, AA677874, AI049801, T10385, D31353, AA700430
841052	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3133 of SEQ ID NO:617, b is an integer of 15 to 3147, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:617, and where b is greater than or equal to a + 14.	
841054	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2515 of SEQ ID NO:618, b is an integer of 15 to 2529, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:618, and where b is greater than or equal to a + 14.	
841055	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 537 of SEQ ID NO:619, b is an integer of 15 to 551, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:619, and where b is greater than or equal to a + 14.	T86070
841056	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1721 of SEQ ID NO:620, b is an integer of 15 to 1735, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:620, and where b is greater than or equal to a + 14.	T65020, T66102, T74444, R12529, R36487, R36488, R37425, R52082, R52176, N58833, N75250, AA373305, AA687450, AA687507, AA810182, AA815088, AA908253, AI084103, AA489756, AA844081, AA844438, AA854762, AA897722, F11861, F12468, T83267, F09506, F10088
841060	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	

	formula of a-b, where a is any integer between 1 to 1012 of SEQ ID NO:621, b is an integer of 15 to 1026, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:621, and where b is greater than or equal to a + 14.	
841061	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 656 of SEQ ID NO:622, b is an integer of 15 to 670, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:622, and where b is greater than or equal to a + 14.	W47450, AA491124
841062	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2149 of SEQ ID NO:623, b is an integer of 15 to 2163, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:623, and where b is greater than or equal to a + 14.	
841063	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 587 of SEQ ID NO:624, b is an integer of 15 to 601, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:624, and where b is greater than or equal to a + 14.	AA227288, AA282718
841067	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 579 of SEQ ID NO:625, b is an integer of 15 to 593, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:625, and where b is greater than or equal to a + 14.	
841074	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2258 of SEQ ID NO:626, b is an integer of 15 to 2272, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:626, and where b is greater than or equal to a + 14.	T39947, T40903, T90518, T90617, T86882, T86883, R11373, T79972, T83358, T83504, R16291, R18540, R18728, R21852, R21872, R32969, R33513, R34056, R35153, R37578, R41528, R42089, R50812, R41528, R42089, R63072, R63114, R66886, R68286, R68328, R77261, R77305, H04160, H04159, H09820, H09915, H11374, H11399, H11475, H11580, H20564, H20656, H20724, H20725, H45913, R87571, H71492, H71493, H77970, H77971, H85921, H95617, H97011, H97137, H97973, H99201, H99869, N20626, N21042, N23341, N23509, N27621, N27863, N28554, N28813, N33434, N35711, N36525, N40636, N42409, N50418, N50473,

		N55217. N55526. N77009. W15345. W31916. W39297. W39437. W40562. W40586. W52515. W56373. W56584. W56673. W56738. W60072. W73328. AA001060. AA001061. AA001355. AA012936. AA013022. AA020854. AA021013. AA021245. AA021350. AA041249. AA044791. AA057517. AA070118. AA081114. AA081289. AA081518. AA081758. AA081654. AA081910. AA081807. AA083386. AA083520. AA084143. AA084169. AA084637. AA102204. AA101101. AA112305. AA112273. AA113158. AA113205. AA113234. AA113290. AA112514. AA114269. AA114292. AA121997. AA121998. AA122357. AA122358. AA127073. AA125796. AA134357. AA134635. AA148203. AA148204. AA148658. AA148659. AA156277. AA156388. AA158662. AA159027. AA160336. AA159855. AA160818. AA176261. AA176262. AA181259. AA182937. AA187516. AA186906. AA186943. AA210754. AA211829. AA223289. AA223297. AA223271. AA223898. AA223866. AA223865. AA223930. AA224002. AA226834. AA227007. AA251494. AA464562. AA464663. AA282038. AA282381. AA282799. AA282890. AA454945. AA455324. AA459366. AA459591. AA471068. AA493188. AA506956. AA515184. AA525415. AA528016. AA531574. AA557548. AA559080. AA558794. AA601508. AA602820. AA604093. AA580330. AA665041. AA688154. AA714131. AA721076. AA729400. AA730738. AA736940. AA745800. AA746251. AA747771. AA749097. AA761791. AA765245. AA769486. AA810468. AA809803. AA815070. AA815124. AA825529. AA827628. AA827818. AA830566. AA831651. AA832026. AA836109. AA856618. AA858034. AA862500. AA908700. AA916911. AA923104. AA911251. AA922814. AA948643. AA975963. AA976127. AA988496. AA995369. AI015981. D82125. N85599. N85825. W60998. N87121. N88156. C05715. C05853. AA046846. AA641779. AA070117. C20828. C21327. AA159483. AA206049. AA206104. AA206105.

		AA206439. AA206436. AA206529. AA206577. AA206641. AA205227. AA205214. AA205483. AA205488. AA205554. AA205495. AA205683, AA205707, AA205655. AA648896, AA649019, AA211090. AA211201, AA219240. AA219379. AA248392. AA263057. AA436015. AA436120. AA444131. AA449168. AA485456, AA488660. C74998. C75953, C75178. C75578. C75650. AA598408. AA600229. AA633997. AA664255. AA670477. AA456958. AA457067. AA457333. AA707431, AA708046. AA708052. AA722286, AA679711. AA774733. AA776895, AA778320. AA782343. AA852970. AA852969. AA853367. AA854017. AA884081. AA913264. AI003524. AI003161. AI061383. AI079587. AI080214. AI085729. AI088540, AI088599. T10660. T11369. T16057. T17106. Z41696. T16213. T27465, F01519, F02134, T54069. F07296. F13614. F13652, AA702026
841076	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 857 of SEQ ID NO:627, b is an integer of 15 to 871, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:627, and where b is greater than or equal to a + 14.	
841081	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 765 of SEQ ID NO:628, b is an integer of 15 to 779, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:628, and where b is greater than or equal to a + 14.	H80595, N66964, W60868, W60944. AA554024. AA581858, AA603775. AA569390. AA721420, AA730838. AA746990. AA764955, AA824533, AA886662, AA902151, AA922977, AA931633, AI004155, C17761, AA643235, AA249456, AA401851, AA447213, AA769929, AA861067, AA868853, AI001993, AI038228, AI080577, D12310, AA699302, AA700733
841083	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1821 of SEQ ID NO:629, b is an integer of 15 to 1835, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:629, and where b is greater than or equal to a + 14.	
841089	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T97583. H27459. H28283. H30123, H30163. H40493. H64399. H99038, N20188. N29090. W24593.

	formula of a-b, where a is any integer between 1 to 1083 of SEQ ID NO:630, b is an integer of 15 to 1097, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:630, and where b is greater than or equal to a + 14.	W47194, W47309, W51990, W52638, W56428, W56312, W73795, W78984, W80386, W85832, W87763, W87679, W93594, W93490, AA010192, AA010091, AA229878, AA230283, AA508851, AA553908, H64447, AA582764, AA805299, AA877051, A1053512, A1053734, A1054001, A1054092, A1054119, A1054274, A1054309, AA758790, AA972288, A1028150, A1077801, A1092052, D20235, T97631
841093	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1523 of SEQ ID NO:631, b is an integer of 15 to 1537, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:631, and where b is greater than or equal to a + 14.	
841097	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1887 of SEQ ID NO:632, b is an integer of 15 to 1901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:632, and where b is greater than or equal to a + 14.	
841098	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1736 of SEQ ID NO:633, b is an integer of 15 to 1750, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:633, and where b is greater than or equal to a + 14.	T39572, R32405, R78435, R82780, H01823, W23901, AA705025
841101	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1912 of SEQ ID NO:634, b is an integer of 15 to 1926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:634, and where b is greater than or equal to a + 14.	R11755, R12465, R23435, R54254, H10274, N31847, W63594, AA488942, AA581018, AA767423, N56490, W26165, N87429, AA093862, Z41898
841113	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1332 of SEQ ID NO:635, b is an integer of 15 to 1346, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:635, and where b is greater than or equal to a +	

	14.	
841115	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1570 of SEQ ID NO:636, b is an integer of 15 to 1584, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:636, and where b is greater than or equal to a + 14.	
841116	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1649 of SEQ ID NO:637, b is an integer of 15 to 1663, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:637, and where b is greater than or equal to a + 14.	
841117	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3933 of SEQ ID NO:638, b is an integer of 15 to 3947, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:638, and where b is greater than or equal to a + 14.	
841125	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1413 of SEQ ID NO:639, b is an integer of 15 to 1427, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:639, and where b is greater than or equal to a + 14.	R40268, R40268, R60037, H05829, H71311, H71355, H94227, N30711, N56686, W70033, W80987, W94564, W92648, AA036715, AA043642, AA045098, AA045127, AA057355, AA070703, AA150080, AA186980, AA196549, AA513466, AA564458, H92998, AA584288, AA587915, AA746344, AA749431, AA836837, AA946608, AA977318, A1000432, A1000474, AA150015, AA487107, AA777153, AA778651, AA778720, AA824341, A1038357, A1038499, A1076148, A1077415, A1040155, A1090830, T16464, AA682387
841127	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 906 of SEQ ID NO:640, b is an integer of 15 to 920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:640, and where b is greater than or equal to a + 14.	N56381
841128	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1692 of SEQ ID NO:641, b is an integer of 15 to	

	1706, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:641, and where b is greater than or equal to a + 14.	
841132	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2156 of SEQ ID NO:642, b is an integer of 15 to 2170, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:642, and where b is greater than or equal to a + 14.	
841133	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1698 of SEQ ID NO:643, b is an integer of 15 to 1712, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:643, and where b is greater than or equal to a + 14.	
841134	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1779 of SEQ ID NO:644, b is an integer of 15 to 1793, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:644, and where b is greater than or equal to a + 14.	T74160, R06227, R06228, R20261, N39674, AA010503, AA010502, AA258312, AA258463, AA261908, AA737428, AA775864, F12625
841135	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2665 of SEQ ID NO:645, b is an integer of 15 to 2679, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:645, and where b is greater than or equal to a + 14.	T87474, T81011, T98855, T99451, R12662, R20561, R35774, R20561, H21581, H30226, H30799, H38312, R87419, R87929, H60442, H60488, H82962, H83193, N66578, N98838, W02116, W32577, W74585, W94377, AA228054, AA228143, AA242795, AA252182, AA482136, AA491273, AA503197, AA603089, AA740514, AA847687, AA872051, AA904292, AA908878, AA937801, AA937818, AA937819, AA989229, AI081549, W27606, W28260, C01173, AA090299, AA292408, AA394244, AA430326, AA443626, AA678857, AA779761, AA838766, AA860401, AA890101, AA772701, AA905819, AA913578, AA913854, AA916557, AI073446, AI040348, AI086394, F04810, F08603
841136	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 818 of SEQ ID NO:646, b is an integer of 15 to 832, where both a and b correspond to the positions	T75313, R38678, H08805, H08881, H29671, W45345, AA460481, AA461049, AA514387, AA928902, C06109, C15637, AI033621, F13191, F10796

	of nucleotide residues shown in SEQ ID NO:646, and where b is greater than or equal to a + 14	
841138	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1311 of SEQ ID NO:647, b is an integer of 15 to 1325, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:647, and where b is greater than or equal to a + 14.	T74162, R08056, R37869, R51362, H95451, N47377, N50420, N51509, N56992, N63081, W02768, W74061, W78768, W81120, AA004354, AA004355, AA010410, AA011238, AA194618, AA461179, AA492472, AA602060, AA742194, AA886331, AA904165, AA947316, AA969817, C02127, AA642584, AA393447, AA398743, AA449962, AA706890, AA757113, AA777532, AA812606, AA971808, AA947589, AI033060, AI077473, F12626, F10242
841139	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 592 of SEQ ID NO:648, b is an integer of 15 to 606, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:648, and where b is greater than or equal to a + 14.	
841141	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1682 of SEQ ID NO:649, b is an integer of 15 to 1696, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:649, and where b is greater than or equal to a + 14.	T70178, T78370, H06915, H19407, H20353, H59580, H68320, AA282429, AA504514, AA504598, AA564110, AA622709, AA635277, AA814782, AA094950, AA890363, AI082674, T69852
841142	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3045 of SEQ ID NO:650, b is an integer of 15 to 3059, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:650, and where b is greater than or equal to a + 14.	R16159, R55052, R59723, R59832, R72647, R72726, H60244, N33957, N49667, N73245, N79519, N79654, W16510, W16960, AA032239, AA033647, AA463305, AA280166, AA729292, AA954720, AA988492, AI015581, C02527, AA393868, AA478565, AA478698, AA773346, AI032816, AI078056, Z38500, Z42263, R15417, AA701338
841145	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1352 of SEQ ID NO:651, b is an integer of 15 to 1366, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:651, and where b is greater than or equal to a + 14.	T50010, R23613, R26166, R31656, R32370, H43626, H44680, R97791, R97841, H96639, N36375, AA192798, AA236435, AA262943, AA491551, AA491856, AA506260, AA533612, AA563684, AA639509, AA193170, AA453170, AA478555, AA478689, AA628811, AA971928
841146	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1411 of SEQ ID NO:652, b is an integer of 15 to	T49969, T55739, T55781, R44196, R44196, R56223, R65770, R65861, H07914, H29735, H47548, N23748, N33136, N36915, N42188, N58782, AA044179, AA044364, AA056411,

	1425, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:652, and where b is greater than or equal to a + 14.	AA056659, AA088892, AA129553, AA136567, AA182691, AA460927, AA461231, AA423834, AA423872, AA429008, AA284199, AA502390, AA503746, AA524414, AA573485, AA731750, AA748643, N42149, C03886, C04870, AA401440, AA443282, AA453535, AA680012, AA885303, AA773518, AA905979, AA917504, AA993697, AI014527, AI038343, AI039552, AI075983, AI040477, T15474, Z40499
841150	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 600 of SEQ ID NO:653, b is an integer of 15 to 614, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:653, and where b is greater than or equal to a + 14	
841153	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2798 of SEQ ID NO:654, b is an integer of 15 to 2812, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:654, and where b is greater than or equal to a + 14.	
841154	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1983 of SEQ ID NO:655, b is an integer of 15 to 1997, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:655, and where b is greater than or equal to a + 14.	
841156	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1583 of SEQ ID NO:656, b is an integer of 15 to 1597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:656, and where b is greater than or equal to a + 14.	
841157	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 358 of SEQ ID NO:657, b is an integer of 15 to 372, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:657, and where b is greater than or equal to a + 14.	
841159	Preferably excluded from the present invention are one or more polynucleotides comprising a	T68013, T68157, R10329, R21935, R22192, R22205, R22243, R22259,

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1212 of SEQ ID NO:658, b is an integer of 15 to 1226, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:658, and where b is greater than or equal to a + 14.	R22584, R36709, R37550, R37969, R56215, H12513, H16028, H42778, H42777, H43237, H49572, H54638, H62014, H62015, H87009, H96461, H99230, N20416, N21538, N26351, N26416, N31763, N32343, N57436, N68981, N76396, N94358, W47130, W47170, W47092, W47303, W56010, W56319, W57999, W58082, W72901, W80918, W80919, W96026, W96247, AA009932, AA027098, AA035781, AA055834, AA056358, AA135747, AA135791, AA243433, AA513298, AA526888, AA553702, AA564515, AA569564, AA578962, AA659038, AA664637, AA664725, AA687093, AA863102, AA865570, AA937259, AA948115, F18278, F19594, N56026, AA642679, AA205043, AA284794, AA284555, AA402214, AA402779, AA421675, AA421674, AA442253, AA477073, AA670491, F22786, AA703506, AA732970, AA854540, AA993128, AI023954, AI039979, AI041931, AI094341, T24697, R10328
841164	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 450 of SEQ ID NO:659, b is an integer of 15 to 464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:659, and where b is greater than or equal to a + 14.	
841167	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2535 of SEQ ID NO:660, b is an integer of 15 to 2549, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:660, and where b is greater than or equal to a + 14.	
841170	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1148 of SEQ ID NO:661, b is an integer of 15 to 1162, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:661, and where b is greater than or equal to a + 14.	R01156, R05766, R36365, H10217, H10272, R85306, R85305, R92966, R94593, R94594, H87399, N30640, N62299, N67420, N75554, N95145, W69646, W69647, W87822, W87911, AA025260, AA025338, AA054320, AA054420, AA070779, AA132029, AA132151, AA147254, AA156241, AA173636, AA458647, AA458883, AA459073, AA282256, AA490721, AA491213, AA581846, AA581975, AA592924, AA617652, AA715103, AA827927, AA878469,

		AA922921, AA931906, AI024987, AI031704, R29605, AA641542, AA210625, AA447827, AA679290, AA845918, AA992688, AI005398, AI093117
841173	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1164 of SEQ ID NO:662, b is an integer of 15 to 1178, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:662, and where b is greater than or equal to a + 14.	T55223, T80732, R48806, R48918, H04949, H04950, H39561, AA039409, AA100837, AA128896, AA143629, AA191274, AA191696, AA223135, AA223325, AA421101, AA426158, AA910569, AA399132, AA399614, AA481845, F01004
841176	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 726 of SEQ ID NO:663, b is an integer of 15 to 740, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:663, and where b is greater than or equal to a + 14.	T57362, T57445, N98867, W04663, W58769, AA148433, AA156103, AA157650, AA157759, AA192185, AA194358, AA491525, AA492088, AA515848, AA526390, AA639064, AA575866, AA579682, AA728989, AA737291, AA740468, AA741404, AA827641, AA862841, AA932208, AA974467, AA995725, F19218, F19304, N55638, N56464, N89217, AA247353, AA401334, F20491, F20992, F21312, AA608827, F22463, F22587, AA705812, AA889507
841178	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1656 of SEQ ID NO:664, b is an integer of 15 to 1670, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:664, and where b is greater than or equal to a + 14.	
841180	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3350 of SEQ ID NO:665, b is an integer of 15 to 3364, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:665, and where b is greater than or equal to a + 14.	
841181	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1209 of SEQ ID NO:666, b is an integer of 15 to 1223, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:666, and where b is greater than or equal to a + 14.	
841182	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1983 of SEQ ID NO:667, b is an integer of 15 to 1997, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:667, and where b is greater than or equal to a + 14.	
841185	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 572 of SEQ ID NO:668, b is an integer of 15 to 586, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:668, and where b is greater than or equal to a + 14.	R52220, R70423, N35269, N40823, W42954, AA281810, AA524713, AA093155
841187	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1083 of SEQ ID NO:669, b is an integer of 15 to 1097, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:669, and where b is greater than or equal to a + 14.	R13459, R37369, AA814459, AA977199, AA989190, AI004908, F19612, C15655, AA203403, AA486444, AA489297, AA677279, AA775589, AA909931, AI032801, AI034230, AI040649, AI091697
841188	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2886 of SEQ ID NO:670, b is an integer of 15 to 2900, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:670, and where b is greater than or equal to a + 14.	
841189	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 973 of SEQ ID NO:671, b is an integer of 15 to 987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:671, and where b is greater than or equal to a + 14.	AA001736, AA132627, AA568390, F19019, W26201, W69639, W69638
841192	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2811 of SEQ ID NO:672, b is an integer of 15 to 2825, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:672, and where b is greater than or equal to a + 14.	T71550, T83900, R08468, T83730, T96865, T96866, R25503, R33010, R33895, R35402, R49701, R49701, H26757, H26856, H26871, H64273, H64272, H79029, N38824, N45452, N59621, N78174, W32994, AA022663, AA022744, AA033910, AA034030, AA210790, AA215315, AA228688, AA489044, AA552631, AA761038, AA761245, AA765845, AA805289, AA862618, AA918378, AA991204, C20951, AA476743, AA476746, AA663218, AA663792, AA706854, AI022429, AI028102, AI038738, AI051573, AI051788, AI082582, AI084275, D25731,

		F04009, F06746, F07761, AA701500, AA702733
841194	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1416 of SEQ ID NO:673, b is an integer of 15 to 1430, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:673, and where b is greater than or equal to a + 14.	T74233, T88950, T89868, R11972, T84649, R18375, R27737, R27738, R37065, R42578, R42578, R61382, R61424, R69423, R69553, R77025, H00275, H00276, H08524, H08525, R97851, H81046, H81141, AA429044, AA429638, AA504809, AA505159, AA552544, AA582297, AA613016, AA627349, AA639590, AA573385, AA576999, AA657983, AA804493, AA866130, AA866200, AA908911, AA908916, AA922964, AI088797, AA648981, AA649000, AA442874, AA456809, AA479714, AA479836, AA485736, AA486457, AA448038, AA431346, AA434235, AA434321, AA683236, AA779612, AA885013, AA948075, AI004354, AI039367, AI090972, AA953777, T19678, F12570, F10186
841195	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1111 of SEQ ID NO:674, b is an integer of 15 to 1125, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:674, and where b is greater than or equal to a + 14.	
841198	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1063 of SEQ ID NO:675, b is an integer of 15 to 1077, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:675, and where b is greater than or equal to a + 14.	
841200	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 906 of SEQ ID NO:676, b is an integer of 15 to 920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:676, and where b is greater than or equal to a + 14.	R55754, R55738, H22912, H24090, H29740, AA232258, AA442918, Z42805, F13301
841201	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1233 of SEQ ID NO:677, b is an integer of 15 to 1247, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:677, and where b is greater than or equal to a + 14.	AA932596, D80656, D81201, D81580, C15574, AI025303, AA701535

841202	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2653 of SEQ ID NO:678, b is an integer of 15 to 2667, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:678, and where b is greater than or equal to a + 14.	
841209	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 938 of SEQ ID NO:679, b is an integer of 15 to 952, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:679, and where b is greater than or equal to a + 14.	
841210	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2295 of SEQ ID NO:680, b is an integer of 15 to 2309, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:680, and where b is greater than or equal to a + 14.	
841213	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 437 of SEQ ID NO:681, b is an integer of 15 to 451, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:681, and where b is greater than or equal to a + 14.	AA133947
841217	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1284 of SEQ ID NO:682, b is an integer of 15 to 1298, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:682, and where b is greater than or equal to a + 14.	C17425
841219	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 845 of SEQ ID NO:683, b is an integer of 15 to 859, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:683, and where b is greater than or equal to a + 14.	
841222	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1237 of SEQ ID NO:684, b is an integer of 15 to 1251, where both a and b correspond to the	

	positions of nucleotide residues shown in SEQ ID NO:684, and where b is greater than or equal to a + 14.	
841223	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2586 of SEQ ID NO:685, b is an integer of 15 to 2600, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:685, and where b is greater than or equal to a + 14.	T48001, T48881, T48882, T73986, T81100, T81151, T82458, R14770, R31779, R42540, R42540, R59226, R59286, R74588, R78473, R78539, H11611, H11700, H24632, H30034, H42336, R99669, N27968, N40733, N93719, W21125, W73346, W94235, W94237, AA026530, AA039301, AA039302, AA039611, AA234259, AA460377, AA460815, AA428913, AA429928, AA468129, AA468177, AA490801, AA602786, AA622704, AA911637, AA972558, AA973705, AA987526, AI005182, AI032242, W21787, W27428, AA654230, AA443814, AA447184, AA453411, AA453917, AA479442, AA489468, AA885138, AA904627, AA972149, AI014507, AI079892, Z39201, Z43111, D45594, D45647, F13465, F10053, AA700349
841224	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4627 of SEQ ID NO:686, b is an integer of 15 to 4641, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:686, and where b is greater than or equal to a + 14.	
841226	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 386 of SEQ ID NO:687, b is an integer of 15 to 400, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:687, and where b is greater than or equal to a + 14.	
841227	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2737 of SEQ ID NO:688, b is an integer of 15 to 2751, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:688, and where b is greater than or equal to a + 14.	
841228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 955 of SEQ ID NO:689, b is an integer of 15 to 969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:689,	

	and where b is greater than or equal to a + 14.	
841231	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 965 of SEQ ID NO:690, b is an integer of 15 to 979, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:690, and where b is greater than or equal to a + 14.	
841232	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 679 of SEQ ID NO:691, b is an integer of 15 to 693, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:691, and where b is greater than or equal to a + 14.	AA187539, AA593955, AA865468, AA247589, AA292221, AA394258, AI090863, D20810
841233	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1368 of SEQ ID NO:692, b is an integer of 15 to 1382, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:692, and where b is greater than or equal to a + 14.	T86934, T87037, T91296, R11017, T78621, T79104, T84877, R00236, R00549, R06637, R27822, R27923, R35744, R45232, R45232, H21370, H21411, H51867, H60283, H60590, H67220, H99964, N28349, N30781, N41554, W47213, W47113, W67148, W67391, AA004695, AA004747, AA053562, AA053590, AA281060, AA287033, AA490978, AA586578, AA720644, AA766114, AA838572, AA907289, AA922314, AA923031, AA977015, AA975857, AI085503, AI085638, AA642438, AA399464, AA448558, AA449705, AA723708, AA781911, AA846349, AA861478, AA907377, AA907376, AA909728, AA913796, AA994740, AI017543, AI027687, AI042241, AI051442, Z41060
841234	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3084 of SEQ ID NO:693, b is an integer of 15 to 3098, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:693, and where b is greater than or equal to a + 14.	
841236	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 475 of SEQ ID NO:694, b is an integer of 15 to 489, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:694, and where b is greater than or equal to a + 14.	
841238	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general	T40324, T41188, T74964, R10059, T80454, T85689, R12791, R19812, R24766, R24982, R33136, R33288,

	formula of a-b, where a is any integer between 1 to 1830 of SEQ ID NO:695, b is an integer of 15 to 1844, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:695, and where b is greater than or equal to a + 14.	R39060, R43570, R45243, R45498, R52595, R54047, R54048, R43570, R45243, R45498, H19030, H19321, H24420, H42322, H51876, H72225, H83771, H83913, H99717, N26245, N30134, N41682, N55555, N75922, N76940, N80564, W04682, W07687, W31765, W59945, W59946, W63652, W72530, W72085, W76498, W77868, AA081593, AA082766, AA084671, AA085794, AA088881, AA102302, AA127864, AA188946, AA188844, AA191212, AA196628, AA196960, AA631298, AA639450, AA904092, AA932353, AA961333, AA987825, AA988659, AA996270, AA205904, AA209353, AA393979, AA435659, AA453452, AA600183, AA663064, AA670333, AA774102, AA843676, AA854275, T03100, T03322, AI031917, AI066639, AI077924, AI078160, AI085089, T15361, T23623, T24082, Z42130, Z44535, F01670, F03604, F04096, F07839, F12754, F10361, AA700109
841239	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 591 of SEQ ID NO:696, b is an integer of 15 to 605, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:696, and where b is greater than or equal to a + 14.	R99939, H63661
841242	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 526 of SEQ ID NO:697, b is an integer of 15 to 540, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:697, and where b is greater than or equal to a + 14.	
841243	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 482 of SEQ ID NO:698, b is an integer of 15 to 496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:698, and where b is greater than or equal to a + 14.	
841248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 973 of SEQ ID NO:699, b is an integer of 15 to 987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:699,	

	and where b is greater than or equal to a + 14.	
841250	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1661 of SEQ ID NO:700, b is an integer of 15 to 1675, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:700, and where b is greater than or equal to a + 14.	
841251	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 542 of SEQ ID NO:701, b is an integer of 15 to 556, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:701, and where b is greater than or equal to a + 14.	
841254	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1124 of SEQ ID NO:702, b is an integer of 15 to 1138, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:702, and where b is greater than or equal to a + 14.	AA765476, AA807570, AI056471, AI075269, T24438
841263	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1048 of SEQ ID NO:703, b is an integer of 15 to 1062, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:703, and where b is greater than or equal to a + 14.	H58432, AA996201, AA598598, AA676797
841266	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 851 of SEQ ID NO:704, b is an integer of 15 to 865, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:704, and where b is greater than or equal to a + 14.	AA194189, Z36730
841269	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1369 of SEQ ID NO:705, b is an integer of 15 to 1383, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:705, and where b is greater than or equal to a + 14.	
841272	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to	

	1141 of SEQ ID NO:706, b is an integer of 15 to 1155, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:706, and where b is greater than or equal to a + 14.	
841273	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1403 of SEQ ID NO:707, b is an integer of 15 to 1417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:707, and where b is greater than or equal to a + 14.	H03779, H16233, AA026349, AA192805, AA662333, F19078, AA192917, AA921922, AI014904, Z30103
841276	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 934 of SEQ ID NO:708, b is an integer of 15 to 948, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:708, and where b is greater than or equal to a + 14.	
841277	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1315 of SEQ ID NO:709, b is an integer of 15 to 1329, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:709, and where b is greater than or equal to a + 14.	
841278	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:710, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:710, and where b is greater than or equal to a + 14.	
841279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1129 of SEQ ID NO:711, b is an integer of 15 to 1143, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:711, and where b is greater than or equal to a + 14.	R09746, R10170, R65983, R65982, AA159394
841280	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3765 of SEQ ID NO:712, b is an integer of 15 to 3779, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:712, and where b is greater than or equal to a + 14.	R09747, R10073, R33389, R33390, R53830, R53881, R62135, R62236, R68366, R68572, H00283, H00284, H02853, H03749, AA157541, AA158194, AA159297, AA548738, D82787, C02009, AA443368, AA446944, AA431753, AA770228, AA947580, AA947962, AI091589, T48513

841282	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1022 of SEQ ID NO:713, b is an integer of 15 to 1036, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:713, and where b is greater than or equal to a + 14.	T74298, R51507, R78167, H08569, N39881, N57231, AA460120, N56328, N83397, N86852, N87082, C04661, AA090325, AA095234, AA095835, AA216220, AA904685, AA905691, Z26999, F12501
841283	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4429 of SEQ ID NO:714, b is an integer of 15 to 4443, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:714, and where b is greater than or equal to a + 14.	T58069, T58183, R14589, R23688, R24089, R27635, R30799, R31679, R31721, R41362, R44141, R41362, R44141, R72635, R72711, H02881, H17299, H17300, H44461, N33623, N49466, W15423, W39662, W52186, W58286, W58287, AA034289, AA035171, AA040731, AA041202, AA043194, AA043349, AA043596, AA047418, AA047419, AA058764, AA101975, AA112998, AA114961, AA114960, AA127933, AA126680, AA156822, AA193516, AA195626, AA256538, AA256426, AA468894, AA507356, AA507368, AA516516, AA534147, AA555266, AA594917, AA631771, AA568460, AA715240, AA838519, C04979, AA707718, AA709391, AA725438, AA928191, AI024960, AI050938, AI074716, AI078311, AI087155, AI088407, AI088592, AI089297, Z38688, Z42494, AA683480, AA693964
841286	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2085 of SEQ ID NO:715, b is an integer of 15 to 2099, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:715, and where b is greater than or equal to a + 14.	T69086, H09300, H21912, H27306, H27307, H44750, H44751, AA028928, AA031481, AA031460, AA036634, AA040943, AA043170, AA042941, AA047185, AA057349, AA128136, AA224030, AA287364, AA287502, AA493521, AA506405, AA532934, AA635612, AA635790, AA017240, AA028927, AA043023, AA084506, AA126989, AA653687, AI040204, AI095872
841287	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 560 of SEQ ID NO:716, b is an integer of 15 to 574, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:716, and where b is greater than or equal to a + 14.	
841288	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 833 of SEQ ID NO:717, b is an integer of 15 to	

	847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:717, and where b is greater than or equal to a + 14	
841291	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2072 of SEQ ID NO:718, b is an integer of 15 to 2086, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:718, and where b is greater than or equal to a + 14.	
841292	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2404 of SEQ ID NO:719, b is an integer of 15 to 2418, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:719, and where b is greater than or equal to a + 14.	
841294	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2527 of SEQ ID NO:720, b is an integer of 15 to 2541, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:720, and where b is greater than or equal to a + 14.	
841296	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2157 of SEQ ID NO:721, b is an integer of 15 to 2171, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:721, and where b is greater than or equal to a + 14.	
841298	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1874 of SEQ ID NO:722, b is an integer of 15 to 1888, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:722, and where b is greater than or equal to a + 14.	
841301	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 966 of SEQ ID NO:723, b is an integer of 15 to 980, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:723, and where b is greater than or equal to a + 14.	T64693, R51679, R56608, H47224, N50001, N79401, W19677, AA143155, H59350, H69073, AA580509, AA487750, AA626464, T10911, T11398, T18502, T18605, T61708, F00905, F01050, F00254, F01055, F01138
841303	Preferably excluded from the present invention are	T80083, R18593, R24742, R27700,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1798 of SEQ ID NO:724, b is an integer of 15 to 1812, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:724, and where b is greater than or equal to a + 14.	R38770, R43007, R43007, H15446, H15504, H22797, H23005, H24923, N94968, W30841, W39757, W40248, W84533, AA033611, AA127942, AA127976, AA132110, AA148952, AA148953, AA513119, AA524721, AA551707, AA564773, AA662707, AA814997, AA910847, AA927433, AA886610, W05640, W19569, W22703, W39296, C04698, AA096287, C75085, AA704257, A1032787, A1075657, A1086246, F04646, F08424, F00247
841304	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 960 of SEQ ID NO:725, b is an integer of 15 to 974, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:725, and where b is greater than or equal to a + 14.	
841305	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1494 of SEQ ID NO:726, b is an integer of 15 to 1508, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:726, and where b is greater than or equal to a + 14.	
841309	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1990 of SEQ ID NO:727, b is an integer of 15 to 2004, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:727, and where b is greater than or equal to a + 14.	R62724, H42483, H71117, H71118, N92184, N94614, W39691, W45047, W49839, AA046636, AA046775, AA047446, AA047503, AA160181, AA488796, AA741383, AA746409, AA811149, AA833797, AA946892, AA999767, AA249075, AA248881, AA451825, AA454157, AA628416, AA846238, A1004357
841314	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:728, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:728, and where b is greater than or equal to a + 14.	
841316	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1741 of SEQ ID NO:729, b is an integer of 15 to 1755, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:729, and where b is greater than or equal to a +	

	14.	
841318	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 425 of SEQ ID NO:730, b is an integer of 15 to 437, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:730, and where b is greater than or equal to a + 14.	
841321	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3649 of SEQ ID NO:731, b is an integer of 15 to 3663, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:731, and where b is greater than or equal to a + 14.	
841324	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2003 of SEQ ID NO:732, b is an integer of 15 to 2017, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:732, and where b is greater than or equal to a + 14.	T96831, AA258405, AA258750, H61868, AA828983, AA447894, T96832
841326	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1990 of SEQ ID NO:733, b is an integer of 15 to 2004, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:733, and where b is greater than or equal to a + 14.	T67169, T67170, R13400, R25161, R40914, R81373, H03937, N32627, N46428, N47847, N99904, W25263, W56840, W60329, W86618, W86691, AA062970, AA082457, AA100373, AA101448, AA126274, AA134708, AA150508, AA156712, AA157068, AA156974, AA165009, AA171491, AA171862, AA179767, AA180187, AA180497, AA179780, AA180441, AA187010, AA190353, AA195448, AA227391, AA258327, AA258536, AA262632, AA489087, AA489151, AA503664, AA523741, AA582440, AA588337, AA621830, AA621902, AA640554, AA568289, AA744568, AA761881, AA827997, AA847455, AA913189, AA913652, AA974509, U46229, N84275, N85488, N87880, AA641297, C21410, AA091107, AA095442, AA209417, AA219739, AA599903, AA676460, AA677610, AA678785, AA707112, AA725266, AA757097, AA779171, AA779610, AA852239, AA773175, AA993290, A1023440, A1026810, A1039755, A1082013, A1089353, AA773895
841328	Preferably excluded from the present invention are one or more polynucleotides comprising a	R93165, R93258, AA115956, AA251714, AA206198, AA676321

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1114 of SEQ ID NO:734, b is an integer of 15 to 1128, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:734, and where b is greater than or equal to a + 14.	
841329	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 758 of SEQ ID NO:735, b is an integer of 15 to 772, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:735, and where b is greater than or equal to a + 14.	
841330	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1085 of SEQ ID NO:736, b is an integer of 15 to 1099, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:736, and where b is greater than or equal to a + 14.	R22883, R66728, R78688, H95005, H95113, N27178, N39923, AA037201, AA991171, U69556, AA913589, AI085980
841333	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3205 of SEQ ID NO:737, b is an integer of 15 to 3219, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:737, and where b is greater than or equal to a + 14.	T59818, T59682, R12623, R20524, R21444, R35122, R20524, R64024, H89257, N93515, W21251, W33070, W35419, W96447, W96544, AA039907, AA043958, AA043824, AA045684, AA045685, AA088865, AA099890, AA126585, AA127996, AA128092, AA176159, AA491962, AA595337, AA610623, AA668991, AA688420, AA765329, AA768238, AA831102, AA908487, D81709, N89092, C02635, C04695, AA416971, AA469921, AA598468, AA634649, AA939133, AA995031, AI082151, AI123086, T19281
841334	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 835 of SEQ ID NO:738, b is an integer of 15 to 849, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:738, and where b is greater than or equal to a + 14.	
841335	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2055 of SEQ ID NO:739, b is an integer of 15 to 2069, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:739, and where b is greater than or equal to a + 14.	R22949, R23055, R78445, W19388, AA126774, AA133979, AA173276, AA210721, AA210826, AA287324, AA287338, AA504314, AA688155, AA829651, AA836121, AA934545, AI004681, AA205833, AA628867, AI028632, AI026835, AI075920
841336	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1553 of SEQ ID NO:740, b is an integer of 15 to 1567, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:740, and where b is greater than or equal to a + 14.	
841337	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2815 of SEQ ID NO:741, b is an integer of 15 to 2829, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:741, and where b is greater than or equal to a + 14.	
841339	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 912 of SEQ ID NO:742, b is an integer of 15 to 926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:742, and where b is greater than or equal to a + 14.	R05977, W07729, W85962
841340	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1003 of SEQ ID NO:743, b is an integer of 15 to 1017, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:743, and where b is greater than or equal to a + 14.	T87162, T87245, R83644, H65997, W86660, W87319, AA279035, Z25793
841341	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 347 of SEQ ID NO:744, b is an integer of 15 to 361, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:744, and where b is greater than or equal to a + 14.	
841342	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1922 of SEQ ID NO:745, b is an integer of 15 to 1936, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:745, and where b is greater than or equal to a + 14.	T61211, R31792, R31806, R31842, R31858, AA463633, AA279178, AA279190, AA419400, AA482006, AA521039, AA528684, D80048, AA649649, AA651768, AA652075, AA652129, AA293205, AA293206, AA443179, AA936343
841343	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1605 of SEQ ID NO:746, b is an integer of 15 to 1619, where both a and b correspond to the	T72227, T92679, R30797, H88591, H97509, N22238, N28360, AA045341, AA045429, AA054480, AA058517, AA085747, AA111873, AA112181, AA128375, AA146828, AA146642, AA169595, AA194346,

	positions of nucleotide residues shown in SEQ ID NO:746, and where b is greater than or equal to a + 14.	AA194443, AA425051, AA491535, AA491727, AA553943, AA603289, AA604115, AA618399, AA631253, AA632743, AA640345, AA565849, AA657551, AA657552, AA747335, AA888284, AA903805, AA903460, AA932251, AA932650, AI074492, W26992, W27525, AA092612, AA093936, AA095079, AA495989, AA844221, AA845438, AA897210, AA928087, AA970794, AI083509, F04554, F00612
841347	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 478 of SEQ ID NO:747, b is an integer of 15 to 492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:747, and where b is greater than or equal to a + 14.	R14800, R25047, R59757, W23811, Z42261
841352	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 589 of SEQ ID NO:748, b is an integer of 15 to 603, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:748, and where b is greater than or equal to a + 14.	T39621, T47602, T47603, T50214, T50262, T56171, T59994, N69976, N70656, N92997, N98578, W19319, W21208, W25470, W38523, W79772, W79108, N90073, AA082281, AA083720, AA102538, AA111985, AA130519, AA130518, AA131208, AA155889, AA156193, AA157132, AA157188, AA159333, AA159346, AA159404, AA159443, AA166964, AA167042, AA425520, AA228398, AA228399, AA230245, AA420475, AA470507, AA470518, AA470554, AA470564, AA470784, AA480624, AA482721, AA483943, AA484448, AA492057, AA492060, AA501534, AA501688, AA501705, AA502485, AA503438, AA507807, AA522865, AA523150, AA523460, AA525078, AA531038, AA532886, AA534182, AA535479, AA541295, AA548431, AA559139, AA558899, AA559895, F16130, F17508, AA582864, AA582977, AA594817, AA600752, AA602218, AA603293, AA603440, AA614252, AA614593, AA627143, AA631240, AA639097, AA640665, AA569026, AA569795, AA573527, AA578708, AA578892, AA579475, AA580548, AA568421, AA654902, AA655027, AA657423, AA657485, AA657617, AA657745, AA657873, AA658089, AA659338, AA661580, AA662328, AA662945, AA664742, AA714342, AA721063, AA729626, AA729804, AA730697, AA737143, AA746051,

		AA814722, AA826140, AA838575, AA856900, AA857814, AA876960, AA879008, AA879230, AA886873, AA887104, AA888489, AA908834, AA922670, AA907193, AA931585, AA939179, AA969542, AA978087, AA988995, A1000230, A1002473, A1056486, A1066507, D45301, A1089666, A1094699, N84532, N84765, N86425, N89209, C14372, C14508, C14515, C14530, C14555, C14605, C14770, C14788, C14791, AA640945, C14863, C14868, AA090649, C14935, C15107, C15223, C15471, C15682, C15775, C15870, C15930, C15935, AA131294, AA643297, AA643298, AA643790, AA650598, AA652545, AA653802, AA653817, AA216075, AA216113, AA216340, AA249201, F20411, F20721, AA457776, AA478848, AA478850, AA479946, AA489323, AA609264, AA625634, AA669489, AA457581, F22821, AA845104, T25813, T26333, AA968927, A1080006, A1080259, D19689, T50162, T59495, F13766, AA694377
841353	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2031 of SEQ ID NO:749, b is an integer of 15 to 2045, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:749, and where b is greater than or equal to a + 14.	N70887, N80736, W06893, W07533, W86227, W86228, AA101268, AA877981, D79871, D81890, AA206735, AA205181, AA205255, AA205303, AA447456, AA454967, AA454966, AA778336, AA970143, T18602, D21013, Z38951, Z45683, T27468, T27472, F06030, F04572
841354	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1130 of SEQ ID NO:750, b is an integer of 15 to 1144, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:750, and where b is greater than or equal to a + 14.	H08639, W86219, AA136665, AA136781, AA256507, AA256508, AA603334, AA830237, AA978040, AA987352, AA733094, T10254, Z40940
841360	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1584 of SEQ ID NO:751, b is an integer of 15 to 1598, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:751, and where b is greater than or equal to a + 14.	
841366	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1471 of SEQ ID NO:752, b is an integer of 15 to 1485, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:752, and where b is greater than or equal to a + 14.	
841405	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1742 of SEQ ID NO:753, b is an integer of 15 to 1756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:753, and where b is greater than or equal to a + 14.	
841526	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1781 of SEQ ID NO:754, b is an integer of 15 to 1795, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:754, and where b is greater than or equal to a + 14.	
841712	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1266 of SEQ ID NO:755, b is an integer of 15 to 1280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:755, and where b is greater than or equal to a + 14.	
841860	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3651 of SEQ ID NO:756, b is an integer of 15 to 3665, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:756, and where b is greater than or equal to a + 14.	
842042	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1207 of SEQ ID NO:757, b is an integer of 15 to 1221, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:757, and where b is greater than or equal to a + 14.	R27775, R80938, R81040, H25849, H30556, H39898, H43685, H84621, H85342, H85863, H97623, N20020, N24066, N27150, N34137, N74869, AA013261, AA018222, AA056554, AA075594, AA111995, AA176737, AA196064, AA514335, AA731163, AA732094, AA769189, AA877155, AA887521, AA887647, AA915962, A1017806, C03891, AA648526, AA411503, AA890618, T03509, T11362, F00065
842453	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 617 of SEQ ID NO:758, b is an integer of 15 to 631, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:758, and where b is greater than or equal to a + 14.	
842635	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2482 of SEQ ID NO:759, b is an integer of 15 to 2496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:759, and where b is greater than or equal to a + 14.	
842927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2034 of SEQ ID NO:760, b is an integer of 15 to 2048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:760, and where b is greater than or equal to a + 14.	R09931, T99454, R02759, R86215, H59062, AA193428, AA193451, AA235140, Z45646
842988	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1743 of SEQ ID NO:761, b is an integer of 15 to 1757, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:761, and where b is greater than or equal to a + 14.	R18558, R33656, R33770, R41425, R41425, R62291, R62292, H00771, H03451, H03535, H11769, H12026, H16764, H16873, H25402, H25403, H25761, H25802, H26331, N27708, N33053, N35107, N36527, N48776, N62848, N77755, W48862, W48734, AA016281, AA040052, AA045034, AA151597, AA149477, AA150284, AA150386, AA421931, AA458926, AA805628, AA831459, AA862368, AA946706, AI017010, D80611, D80610, D79660, Z78342, C21502, AA428166, AA446595, AA452707, AA718983, AA722005, AA861846, AI025497, AI051843, Z24971, Z28673, Z40541, Z44707
843080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4434 of SEQ ID NO:762, b is an integer of 15 to 4448, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:762, and where b is greater than or equal to a + 14.	
843237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2876 of SEQ ID NO:763, b is an integer of 15 to 2890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID	

	NO:763, and where b is greater than or equal to a + 14.	
843381	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1689 of SEQ ID NO:764, b is an integer of 15 to 1703, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:764, and where b is greater than or equal to a + 14.	
843718	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 248 of SEQ ID NO:765, b is an integer of 15 to 262, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:765, and where b is greater than or equal to a + 14.	
843823	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3058 of SEQ ID NO:766, b is an integer of 15 to 3072, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:766, and where b is greater than or equal to a + 14.	
844056	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1307 of SEQ ID NO:767, b is an integer of 15 to 1321, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:767, and where b is greater than or equal to a + 14.	
844325	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1518 of SEQ ID NO:768, b is an integer of 15 to 1532, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:768, and where b is greater than or equal to a + 14.	H13033, H19108, W17353
844344	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2555 of SEQ ID NO:769, b is an integer of 15 to 2569, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:769, and where b is greater than or equal to a + 14.	
844368	Preferably excluded from the present invention are one or more polynucleotides comprising a	

	nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1623 of SEQ ID NO:770, b is an integer of 15 to 1637, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:770, and where b is greater than or equal to a + 14.	
844408	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2471 of SEQ ID NO:771, b is an integer of 15 to 2485, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:771, and where b is greater than or equal to a + 14.	R25739, R25848, R26585, R26669, R38347, R43382, R43382, R82340, R82389, H22162, H22213, H86274, H86550, H86638, N48320, N49046, N73714, AA019818, AA122109, AA152348, AA152349, AA158712, H86273, AA595813, AA612911, AA995417, C04219, AA018291, AA442061, AA442163, AA724417, AA923788, T03807, AI038239, AI051425, Z39949, F03166, F06863, F06899, F10884
844508	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 418 of SEQ ID NO:772, b is an integer of 15 to 432, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:772, and where b is greater than or equal to a + 14.	AA043997
844867	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1034 of SEQ ID NO:773, b is an integer of 15 to 1048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:773, and where b is greater than or equal to a + 14.	R23270, R24465, H26326, N67923, AA181941, AA187906, AA687695, AA740438, AA879229, D81116, D81140
845000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1005 of SEQ ID NO:774, b is an integer of 15 to 1019, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:774, and where b is greater than or equal to a + 14.	R22590, H92298, W04657, W31581, W37780, W39080
845281	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2234 of SEQ ID NO:775, b is an integer of 15 to 2248, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:775, and where b is greater than or equal to a + 14.	T92139, T93566, T94885, T94933, R15017, R17377, R25556, R25791, R26489, R26511, R46713, R46790, R53266, R41457, R46790, R46713, R95961, R95995, R96764, R97692, H56545, H89870, H89871, H89871, N22103, N39443, N45521, N48555, N67524, N67561, N75299, N75567, N75882, W04741, W05590, W57992, W58076, AA001138, AA001282, AA001943, AA001919, AA027274, AA029603, AA082792,

		AA102442. AA101126. AA150932. AA150901. AA176661. AA176888. AA223622. AA461513. AA177059. AA229768. AA230089. AA493436. AA516126. AA528397. AA551566. AA583433. AA610274. AA613338. AA665090. AA744004. AA744054. AA770662. AA829788. AA865467. AA864190. AA878328. AA922466. AA932042. AA933800. AA935845. AA973926. AA977231. AA988822. AA992503. AA995390. AI082412. AI094769, D82171. N85713. W25970. W28703. C00856. C04813. C05281. AA648060. AA650341. AA651636. AA452618. AA453239. AA626597. AA670375. AA679935. AA722603. AA770004. AA846222. AA890020. AA927073. AA992606. AI034036. AI056096. T16991. T23523. T19071. F01728. F02334. F05468. F06081. F04719. F08503
845288	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1591 of SEQ ID NO:776, b is an integer of 15 to 1605, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:776, and where b is greater than or equal to a + 14.	
845750	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1794 of SEQ ID NO:777, b is an integer of 15 to 1808, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:777, and where b is greater than or equal to a + 14.	T54633, T54715, T59162, T59200, T65736, T65810, R13590, R71878, H71816, H71817, H75311, H78458, H93320, H93493, N49894, N49998, N79774, N93610, W07272, W25098, W25505, W79872, W80977, W81080, AA010657. AA010658, AA024456, AA024672, AA053380, AA053095, AA148051, AA196637, AA196919, AA223159, AA234295, AA262985, AA425287, AA425492, AA551815, AA552317, AA614604, AA617675, AA639422, AA570121, AA568154, AA847251, AA983567, AI015662, C00349, N87765, C02759, C03904, C04889, C05299, C05572, AA248273, AA290679, AA402015, AA402941, AA411366, AA411367, AA411431, AA411547, AA481876, AA482058, AI032553, AI038761, AI077405, AI088638, T16907, T16906, D31160, D31471, F02456, F02921, F02975, F06184, F06650
845809	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1470 of SEQ ID NO:778, b is an integer of 15 to 1484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:778, and where b is greater than or equal to a + 14.	
846077	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1329 of SEQ ID NO:779, b is an integer of 15 to 1343, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:779, and where b is greater than or equal to a + 14.	

Polynucleotide and Polypeptide Variants

The present invention is directed to variants of the polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto. and/or the cDNA sequence contained in a cDNA clone contained in the deposit.

The present invention also encompasses variants of the prostate and prostate cancer polypeptide sequence disclosed in SEQ ID NO:Y, a polypeptide sequence encoded by the polynucleotide sequence in SEQ ID NO:X. and/or a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

"Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions. identical to the polynucleotide or polypeptide of the present invention.

The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the related cDNA contained in a deposited library or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polypeptides encoded by these nucleic acid molecules are also encompassed by the invention. In another embodiment. the invention encompasses nucleic acid molecules which comprise or alternatively consist of, a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under low stringency conditions, to the nucleotide coding sequence in SEQ ID NO:X, the nucleotide coding sequence of the related cDNA clone contained in a deposited library, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which

hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

The present invention is also directed to polypeptides which comprise, or alternatively consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to, for example, the polypeptide sequence shown in SEQ ID NO:Y, a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polypeptide fragments of any of these polypeptides (e.g., those fragments described herein). Polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these polypeptides under stringent hybridization conditions, or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

By a nucleic acid having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be, for example, an entire sequence referred to in Table 1, an ORF (open reading frame), or any fragment specified as described herein.

As a practical matter, whether any particular nucleic acid molecule or polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be

compared by converting U's to T's. The result of said global sequence alignment is in percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identiy are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size Penalty 0.05, Window Size=500 or the lenght of the subject nucleotide sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3' truncations of the subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other

manual corrections are to made for the purposes of the present invention.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence in SEQ ID NO:Y or a fragment thereof, the amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determing the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237- 245(1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is in percent identity. Preferred parameters used in a FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence due to N- or C-terminal deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences